





DART GT GT models are the most luxurious, offering the most complete list of standard and optional equipment in the Dart line for '69. Standard GT equipment includes 170 Slant Six or 273 V8 engine, three-speed manual column shift, heater/defroster, cigarette lighter, * power top for convertible, * a choice of 16 exterior colors, * 18-gallon fuel tank, * self-adjusting brakes, * spare tire storage in tirewell beneath luggage compartment floor,* Cleaner Air System,* full carpeting,* 3-spoke steering wheel with padded hub and partial horn ring.* GT convertibles have all-vinyl, full-width bench seats (bucket seats are optional). GT hardtops have bucket seats standard. Both types of interiors are available in blue, red, black, or white/black. In addition, interiors with buckets are available in green, gold, white/blue, white/green, or white/gold.

DART SWINGER 340 Here's the lowest priced high-

performance Dodge for 1969. It's the Swinger hardtop, muscled-up with the big 340-cu.-in., 4-bbl. V8, 4-on-the-floor (with Hurst shifter), Rallye Suspension, Firm Ride shocks, and D70 x 14 wide-tread tires (on

Darl Custom Hardtop (170 & 225 Six; 273, 318 VS)

5.5J wheels). Outside, Swinger 340 boasts "power bulges" on the hood, bright dual exhaust tips, and famous "Bumblebee Stripes" (to identify it as a full-fledged member of the Dodge Scat Pack). Inside, Swinger 340 offers full carpeting (with std. 4-speed: carpeting optional with optional TorqueFlite automatic) and all-vinvl bench seats.

DART SWINGER and Dart Sedan. The two-of-a-kind Dodges. They're both kind to your budget.

This year, Dart Swinger, the lowest priced Dodge hardtop, joins the Dart sedan, the lowest priced Dodge of all. Rarely can you find this kind of room, comfort and convenience in the compact price range. Standard equipment includes all Dart Custom. items with the exceptions of digarette lighter, carpeting, cloth-and-vinyl upholstery, dual horns, and partial horn ring. Dart Series models have all-vinyl, full width bench seats in a choice of blue, tan, or black (sedan), and blue or black (Swinger). An optional deluxe pleated all-vinyl seat trim is available on the Swinger in a choice of blue, tan, or black.

DART GTS This is the top of the Dart line for 1969. Definitely a performance-oriented car that offers the 383 Magnum engine, available as an option only on GTS and on no other Dart model. Standard GTS equipment includes: 340 (4-bbl.) V8 engine, TorqueFlite three-speed automatic transmission, Rallye Suspension, Firm Ride shocks, 14 x 5.5J wheels, E70 x 14 Red Line wide-tread tires, "power bulges" in the hood, "bumblebee" stripes, bright dual exhaust tips, and an engine dress-up kit. The remainder of the standard equipment list is similar to that for Dart GT models.

GTS convertibles have all-vinyl, full-width bench seats (bucket seats are optional). GTS hardtops have bucket seats standard. Both types of interiors are available in blue, red, black, or white/black. In addition, interiors with buckets are available in green, gold, white/blue, white/green, or white/gold.

*These starred items are included as standard equipment on GTS models, too.

DART CUSTOM People who want a lot of car for their mone (but don't want to spend a lot of money on People who want a lot of car for their money their car) will find a great deal to their liking in the new Dart Custom models for 1969. Standard Custom Series equipment includes: 170 Stant Six or 273 V8 engine, three-speed manual column shift, heater/defroster, cigarette lighter, a choice of 16 exterior colors, 18-gallon fuel tank, self-adjusting brakes, spare tire storage in tirewell beneath luggage compartment floor, Cleaner Air System, full carpeting, and 3-spoke steering wheel with padded hub and partial horn ring.

Dart Custom hardtops have all-vinyl, full-width bench seats, with interiors available in blue, green, tan, red, black, white/black, or white/blue. Dart Custom 4-door sedans have cloth-and-vinyl, full-width bench seats. Interiors are offered in blue, green, black, or champagne/black. In addition, an optional all-vinyl interior is available for Dart Custom sedans in blue, tan, green, or black.



Dimensions

Wheelbase......111" Track, front/rear......57.4*/55.6* GTS, Swinger 340 track, 1/r.....58.1"/56.3" Overall length.......195.4" Overall width 69.6" Overall height (6-cylinder sedan)........54.4"

Suspension

All Dart models have torsion bars and ball joints in front, asymmetrical leaf springs in the rear, and Ordlow shock absorbers at each wheel. The entire suspension is rubber-isolated. The Dart Rallye Suspension and Firm Ride heavy-duty shock absorbers (described on the Optional Equipment page) are standard on GTS and Swinger 340 models, optional on other Dart models.

Brakes

Front/rear (6-cyl.) 9" x 234"/9" x 2" Front/rear (VB) 10" x 254"/10" x 136"

Dual Braking System. Hydraulic, servo-contact. self-energizing, self-adjusting. Bonded linings. Parking brake is hand-operated, hand-releasedmechanically actuating shoes on each rear wheel Power brakes are optional on all Dart models. Front disc brakes (14" wheels and tires are included). are also optional on all Dart models.

LIGHT GREEN METALLIC

6-cyl. medels (except convertibles) 6-50 x 13 (170 Six only) All 225 Six models (and 170 Six convertibles): 7.00 x 13 VB (except GTS and Swinger 340). 7.00 x 13

GTS models. E70 x 14 wide-tread D70 x 14 wide-fread Swinger 340.

54" wheels and tires are optional on all Dart models except Dart GTS and Swinger 340 models on which they are standard. Optional wide-tread tires require the addition of optional Rallye Suspension. Also available are fiber-glass-belted tires. C78 x 14 fiber-glass-belled lires are optional on all models except Dart GTS and Swinger 340, E70 x 14 fiber-plass-belted tires are optional on all Darts and require the optional Rallye Suspension.

Electrical System

Battery: 12-volt, 6-cell, 38-amp-hr, standard on 6-cylinder models; 48-amp-hr, standard on V8s. 59-amp-hr optional on all Dart models.

37-amp standard on VBs (and Sixes with air conditioning), 46-amp alternator is optional with 6 or V8 and standard with air conditioning on V8 models.

Engines

Swinger 340 GTS 4 GTS only only

displacement	170 cu, in.	225 cu. in.	273 cu. in.	318 cu. in.	340 cu. in.	383 cu. in.
no. of cylinders	6	6	V8	V8	V8	VB.
bore and stroke (in.)	3.4 x 3.125	3.4 x 4.125	3.63 x 3.31	3.91 x 3.31	4.04 × 3.31	4.25 x 3.38
tappets	mechanical		VB engines have		hydraulic tappets	
carburetor	1-bbl.	1-bbl.	2-bbl.	2-bbl.	4-bbl.	4-bbt.
compression ratio	8.5:1	8.4:1	9.0:1	9.2:1	10.5:1	10.0:1
air cleaner	silenced				unsilenced	
exhaust system	single exhaust system				dual	
crankcase	4 quarts on all engines-5 quarts when				replacing oil filter	
coolant	12 qts.	13 qts.	19 qts.	18 qts.	18 gts.	17 qts.
horsepower @ rpm	115@4400	145(34000	1908)4400	230@4400	275@5000	330@5200
torque (lbsft.) @ rpm	155492400	215@2400	260@2000	340@2400	340@3200	410@3600
fuel recommended	regular	regular	regular	regular	premium	premium

Transmissions

Three basic transmissions are offered on 1969 Dodge Dart models.

(1) The three-speed manual, with column-mounted shift lever. It is standard with the 170 Six, 225 Six. and 273 V8 only, and not available on GTS or Swinger 340 models.

(2) The four-speed manual has a Hurst floor-mounted shift (or console-mounted Hurst shifter in Dart models equipped with optional center console). The four-speed manual is standard on Swinger 340, optional on all other Dart models with V8 engines. and is not available on six-cylinder models.

(3) The three-speed TorqueFlite automatic has a column-mounted shift (console-mounted in Dart models equipped with optional center console). It is water-cooled, has an aluminum housing and an internally actuated parking sprag. A "partial kickdown" (2nd gear) feature gives improved acceleration and economy for six-cylinder Dart models. TorqueFlite automatic is standard on GTS models, optional on other Dart models -- Sixes and V8s.

Rear Axle Ratios

A number of rear axte ratios are offered with each Dart engine and transmission team. Standard ratios with the belter fraction.

Trailer-Towing Package

The Trailer-Towing Package for Dodge Darf models is: required for towing trailers with a loaded gross weight of 1500 lbs. and not exceeding 2000 lbs. A frame-type load-equalizing hitch is required for trailers having a loaded tongue-weight of 150 fbs. (Hitch not supplied by Dodge.)

Basic equipment includes: maximum cooling system with high-capacity radiator. Seven-blade fan, Fan stroud. Hood seal (std. with V8 engine), Heavy duty rear axle with 3.23 ratio. Heavy duty suspension front and rear, with sway bar. Heavy-duty turn signal flasher. 10"-diameter brakes (standard with V8 engines). Wide-rim wheels (5.5JK).

Trailer-Towing Package is available on Dart models powered by 225 Six or 273, 318, and 340 V8s only. The following extra-cost equipment is also required: TorqueFlite automatic transmission. D70 x 14 or E78 x 14 wide-tread tires.

Recommended additional optional equipment for trailer towing: Power steering, power brakes. Sure Grip differential. High-output, 46-amp atternator. 70-amp hr heavy-duty battery, with rubber separators and heat shield. Air conditioning. Front disc brakes.

All Dart models include these items as standard safety equipment.

Dual Braking System | turn signals | padded instrument panel [] master cylinder/parking brake warning light \(\square\) windshield washers \(\square\) Safety-Action inside door handles El left, outside rearview mirror C retractable front seaf belts C breakaway ashtray on instrument panel | side marker reflectors ☐ soft knobs on window cranks ☐ Cleaner Air System El energy-absorbing steering column and wheel □ backup lights □ padded sun visors □ windshield wipers, 2-speed, electric; parallel action, with glare-reducing finish Cl. Hazard Warning System () Safety-Rim wheels () prismatic. day/night, inside rearview mirror with double-balljoint mount D. front shoulder belts, left and right (except convertibles) [] rear seat betts [] manual latch on front seatbacks (2-door models only) (3) padded front seafback. [] noneverride door locks,

All product illustrations and specifications are based on authorized information. Although all descriptions are believed correct at publication approval, accuracy cannot be guaranteed. Some of the equipment shown on product illustrations is. optional, at extra cost. Dodge Division reserves the right to make changes from time to time; without notice or obligation, in prices, specifications, colors and materials, and to change or discontinue models.

Colors

A choice of 16 standard oven-baked, acrylic enamel colors is offered on all 1969 Dart models. In addition, many combinations of two-tone paint are offered as options on sedans and hardtops; and vinyl roof covering in green antique, black, white afflair, or tan is optional on the Dart Custom sedans and all Dart hardlops.



And "your way" is just about any way you want to equip your new Dart. We've arranged Dart's generous list of extra-cost items into logical groups for easy reading and convenient reference. They're all here-from "A," Airtemp air conditioner, to "W," wide-tread tires. (Our engineers are still working on options that begin with X, Y and Z.)

Comfort and Convenience

Airtemp air conditioner Rear window defogger (except on convertibles)

Music Master AM radio Solid-state AM-FM radio Power steering

Power brakes Center console (GT, GTS w/buckets) Right, outside mirror

Left, outside remote-control mirror Tinted windshield Tinted windshield and windows

Undercoating and hood insulation Color-keyed head restraints, front seats, left and right

Rear seat shoulder belts, left and right (N.A. convertibles)

Variable-speed wipers/ electric washer Extra-thickness foam-padded front seat cushion (standard with bucket seats)

All-vinyl interior

(This is standard on all models except the Dart Custom 4-door, which has cloth-and-vinyl interior trim. If you want your Dart Custom. 4-door with all-vinyl interior, it's available as an option.)

Dodge Dart Light Group

Trunk compartment light Glove box light Ashtray light Time-delay ignition switch light

(This is a little delay switch that leaves your ignition switch light "on" for a short time after the car doors are closed. It lets you without switching on the interior lights.)

Map and courtesy light* Glove box lock (standard on GT and GTS models)

*This item is standard on Darl convertibles, but a part of the optional Light Group on other Dart models.

Dart Radio Group

Music Master AM radio Power steering Variable-speed wipers/electric washers Deluxe wheel covers Left, remote-control mirror Extra-thickness foam-padded front seat cushion

Dart Protection Group

Color-keyed floor mats Front and rear bumper guards Undercoating and hood insulation

Decor Group

Dart Series hardtop and sedan: Drip rail mouldings and body side mouldings

Swinger 340: Drip rail mouldings and wheel lip mouldings

Performance

225-cubic-inch Six (170-cu.-in, Six is standard-Sixes not available on GTS models and Swinger 340)

318-cubic-inch V8 (273-cu.-in, V8 is standard-273 and 318 V8s not available on GTS models and Swinger 340)

383-cubic-inch V8 (GTS only: 340-cu.-in, V8, standard)

TorqueFlite three-speed automatic transmission (standard on GTS models)

4-on-the-floor manual transmission with Hurst shifter (available with V8 engines only; standard on Swinger 340)

16:1 fast manual steering ratio (24:1, a little slower steering ratio,

Rallye Suspension (standard on Dart GTS models and Swinger 340. optional on others)-includes: heavy-duty torsion bars, heavyduty ball joints, heavy-duty rear springs (6 leaves), sway bar

Firm Ride shock absorbers (standard on GTS and Swinger 340, optional on other Dart models)

E70 x 14 Red Line wide-tread tires (standard on GTS, optional on others)

5.5J wide-rim wheels (required with wide-tread tires)

Trailer-Towing Package (details are listed with specifications on page 11)

Tachometer (mounted on optional console in bucket seat V8 models

Appearance

Two-tone exterior paint (sedans and hardtops only, not convertibles)

Vinyl roof covering (Custom Series sedan, all hardtop models) (choice of four colors: black, white afflair, green antique, or tan)

Deluxe wheel covers

Deluxe 14" wheel covers (on models equipped with 14"wheels and tires)

Deep-dish 14" simulated "mag" wheel covers (these require the 5.5J wide-rim wheels)

Cast 14" road wheels with wide-tread tires

Front/rear bumper guards

Sill moulding (optional on all models except GTS)

Fender-top turn signal indicators (optional, all models)

Door upper frame mouldings (4-door sedans only)

Belt mouldings (Custom hardtop, GT, and GTS models only) 3-spoke steering wheel with full horn ring, padded hub (optional,

all models) Sports-type, simulated wood-grained steering wheel with padded hub Color-keyed floor mats Pedal dress-up

Some options, such as Airtemp air conditioner. console, power steering, fast manual steering, tachometer, tires and wheels of specific designs. Trailer-Towing Package and four-speed transmission, are available only with certain other items of equipment. Your Dodge Dealer will gladly assist you in selecting such items within their availability.







