





Tilt steering column



CB radio



Electric door locks





Five-slot chrome disc wheel



White-painted spoke wheel



Chrome-styled wheel



Vinyl soft-top (dealer-installed)



Air conditioning



Outside spare tire carrier



Sno-Commander Package

Ramcharger **Options** for Added **Enjoyment** and Utility.

- ☐ Tilt steering column. Adjusts easily to seven different positions for your comfort. Available with optional power steering and automatic transmission.
- Sky Lite sun roof. Brighten the interior with a Sun Screen safety glass sun roof overhead. It can be opened slightly to add to ventilation or removed completely.
- ☐ Radios, including CB. AM with 40-channel CB; AM/FM/MX stereo with 40-channel CB; AM; AM/FM; AM/FM/MX stereo; AM/FM/MX stereo with eight-track tape.
- ☐ New electric door locks. For added security, an electric door lock system enables you to lock doors quickly.
- Big choice of wheels. Choose chromestyled road wheels; white-painted steel-spoke wide sport road wheels; 5-slot chrome disc wide sport road wheels.
- □ Vinyl soft-top. A dealer-installed option that can add to your enjoyment of the outdoors. The plastic windows can be unsnapped and rolled up for open-air travel. Yet the roof protects you from the sun.
- Air conditioning. Designed to provide both cooling and heating, for year-round comfort.
- ☐ Outside spare tire carrier. It provides more interior load space and your spare is easily accessible when needed. It swings out of the way to allow access to the rear interior.
- ☐ Sno-Commander Package. Designed for rugged snow removal service; includes power angling blade, power lift, seven-way control valve. (Four-wheel-drive model only.)
- Automatic speed control. On long distance trips, simply set the speed where desired. It will stay at that relative speed until you release the control or apply the brakes.

Pick Ramcharger power for your kind of performance.

- If six-cylinder practicality is your preference, go with Ramcharger's 225cubic-inch Six*, standard in the AD100 two-wheel-drive model, offering proved performance from overhead-valve design, 30-degree tilt cylinder block, quality features throughout.
- Or, if the added pull of a big optional V-8 is required, equip your Ramcharger with either one of these two powerful performers: Dodge 318-cubic-inch V-8 (standard in AW100 four-wheel-drive model), or a husky 360-cubic-inch V-8, for heavier loading or towing.
- *Not available in California.






Bench seats available. For six-passenger carrying capacity, order the optional deluxe vinyl front split-back bench seat shown above . . . plus an optional rear bench seat in matching front seat trim.

To get the performance you want, on the road and off, you simply move the transfer case shift lever to one of five positions: Low Loc, for pulling through snow, mud, or sand; Low, for driving or towing in mountains or hills; Neutral, for power take-off operation; High, for normal driving; High Loc, for added off-road traction. In the rough spots, all four wheels dig in and dig you out; yet on the highway, the ride is quiet and stable.

Special interaxle differential, the key to versatile four-wheeling. Located in the transfer case, it delivers proportionalized driving power to both front and rear axles ... with a minimum of strain on driveline components. The result is performance that can be tailored to meet a wide variety of driving situations.



Start your selection here.

Listed below are your basic choices: available wheelbases, seating, paint, drive-line components and options. After you've read the catalog thoroughly, check off what you want. Your Dodge dealer can then assist you in completing your selection.

Model		Seating Arrangement		Transmission	
(2-wheel drive) Trim Level	□ AW100 (4-wheel drive)	2 Passenger (standard) 5 Passenger (optional)	□ 3 Passenger (optional) □ 6 Passenger (optional)	□ Std. 3-speed manual □ Optional NP435	Optional 3-speed automatic
□ Ramcharger S.E.	□ Ramcharger	Seats		4-speed manual (AW100)	Optional NP445 4-speed manual
Package (optional) Engine		Std. low-back deluxe vinyl front bucket	Opt. 3-passenger bench rear seat in	Popular Options	(AW100)
Std. 225-cubic inch- Six (AD100) N/A California	□ Optional 318-cubic- inch V-8 (Std. AW100) □ Optional 360-cubic-inch V-8	seats Opt. 3-passenger deluxe vinyl split-back bench front seat Opt. high-back cloth-and-vinyl Command front bucket seats	matching front seat trim	□ Sno-Commander Pkg. (AW100) □ Tilt steering column □ Inside hood release □ Transfer case skid plate (AW100)	□ Sky Lite sun roof □ CB radio (AM, AM/FM/MX stereo) □ Automatic speed control □ 35 gal. fuel tank □ 10 x 15 LT tires (AW100)


Dodge Ramcharger Specifications

CONTRACTOR			The state of the s		
SPECIFICATIONS	AD100 2-WHEEL DRIVE	AW100 4-WHEEL-DRIVE	SPECIFICATIONS	AD100 2-WHEEL DRIVE	AW100 4-WHEEL-DRIVE
G.V.W. Rating (lbs.)	4800 5300 6050	6050 6050 w/Sno- Commander Pkg.	Steering—Type —Turning Dia.	Recirculating Ball 37.3 feet	Recirculating Ball 36.9 feet
Engines*	225 6-cyl. (S) (1), 318 V-8, 360 V-8 (2)	318 V-8 (S), 360 V-8	Tires, Front**** and Rear—Std.	FR78 HR78 L78 -15-B -15-B -15-B	L78 7.00-15-D
Clutch, Diameter, Area	11-inch 123.0 Sq. in.	11-inch 123.0 Sq. in.	—Opt. Sizes	H78 LR78 LR78 -15-B -15-B -15-B HR78 LR70	LR70 -15-B LR60
Transmissions**	3-Speed Manual (S) 3-Speed Automatic	3-Speed Manual (S) NP435 4-Speed Manual NP445 4-Speed Manual 3-Speed Automatic		-15-B -15-B LR78 LR60 -15-B -15-B 7.00	-15-B LR78 -15-B 7.00
Transfer Case		NP203, 2-Speed, Full-Time	700 1 0	-15-D	-15-B 10-15LT-B
Axle, Front, Type Capacity (lbs.)	Independent Front Suspension 3000	Spicer Spicer 44-F-BJ 44-F-BJ 3500 4000	Wheels, Front and Rear (S-stud disc)	15 x 15 x 15 x 5.50-in. 6.50-in. 6.50-in. (S) (2) (S)	15 x 6.50-in. (S)
Axle, Rear, Type Capacity (lbs.) Ratios***	Chrysler 8%-inch 3550 3.55 3.2 2.94 6 (S) V-8 V-8 & V-8 (S)	Chrysler 9¼-inch 3600 3.55 (S) 3.2	Chrome-Styled Road Type	15 x 6.00-in. (0)	15 x 6.00-in. (0)
			White-Painted Steel-Spoke	15 x 8.00-in. (0)	15 x 8.00-in. (0)
0 1 2 2			5-Slot Chrome, Disc	15 x 8.00-in. (0)	15 x 8.00-in, (0)
Springs, Front, Type	Coil Independent Front Suspension	48 x 2.5-inch Leaf	Brakes, Service: Type	Hydraulic Dual Braking System with Power Assist	Hydraulic Dual Braking
Capacity @ Grd.	1340(S) 1340(S) 1440(S) 1440HD 1440HD —	1640(S) 2100(S)	Front Rear	Disc-11.75 x 1.25-in. Drum-10 x 2.5-in.	System with Power Assist Disc—11.75 x 1.25-in. Drum—10 x 2.5-in.
Springs, Rear, Type	52 x 2.5-inch Leaf	52 x 2.5-inch Leaf	Brakes, Parking: Type Control Area	Rear Wheel, Internal Expanding Foot Pedal 97.6 Sq. In.	Rear Wheel, Internal Expanding Foot Pedal 97.6 Sq. In.
Capacity @ Grd. (lbs.)	1610(S) 1610(S) 1820(S) 1820HD 1820HD —	1820(S) 1820(S)			
Stabilizer Bar, Front, Diameter	Optional 1.0-inch	1.0-inch (S) 1 3/16-inch HD	Frame—Type and Section MOD	Drop Frame 2.86	Drop Frame 2.86
Maximum Load Rating (lbs.)	1295 1760 2465 225 225 225 6-cyl. 6-cyl. 6-cyl. 1225 1690 2410 318 318 318 V-8 V-8 V-8	1970 1255 318 318 V-8 V-8	Battery	48 Amp. (S), 63 Amp., 117 Amp. 48 AmpHr./305 Amp. Cold Crank (S) 59 AmpHr./375 Amp. Cold Crank	48 Amp. (S), 63 Amp., 117 Amp. 48 AmpHr./305 Amp. Cold Crank (S) 59 AmpHr./375 Amp. Cold Crank
Shock Absorbers (Dia.) Front Rear	1.0-inch(S), 1 3/16-inch (0) 1.0-inch(S), 1 3/16-inch (0) d V-8 engines in all states exc	1.0-inch(S), 1 3/16-inch (0)		70 AmpHr./430 Amp. Cold Crank (maint, free) 85 AmpHr./500 Amp. Cold Crank Long Life	Cold Crank 70 AmpHr./430 Amp Cold Crank (maint. free) 85 AmpHr./500 Amp. Cold Crank Long Life

ptional and standard V-8 engines in all states except California are equipped with a 2-bbl. carburetor; (225 6-cyl. engine is equipped with 1-bbl, carburetor); V-8 engines in California are equipped with 4-bbl.

- Some transmissions are restricted for use with certain engines. See your Dodge dealer for details.
- All axle ratios are available with anti-spin differential. Specific axle ratios may be restricted for use with certain engine-transmission combinations. See your Dodge dealer for details.
- The letter "R" in letter-number tire designations indicates radial tire ply.

- (S) Standard equipment
- (0) Optional equipment
- (1) N/A in California





BUY OR LEASE A RAMCHARGER