





### TABLE OF CONTENTS

New MAGNUM 5.2LV8 engine

New Canyon Sport models

More towing and payload than the competition
 Significant savings\* with Customer-Preferred<sup>SM</sup>

Advantage Packages

New MAGNUM 3.9L V6 and 5.2L V8 engines
 New five-speed manual overdrive transmission

New five-speed manual overdrive transmission
Choice of five-, eight-, 12- or 15-passenger-

 seating and Travel Wagon Package
 Significant savings\* with Customer-Preferred<sup>SM</sup> Advantage Packages



Standard and Optional Equipment, Customer-Preferred<sup>SM</sup> Advantage Packages, Trailer Towing, Specifications, GVW Selector, Engine/ Transmission Availability, Seat Availability, Interior/Exterior Colors, Dimensions;

Ramcharger Page 10
 Ram Wagon Page 16

\*Package savings based on price of equipment if purchased separately

1991 J.D. Power Light Duty Truck Survey.

About this catalog. Since the time of printing, some of the information you'll find in this catalog may have been updated. Ask your dealer for details.

Some of the equipment shown or described throughout this catalog is available at extra cost.

### **MAGNUM POWER**

### More V6 Power. New MAGNUM Sequential Multipoint Fuel-Injected 3.9-liter V6.


The MAGNUM SMPI 3.9-liter V6 has the most horsepower\* of any six-cylinder engine offered in a wagon: 180 horsepower at 4,800 rpm, with 225 pound-feet of torque at 3,200 rpm.

### More V8 Power. New MAGNUM Sequential Multipoint Fuel-Injected 5.2-liter V8.

The MAGNUM SMPI 5.2-liter V8 has the most horsepower and torque\* of any comparable standard V8 in a wagon or full-size sport utility: 235/230 horsepower at 4,800 rpm, with 285/280 pound-feet of torque at 3,200 rpm, respectively.

Sequential multipoint fuel injection uses one injector for each cylinder's intake port in a new, tuned intake manifold. This electronically controlled system, along with revised combustion areas and exhaust manifolds, produces more power and more torque, plus offers good fuel economy.

\* Based on comparative data at time of printing.





66 ... the power and torque gains in Dodge's light truck 3.9L V6 and 5.2L V8 for MY1992 are too drastic to ignore.99

Chilton's Automotive Industries

Leaner, meaner, tighter, tougher.

In addition to sequential multipoint fuel injection, Dodge's new MAGNUM engines share major design and quality improvements in the cylinder head, engine block and oil pan. The result is a 29 percent reduction in engine componentry, less weight, tighter sealing, reduced maintenance and long life, bringing you increased power, economy and reliability.

New oil pan gaskets using state-of-the-art silicone for a 60 percent quality improvement over conventional materials.

New combustion chambers and ports for more volumetric efficiency and increased

New intake and exhaust valves and ports for better breathing, increased horsepower and higher RPM range.

New high-flow exhaust manifolds for

improved breathing and more horsepower. New sequential multipoint fuel

injection system boosts horsepower and New tuned intake manifold



MAGNUM V 8

New pistons and new ring package for

New water pump assembly cools with a

New serpentine belt accessory drive with

automatic tensioner for less maintenance

New rocker arms and cover assemblies

NEW MAGNUM SMPI 5.2-LITER V8

(These features are also among the

quality improvements on the new

MAGNUM 3.9-liter SMPI V6 engine.)

improved emissions control.

and reduced engine vibration.

for long life and improved sealing.

higher flow rate.

# TOUGHNESS

From the rugged, heavy-towing Ramcharger to the many available models of the Ram Wagon, Dodge gives you more of what you buy a recreational vehicle for. Durability. Reliability. Cargo space. Warranty protection. Affordable performance. And value. Add to this Dodge's more than 75 years of truck experience and technical know-how, and you'll agree that when it comes to rugged. high-tech power and performance, Dodge Ramcharger and Ram Wagons are tough to beat!

### New Transmission.

Die-cast aluminum and cast iron components



sion to achieve lighter weight, less noise, greater durability and improved reliability. The new heavy-duty five-speed offers overdrive, and is standard on Ram 150 wagons with short wheelbase and the MAGNUM 3.9-liter SMPI V6.

Rear-Wheel Antilock Brake Security. For 1992, every Ramcharger and fullsize Ram Wagon features a computercontrolled rear-wheel antilock brake system. This important safety feature helps maintain safe, controlled stopping under adverse driving conditions by preventing rear-wheel brakes from

locking up under heavy braking on dry

pavement or when traction is reduced.

#### **Independent Front Suspension** and More.

For easy handling and a smooth, comfortable ride, full-size Ram Wagons and two-wheel-drive Ramchargers feature independent front suspension, computer-selected springs and gascharged shock absorbers all around. The rugged underpinnings of the Ramcharger four-wheel-drive include heavy-duty leaf springs front and back.

Ram-Trac Shift-on-the-Flv. Four-wheeldrive Ramcharger features standard Ram-Trac shifting, allowing you to shift from two- to four-wheel-drive and back at speeds of up to 55 mph - there's no stopping or backing up.



### All-Steel Roof Construction.

Ramcharger handles anything and everything you throw at it with the quiet confidence of solid, all-steel construction. As an integral element of the chassis, Ramcharger's solid steel roof is more resistant to squeaks and rattles than Ford Bronco's bolted-on piece of fiberglass.

More MAGNUM Series towing power. Dodge's already legendary towing

reputation only gets better with the introduction of the MAGNUM Series 3.9-liter SMPI V6 and 5.2-liter SMPI V8 engines delivering more torque and horsepower than any competitive engines of comparable size. And for your heavyduty towing needs Dodge offers the hard-working 5.9-liter EFI V8 engineone of the most powerful wagon engines available and the largest engine available on any two-wheel-drive sport utility.


Seven-Step Corrosion Protection.

Dodge trucks feature extensive standard corrosion protection. The seven-step process shown below protects with a lower bodyside antichip urethane coating and Clear Coat paint Ramcharger and Ram Wagon also feature extensive use of galvanized steel throughout. And every Dodge vehicle comes with the protection of a Chrysler Corporation Limited Warranty. See your dealer for details.

\* Clear Coat not available on Ram Wagon

7. Clear Coat





### **ADVANTAGE CHARGER**

More standard MAGNUM power. Dodge Ramcharger Canyon Sport's new MAGNUM Series 5.2-liter SMPI V8 pumps out 230 horsepower at 4,800 rpm and 280 lb-ft of torque at 3,200 rpm for more horsepower and torque than any competitive engine of comparable size. Harness this staggering power with Dodge's hardworking four-speed automatic overdrive transmission and you've got one tough towing machine.

More versatility. The Canyon Sport delivers the rugged toughness you've come to expect in a sport utility with excellent towing and stump-pulling V8 power—yet offers a wealth of car-like comfort and practicality including up to 105.7 cubic feet of cargo space.

More toughness. Dodge Ramcharger is tough enough to go anywhere—with or without a trailer. Standard 4x4 Canyon Sport features include a V8 engine, automatic transmission, a heavy-duty transfer case, all-season OWL tires and a powerful 600-amp

More comfort and convenience. In fact, Ramcharger provides more interior room than Ford Bronco. The Canyon Sport offers a wealth of interior luxury, including air conditioning, power windows and door locks, four-speaker AM/FM stereo cassette radio with digital clock, electronic speed control/tilt steering, rear window defroster, premium Austin Cloth bucket seats, and a convenient center console.

More style. The Canyon Sport stands out in a crowd with standard cast aluminum road wheels, color-keyed bumper with step pads, color-keyed grille and sporty two-tone paint treatment.





66...it climbs a rocky hill or slogs through doorsill-deep mud as effortlessly as it



Ramcharger Canyon Sport.

## MORE

More standard MAGNUM power. In addition to Ramcharger's new standard 5.2-liter MAGNUM Series SMPI V8 engine, a 5.9-liter EFI V8 engine is also available to meet your heavy-duty torque and towing needs. Both are mated to a heavy-duty four-speed automatic overdrive transmission.

More towing and payload. Properly equipped. Ramcharger 4x2 simply overpowers the competition with 7,500 pounds of towing ability and 1,335 pounds of payload capacity. 4x4 models offer the same towing ability with 1,680 pounds of payload capacity.

More savings. Customer-Preferred<sup>SM</sup> Advantage Packages allow you to equip your Ramcharger with popular equipment and save you money with big discounts.\* As a result, you can get equipment such as the new MAGNUM Series 5.2-liter V8 engine, air conditioning and other options at no extra charge.

More standard features.

Ramcharger offers gas-charged shock absorbers, a durable one-piece steel roof construction, an extra-large 34-gallon fuel tank, a computercontrolled rear-wheel antilock brake system and, on 4WD models, a heavyduty 4x4 transfer case.

More choice. Ramcharger is the only full-size sport utility available in both 4x2 and 4x4 models. And Ram-Trac shifting on four-wheel drive models allows you to shift between 2WD and 4WD-high on-the-fly while traveling at speeds of up to 55 MPH.

More warranty protection. Every Dodge vehicle comes with the protection of a Chrysler Corporation Limited Warranty. See your dealer for details.

\*Package savings based on price of equipment if purchased separately:




For heavy towing,

Ramcharger's optional hard-working 5.9-liter EFI

V8 engine is the largest

engine available on any 2WD sport utility.



Road & Track Truck Buyer's Guide





Ramcharger provides convenient storage with a folding rear seat that offers 86.1 cu ft of space. Remove the seat for 105.7 cu ft.



Inside the Ramcharger LE and Canyon Sport you'll find high-back bucket seats, full center console, full carpeting, and a folding rear bench seat for optimal cargo space. LE shown in Charcoal.



## DAMCHARGER

| Canyon | Spor |
|--------|------|
| LE     | 90   |
| Doce   |      |

| SELECTED STANDARD AND S-Phus   |  |          | ANTES     |      |     |
|--|--|----------|-----------|------|-----|
| OPTIONAL EQUIPMENT S   |  |          |           |      |     |
|  |  |          | -         |      |     |
| Air Conditioning   | 0  | •        | 0         | •    |     |
| Alternator—90-amp  | S  | S        | S         | S    | 8   |
| -120-amp   |  |          | 0         | 0    | C   |
| Axle—Sure Grip Differential  | 0  | 0        | 0         | 0    | (   |
| Battery-600-amp  | S  | S        | S         | S    |     |
| -810-amp   |  |          | 0         | 0    | (   |
| Brakes-Front disc, rear drum with antilock   | S  | S        | S         | S    |     |
| Bumper, Front—Bright with step pad and guards  |  |          | 0         | •    |     |
| -Painted Light Sand with step pad and guards   | de la constante  |          |           |      |     |
| Bumper, Rear-Painted Light Sand with step pad  |  |          |           |      |     |
| -Step-type, bright finish  | 0  | 0        | 0         | 0    |     |
| -Step-type, painted Light Sand   |  |          |           |      | (   |
| Buzzer-Key-in-ignition, headlamps on, fasten seat belts  | S  | S        | S         | S    |     |
| Console – Between seats  |  |          |           | •    |     |
| Cooling-Maximum engine   | No. of Concession, Name of Street, or other party of the Concession, Name of Street, or other pa |          | 0         | 0    |     |
| -Auxiliary transmission  |  |          | 0         | 0    |     |
| Defroster—Electric rear window   | 0  | 0        | 0         | •    |     |
| Fuel Tank-34-gallon  | S  | S        | S         | S    |     |
| Gauges—Oil pressure, engine temperature, trip odometer and voltmeter   | S  | S        | S         | S    |     |
|  |  | S        |           |      | -   |
| Grille-Bright finish   | S  | 3        | S         | S    | -   |
| -Painted body color  |  | -        | -         |      | -   |
| Headliner—Full, soft deluxe cloth  | S  | S        | S         | S    |     |
| Heater-Engine block  | 0  | 0        | 0         | 0    | (   |
| Light Group, Interior Upgrade—Including underhood light  | 0  | •        | 0         | •    |     |
| Message Center-Includes maintenance required, brake, antilock brake, low oil   |  |          |           |      |     |
| and check engine warning lights. Also includes four-speed automatic transmission   |  |          |           |      |     |
| overdrive switch   | S  | S        | S         | S    | - 5 |
| Mirrors-6'x9' dual, power  | 1  |          | 0         | 0    |     |
| -7'x10' dual, manual   |  |          | 0         | 0    |     |
| Moldings — Lower bodyside and wheel flare  |  |          | 0         | •    |     |
| Paint, Two-Tone-Lower bodyside paint break   |  |          | 0         | 0    |     |
| -Center band paint break   |  |          | 0         | 0    |     |
| Power Windows and Door Locks   | Street Land  |          | 0         | •    |     |
| Radio-Delete standard radio: for credit  | S  |          | 0         |      |     |
| -AM/FM stereo  | 0  | •        | S         |      |     |
| -AM/FM stereo, cassette (4 speakers)   | 0  | 0        | 0         |      |     |
| -AM/FM stereo, cassette with seek and scan   |  |          | 0         | 0    |     |
| Roof Vent  | S  | S        | S         | S    |     |
| Seats—All-vinyl high-back buckets  | S  | S        | S         | 35-1 |     |
| -Deluxe cloth high-back buckets  | 0  | 0        | 0         |      |     |
| -Premium cloth high-back buckets   | BOOK TO BE   |          |           | •    |     |
| -Premium cloth split-back bench seat (no-cost option)  |  |          |           | 0    |     |
| -Rear bench seat in matching front seat material   | S  | S        | S         | S    | 5   |
| The state of the s | 3  | 3        | 3         | 3    | ,   |
| Service—Identification, dip stick, oil fill cap, power steering reservoir, coolant overflow bottle, windshield washer fluid  | S  | S        | S         | S    |     |
| Skid Plate—Fuel tank   | 0  | 0        | 0         | 0    |     |
| Wilder College | 0  | 0        | 0         | 0    |     |
| -Transfer case (4x4 models only)   |  |          |           |      | -   |
| Speed Control and Tilt Steering Group  | 0  | 0        | 0         | •    |     |
| Stabilizer Bar   |  |          | 0         | 0    | (   |
| Steering-Power-assisted  | S  | S        | S         | S    |     |
| Sun Visor-Dual vinyl   | S  | S        | S         | S    |     |
| Sunscreen Glass  | 0  | 0        | 0         | •    |     |
| Tape Stripe—Upper bodyside   | PART OF  |          | Section 1 |      |     |
| Tilt Steering Column without Speed Control   | Fill I   | ELL. E   | 0         |      |     |
| Tires-P235/75R15XLOWL  | 0  | 0        | 0         | 0    |     |
| -P235/75R15XLBSW   | S  | S        | S         | S    |     |
| -31x10.5R15XLOWL(4x4 models only)  | HI SECTION AND ADDRESS OF THE PARTY OF THE P |          | 0         | 0    | (   |
| Trailer Tow Preparation Group  | III CARLOTTE   | III EOGE | 0         | 0    | (   |
| Wheels-Argent with hub cap   | S  | S        | S         |      |     |
| -Styled-steel, argent painted  | THE PERSON   |          | 0         | •    |     |
| -Cast aluminum   |  |          | 0         | 0    |     |
| Windshield Wipers-2-speed  | S  |          | S         | -    |     |
| and the same of th |  |          |           |      |     |

<sup>\*</sup>Equipment in Customer-Preferred™ Discount Advantage Package gives you major options at NO CHARGE. See salesperson for details.

### DODGE RAMCHARGER GVW PACKAGE SELECTOR

|                     | GVW    | WHEEL:<br>BASE<br>(IN.)/ | AX    | AXLES |       | Se GRD. | TIRES        |
|---------------------|--------|--------------------------|-------|-------|-------|---------|--------------|
| MODEL PKG.          |        | PAYLOAD                  | Front | Rear  | Front | Rear    | Ft and Rear  |
| 1505 4x2<br>150 4x2 | 5.600  | 106/1,345<br>106/1,335   | 3.000 | 3,600 | 2,600 | 3.640   | P235/75R15XL |
| 1505 4x4<br>150 4x4 | 6.000  | 106/L325<br>106/L315     | 3.500 | 3,600 | 3.280 | 3,640   | P235/75R15XL |
| 150 4x4             | 6,400" | 106/1680                 | 4.000 | 3.600 | 4.200 | 3.640   | P235/75R15XL |

<sup>&</sup>quot;Included in and only available with Light-Duty Snow Plow Preparation Package.

### **DODGE RAMCHARGER DIMENSIONS**

| A 5     |   |           |       | CARGOV | OL (CUFT)                           |       |                                |      |  |
|---------|---|-----------|-------|--------|-------------------------------------|-------|--------------------------------|------|--|
|         |   | WHEEL     | WIDTH | HEIGHT | Rear<br>Seat Without<br>Pokled Rear |       | CARGO AREA<br>DIMENSIONS (IN.) |      |  |
|         | 111111111111111111111111111111111111111 | (IN) (IN) | Down  |        | Length                              | Width | Height                         |      |  |
| 150S4x2 | 106                                     | 79.5      | 69.72 | 861    | 1057                                | 700   | 625                            | 41.8 |  |
| 1504x2  | 106                                     | 79.5      | 69.72 | 861    | 1057                                | 70.0  | 625                            | 418  |  |
| 150S4x4 | 106                                     | 79.5      | 73.06 | 861    | 1057                                | 700   | 625                            | 41.8 |  |
| 1504x4  | 106                                     | 79.5      | 73.06 | 861    | 1057                                | 700   | 625                            | 418  |  |


| POWER TRAIN<br>AVAILABILITY | TRAILER TOWING<br>SPECIFICATIONS   |
|-----------------------------|------------------------------------|
|                             | Maximum GCWR (lb)                  |
|                             | Maximum Trailer Weight Rating (lb) |
|                             |                                    |

|                   |    |                    |                  | Maximum GCWR (It  | 0)      |                |                |                  |
|-------------------|----|--------------------|------------------|---|---------|----------------|----------------|------------------|
|                   |    |                    |                  | Maximum Trailer W   | eight R | ating (It      | )              |                  |
| 4-Speed Automatic |    | 7                  | GVW Package (lb) |   |         |                |                |                  |
|                   |    | Automatic X Tongue |                  |   |         |                |                |                  |
|                   | E  | ngines             | 4                | Weight (Ib)   |         |                |                |                  |
| S                 | S  | 5.2LV8             |                  | Ramcharger 150 S  | 800     | 5,600          | 7.500          | 12,500           |
| S                 | SE | 5.2L.V8<br>5.9L.V8 |                  | Ramcharger 150  | 800     | 5,600<br>5,600 | 7.500<br>7.500 | 12.500<br>13,000 |
| S                 | S  | 5.2LV8             |                  | Ramcharger 150 S  | 800     | 6,000          | 7.500          | 12,500           |
| S                 | SE | 52LV8<br>59LV8     | 42               | Ramcharger 150  | 800     | 6,000          | 7,500<br>7,500 | 12,500<br>13,000 |
| S                 | SE | 5.2LV8<br>5.9LV8   | 4 x              | Ramcharger 150<br>(with Snow Plow<br>Preparation Package) | 800     | 6.400          | 7.500          | 13,000           |

S-Standard. E-Extra cost.

#### INTERIOR TRIM COLORS EXTERIOR PAINT COLORS Spice Tan Crimson (ALL COLORS ARE CLEAR COAT) Colorado Red . ■ Dark Copper Metallic<sup>(1)</sup> 3 Light Sand Metallic (extra cost) • . ■ Dark Forest Green Metallic<sup>(1)</sup> Dark Spectrum Blue Metallic (extra cost) 6 Electric Blue Metallic 7 Black B Sabre Gray Metallic • • Silver Star Metallic (extra cost) Bright White

<sup>&</sup>quot;Not available on S models.



- 1. A premium cloth split-back front bench seat is available as a no-cost option on models equipped with the LE Decor and Canyon Sport Packages.\*
- 2. Premium cloth with vinyl trim, high-back front bucket seats feature inboard folding armrests and seatback recliners. Standard on models equipped with the LE Decor and Canyon Sport Packages.\*
- 3. Optional seats for S and Base models are available in deluxe cloth. These high-back front bucket seats feature inboard folding
- 4. Heavy-duty vinyl high-back front bucket seats are standard on all S and Base models. A rear bench seat in matching trim is included.









<sup>\*</sup>A forward folding rear bench seat, trimmed to match front seat, is standard on all models.

## **ADVANTAGE** RAM WAGON

More standard MAGNUM power. Dodge Ram Wagon's new standard MAGNUM 3.9-liter SMPI V6 with 180 horsepower at 4,800 rpm and 225 lb-ft of torque at 3,200 rpm, as well as its optional MAGNUM 5.2-liter SMPI V8 with 235 horsepower at 4,800 rpm and 285 lb-ft of torque at 3,200 rpm, deliver best-in-class power, yet still offer excellent fuel economy. The new easy-shifting, five-speed manual transmission is standard with the 3.9-liter V6 Ram Wagon 150 short wheelbase models.


Number one in customer satisfaction. With more durability. more power and more cargo capacity, Dodge Ram Wagon has been voted #1 in full-size wagon customer satisfaction.\* Ram Wagon is America's preferred "people mover," offering room for five- to 15-passenger seating.

More value. Customer-Preferred<sup>SM</sup> Advantage Packages can provide valuable equipment such as air conditioning and much more at no charge... allowing you to equip a Ram Wagon just the way you like it, while providing significant savings.

More choice. Choose from a wide range of models, including two wheelbases and three body lengths. Four side/rear door combinations are available-more than Ford and Chevy. And only Ram Wagon offers the single rear cargo door.

properly equipped, Ram Wagon towing capacities range from 3,300 pounds to 8,600 pounds-power to make light of even the toughest jobs.

\*Package savings based on price of equipment if



Ram Wagon 250 LE shown in Dark Quartz Gray Metallic and Platinum Silver Metall 66For towing, cargo hauling or people moving, Dodge Ram Wagons are hard to beat. 99 1991 Road & Track Truck Buyer's Guide





RAM250

Ram Wagon LE is fully loaded with premium



Ram Value Wagon offers a long list of features at an affordable price.



DODGE

Ram Van 250 conversion on a 127.6-inch wheelbase features a raised roof and numerous amenities for comfortable travel.

## COMFORT

More comfort and security. Dodge Ram Wagon LE offers reclining front high-back bucket seats to support you in contoured comfort.

The optional center storage console, also included with the LE Decor Package, has cup holders, two map drawers, a

foldout writing tray with a flat writing surface, and a closable storage compartment for your convenience.

The security of our three-point safety belt system is offered in our five-, eight-, 12- and 15-passenger models for all front and driver-side outboard occupants. And Dodge Ram Wagon surrounds you and yours with Unibody construction that's stronger and lighter than Ford's body-on-frame design.

Furthermore, not only does Dodge Ram Wagon offer a short wheelbase model not available from Ford, it's the only wagon in the industry to offer a single rear door for convenient loading.

For ultimate comfort and convenience at a low price, the Value Wagon Package offers items such as air conditioning, bright grille and bumpers, large 35gallon fuel tank, added passenger seating, and six- by nine-inch lowmount exterior rearview mirrors. Other money-saving Customer-Preferred<sup>SM</sup> Advantage Packages are detailed on page 16.

And every Dodge vehicle comes with the protection of a Chrysler Corporation Limited Warranty. See your dealer for details.






### 66Dodge Ram Wagon — the one to call when big people-moving jobs are at hand. 99

Road & Track Truck Buyer's Guide

- A. Five-passenger seating standard on all models.
- B. Eight-passenger seating optional on Ram 250, Ram 350, and selected Ram 150 models.
- C. Twelve-passenger seating optional on Ram 350 models.
- D. Fifteen-passenger seating optional on Ram Maxiwagon 350 models.



The LE Decor instrument panel is finished in Cheyenne Hickory Woodtone.











A Travel Seating Package is available for the ultimate in vacation and travel comfort. It has quick-release bench seats that fold down into a lounger or a 4½ x 6½-ft bed. The front bench seat can also be reversed to install a woodtone-finish table with seating around it for six.

### **POWER TRAIN** AVAILABILITY

### TRAILER TOWING SPECIFICATIONS

|     |   |        |             |                            | _   |                                 |         |                |       |        |
|-----|---|--------|-------------|----------------------------|-----|---------------------------------|---------|----------------|-------|--------|
|     |   | 5-Sp   | peed        | Manual                     |     | Maximum G                       | CWR (II | 0)             |       |        |
| -11 | 3 | S-Spee | d Au        | tomatic                    |     | Max. Trailer Weight Rating (lb) |         |                |       |        |
|     |   | 4-Sp   | d Au        | tomatic                    |     | GVW Packag                      | e (Ib)  |                |       |        |
|     |   |        | I           | Engines                    |     | Tongue Weig                     | ht (lb) |                |       |        |
| s   | 8 | Е      | SE          | 3.9LV6<br>5.2LV8           |     | 150 Wagon<br>SWB                | 800     | 5,300<br>6,010 | 6,100 | 10,500 |
|     | S | Е      | SE          | 3.9LV6<br>5.2LV8           | 1   | 150 Wagon<br>LWB                | 800     | 5,300<br>5,500 | 6,100 | 10,500 |
|     | S | E<br>S | S<br>E<br>E | 3.9LV6<br>5.2LV8<br>5.9LV8 | 4x2 | 250 Wagon<br>LWB                | 800     | 6.010<br>6.400 | 8,400 | 13,000 |
|     | S | E<br>S | SE          | 52LV8<br>59LV8             | 14  | 250 Maxiwagon                   | 800     | 6,400          | 8,400 | 13.000 |
|     |   | S      | S           | 52LV8<br>59LV8             |     | 350 Wagon<br>LWB                | 1.000   | 7,500<br>8,510 | 8,600 | 13,500 |
|     |   | s      | s           | 5.9LV8                     |     | 350 Maxiwagon                   | 1.000   | 7,500<br>8,510 | 8,600 | 13,500 |

S-Standard. E-Extra cost

### RAM WAGON

| IANDAKU           | SPECIFICATION  | )NS            | AXLES          |                |  |
|-------------------|----------------|----------------|----------------|----------------|--|
| MODEL             | WHEELBASE      | PAYLOAD (LB.)  | Front          | Rear           |  |
| B150<br>Wagon     | 109.6<br>127.6 | 1,160<br>1,020 | 3,300<br>3,300 | 3,850<br>3,850 |  |
| B250<br>Wagon     | 127.6          | 1,760          | 3,300          | 3.850          |  |
| B250<br>Maxiwagon | 127.6          | 1,760          | 3,300          | 3,850          |  |
| B350<br>Wagon     | 127.6          | 2,890          | 3,600          | 5,500          |  |
| B350<br>Maxiwagon | 127.6          | 2,630          | 3,600          | 5,500          |  |

### AVAILABLE SEATS AND TRIM

- 1. Deluxe cloth with vinyl trim high-back front bucket seats with inboard folding armrests and a three-passenger rear bench seat in matching trim is available for the Base and Family Value Ram Wagon models.
- 2. Premium cloth with vinyl trim high-back front bucket seats feature inboard folding armrests and seatback recliners. A three-passenger rear bench seat is also included. Standard on models with the LE Decor.
- 3. Heavy-duty vinyl high-back front bucket seats and a three-passenger rear bench seat with dual armrests are standard on B150, B250 and B350 Base and Family Value Wagon models.



| Light Blue Metallic Navy Blue Metallic Light Tundra Medium Tundra Metallic Dark Quartz Gray Metallic Colorado Red Bright White | INTERIOR TRIM COLORS |                |               |  |  |  |  |  |
|--|----------------------|----------------|---------------|--|--|--|--|--|
|  | Tundra               | Crimson<br>Red | State<br>Blue |  |  |  |  |  |
| I Black  | •                    | •              |               |  |  |  |  |  |
| ☑ Light Blue Metallic  | F-1-17-11            | 110/1          |               |  |  |  |  |  |
| Navy Blue Metallic   |                      |                |               |  |  |  |  |  |
| Light Tundra   | •                    |                | -alpha        |  |  |  |  |  |
| Medium Tundra Metallic   |                      |                |               |  |  |  |  |  |
| ■ Dark Quartz Gray Metallic  |                      | •              | Arothill C    |  |  |  |  |  |
| Colorado Red   |                      |                | <b>WEATH</b>  |  |  |  |  |  |
| Bright White   | •                    | •              | •             |  |  |  |  |  |
| Platinum Silver Metallic   | THE RESERVE          | •              | UALIHA        |  |  |  |  |  |
| Dark Red   | 2 113 2 13           | •              |               |  |  |  |  |  |

### CHRYSLER CORPORATION LIMITED WARRANTY PROTECTION.

Every Dodge vehicle comes with the protection of a Chrysler Corporation Limited Warranty See your dealer for details.

### PURCHASE ASSISTANCE PROGRAM FOR THE PHYSICALLY CHALLENGED.

Cash reimbursements of up to \$500 are available for qualified adaptive driving devices on 1992 Chrysler Corporation cars and trucks. For further information, contact your dealer or the PHYSICALLY CHALLENGED RESOURCE CENTER at 1-800-255-9877.

### MOPAR CUSTOMER CARE.

There's only one sure way to keep your Dodge truck performing at its optimum mile after mile. Just make sure it's serviced regularly at your nearby Dodge dealer. That's where you'll find first-rate mechanics specially trained in the maintenance and repair of your new Dodge. They've been provided with all the sophisticated equipment today's cars and trucks demand. And they have immediate access to a complete stock of genuine Mopar replacement parts that can make the difference between trouble-free driving and the unacceptable alternative.

environment.

Mopar parts are engineered by Chrysler Corporation for use in your new Dodge truck. When replacement is necessary, be sure to specify Mopar parts—used by professional mechanics all over the world. Dodge and Mopar are registered trademarks. Ram is a trademark of Chrysler Corporation.

### CHRYSLER CREDIT FINANCING. THE FINANCING AND LEASE PROFESSIONALS.

Chrysler Credit Financing. Chrysler Credit offers a variety of finance programs that can help make your new Dodge truck even more affordable. These flexible finance and lease programs can be tailored to suit your budget and your lifestyle. They include Advantage: Gold Key Lease, Gold Key Plus, College Graduate Plans, Retail Financing, and other special payment plans. Ask your salesperson for details.

### DODGE REMINDS YOU TO "TREAD LIGHTLY."

Dodge urges that all off-road vehicles be used with an appreciation of the natural beauty and resources of our land. Practicing "Tread Lightly" policies helps to protect nature, ensuring that it will be ours to enjoy for many years to come. Dodge supports the U.S. Forest Service's "Tread Lightly" Program and reminds you that when you go off road, go easy on the

TREAD LIGHTLY! ON PUBLIC AND PRIVATE LAND

| RAM WAGON DIMENSIONS  | 109.6°<br>wb   | 127.6°<br>wb   | wb<br>Maxi     |
|---|----------------|----------------|----------------|
| Height (max.)   | 79.6           | 80.9"          | 80.6"          |
| Width (max.)  | 79.6*          | 79.6"          | 79.6°          |
| Length (max.)   | 180.7°         | 198.7*         | 224.7          |
| Effective Head Room: Driver                                 | 361*           | 361"           | 361'           |
| Floor-To-Roof Height  | 53.2"          | 53.2"          | 53.2"          |
| Maximum Inside Width  | 72.2"          | 72.2*          | 722"           |
| Front Seat To Rear Door                                     | 929"           | 110.9"         | 136.9'         |
| Engine Cover To Rear Door                                   | 1201'          | 138.1*         | 1641'          |
| Standard Wagon Rear Seat To Rear Door                       | 57.1*          | 75.1*          | 101.1          |
| Width Between Wheelhouses                                   | 50.0*          | 50.0°          | 50.0°          |
| Rear And Side-Hinged Doors  —Opening height  —Opening width | 47.2°<br>49.3° | 47.2°<br>49.3° | 47.2°<br>49.3° |
| Side Sliding Door  Opening height Opening width             | 47.2*          | 47.2*          | 47.2*          |



### NOTE: Due to printing limitations, the colors shown will vary slightly from actual hues. See your Dodge dealer for accurate color chips.

| LE          | wa | go |      |  |
|-------------|----|----|------|--|
| Value Wagon |    |    |      |  |
|             |    | -  | 2000 |  |

| OPTIONAL EQUIPMENT   | Base Wagon   | STATE OF THE    |              |         |
|--|--|-----------------|--------------|---------|
|  |  | 0               |              |         |
| Air Conditioning—Front —Auxiliary rear without auxiliary heater (B250, B350  | Amadda   | 0               | 0            | 0       |
| -With auxiliary heater (B250, B350 models) (include  |  | 0               | 0            | 0       |
| —with auxiliary heater (5250, 5350 models) (include<br>Alternator—75-amp   | d in LE Package on 15350 models)   |                 | 0            | -       |
| -120-amp   |  | S               | •            |         |
| Armrests—On front door panels (color-keyed)  |  | S               |              |         |
| Battery-600-amp maintenance-free   |  | S               | S            |         |
| -810-amp maintenance-free  |  | 0               | 0            |         |
| Brakes, Power-Front disc/rear drum with antilock   |  | S               |              | _       |
|  |  | 3               | S            |         |
| Bumper Guards and Nerf Strips  |  |                 | 0            |         |
| Bumpers—Front and rear: bright   | a with Value Waster Dealer (a)   |                 |              |         |
| Carpeting—Front and rear (not available on 350 model:<br>Cooling—Maximum engine  | s with value-wagon Fackage)  |                 | 0 .          |         |
| Control Management of the Control of |  | 0               |              | (       |
| -Auxiliary: transmission oil to air  |  | 0               | 0            | 9       |
| Console—Center storage   | 2004   | -               | 0            |         |
| Convenience Group (light and 2-speed intermittent wip  | pers)  | 0               | •            |         |
| Defroster—Electric rear window   | and and an OSO are 1-1-1   | 0               | 0            | (       |
| Delete Carpeting (replaced with black rubber: floor) (sta  | andard on 350 models)  |                 | 0            | Car.    |
| Deluxe Convenience Group (Cruise/Tilt)   |  | 0               | 0            | FOR.    |
| Differential—Antispin  |  | 0               | 0            | (       |
| Doors—Single rear with vented glass  |  | 0               | •            |         |
| -Dual rear with vented glass   |  | 0               | 0            | (       |
| -Sliding side with vented glass  |  | 0               | 0            | (       |
| Floor Covering (Black Deluxe) w/Underlayment and Br  | ight Mat Retainers   | S               |              |         |
| Fuel Tank—22-gallon  |  | S               |              |         |
| -35-gallon   |  | 0               | •            |         |
| Gauges—Oil pressure, voltmeter and engine temperatu  | re   | S               | S            |         |
| Glass-Tinted, all windows  |  | S               | S            |         |
| -Sunscreen (all windows except windshield and from   | t door glass)  | 0               | 0            | DOG.    |
| Grille-Argent finish with rectangular headlamps  |  | S               |              | 100     |
| -Bright  |  | 1000000         | •            |         |
| Heater—Engine block  |  | 0               | 0            | (       |
| Heavy-Duty Suspension Group  |  | 0               | 0            | (       |
| Hub Caps—Bright (set of 4)   |  | S               |              | 1000    |
| LE Decor Group   |  | 5000100         |              |         |
| Mirrors, Exterior-5'x7' bright   |  | S               |              | 1       |
| -6'x9' dual bright: manual   |  | 0               | •            |         |
| -6'x9' dual bright: power control  |  | 20000000        |              | 1       |
| Power Convenience Group (windows/locks)  |  |                 |              |         |
| Power Steering   |  | S               | S            |         |
| Radio-AM/FM stereo: includes digital clock   |  | S               | S            | 100-100 |
| -AM/FM stereo, cassette (4 speakers) without seek as   | nd scan  |                 | 0            | (A)     |
| -AM/FM stereo, cassette (4 speakers) with seek and   |  |                 |              | 100     |
| Radio Speakers (2 additional for standard AM/FM stere  | Service Servic |                 | •            | 4000    |
| Seating—5-passenger  | and the same of th | S               |              | 10.0    |
| -8-passenger (B250 model)  |  | 0               | •            |         |
| -12-passenger (B350 model standard wheelbase mo  | riels)   | 0               |              |         |
| -15-passenger (B350 Maxiwagon model) (12-passen  |  | 0               |              |         |
| Seats—All vinyl high-back buckets and rear bench sea   |  | S               | S            |         |
| -Deluxe cloth high-back buckets and rear bench sea   |  | 0               | 0            | And and |
| -Premium cloth high-back buckets and rear bench sea  |  | 0               | 0            |         |
| Spare Tire Cover (B250 model)  | Xat  |                 |              |         |
|  |  | 0               | 0            | 1       |
| Tilt Steering Column   |  | 0               | 0            |         |
| Tires—Upgrade (see salesperson for details)  |  | 0               | 0            | (       |
| Wheel Covers—Bright (set of 4) (B150, B250 models)   |  | 0               |              |         |
| Wheel Trim Rings (set of 4) (B350 models)  |  | 0               |              | 55      |
| Wheels—Styled steel (set of 4) (B150, B250 models)   |  |                 | 0            | LETZ.   |
| -Cast aluminum (set of 4) (B150, B250 models)  |  | and the same of |              | (       |
| Windshield Wipers—2-speed —Deluxe (2-speed with intermittent wipe)   |  | S               | The party of | 100     |
| t year tree fit company will be independed and and and and   |  | 0               |              |         |

<sup>\*</sup>Equipment in Customer-Preferred™ Advantage Discount Package gives you major options at NO CHARGE. See salesperson for details.

Specifications, descriptions, and illustrative materials contained herein are as accurate as known at the time this publication was approved for printing. Chrysler Corporation reserves the right to discontinue models or options at any time or change specifications without notice and without incurring obligation. All options are required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained here, see your Dodge Truck dealer.