
CITATION II



The visit





Important: A word about this catalog. We have tried to make this catalog as comprehensive and factual as possible. However, since the time of printing, some of the information may have been The right is reserved to make changes at any time, without notice, in prices, colors, materials, equipment, specifications and models. Check with your Chevrolet dealer for complete information.

updated. Also, some of the equipment shown or described throughout this catalog is available at extra cost. Your dealer has details and, before ordering, you should ask him to bring you up to date.

Citation II. The Product of Years of Engineering Refinement.

Why give our Versatile Performer five. And our hatchback still a new name? Just to let you know that this extraordinarily successful design has received extensive engineering refinement over the past several years. You'll see many of the key improvements listed here which are designed to help make today's Citation II ride better, last longer and offer increased front-drive traction. What haven't we changed? Just those things that made Citation the bestselling new Chevrolet in history. So you still get compact exterior dimensions with surprising interior room and comfort for

features a full-size, 19.6-cubicfoot covered cargo area that becomes a wagon-sized 35 cubic feet of cargo space with the rear seat folded. Take a close look at the years of engineering refinement you can buy for today's Citation II price. And see how Chevrolet took a good idea and made it even better.

Passenger Comfort.

- Retuned body mountings for improved road noise isolation.
- Improved body-supporting front seat.

Corrosion Protection.

- Increased use of coated metals and zinc-rich primers.
- Extended stone-abrasionresistant underbody application.

Performance.

- Easy-rolling, high-pressure all-season, M+S-rated (mud and snow), steel-belted, radial tire tread design (see details, p. 10).
- Manual transmission "Upshift" indicator light.



Performance.

- Standard Electronic Fuel Injection (see p. 10 for details).
- More road-sensitive available rack-and-pinion power steering.
- Improved steering feel from a refined column and shaft design.
- Optional automatic transmission features converter clutch that engages at highway speeds.

Ride.

- Retuned front strut damper assembly and absorber valving.
- Retuned front strut jounce bumper.
- Redesigned front stabilizer bar.
- Engine mountings that further reduce vibration.




- Redesigned rear shocks.
- Improved heavy-load bump cushioning.




Inside Citation II. Room for Five Six-Footers.

Citation II's unexpected dimensions help explain why it's so much more versatile than ordinary cars. On the outside, Citation II is about the size of many compact cars. But inside, you get room for five six-footers with a generous 35.5 inches of rear leg room in our 4-door hatchback models. To make all that interior room even more comfortable, there's an optional CL Custom Cloth Interior that's available in bench or buckets. The bench includes a center armrest on the sedan. The bucket seats recline. However you choose to equip your Citation II, you get cut-pile carpeting, molded one-piece acoustical headliner and a column-mounted, multifunction control for turn signals, headlamp dimmer and windshield wiper/washer operation. Add the new available electronic speed control with resume feature and you can also raise or lower your cruising speed without removing your hands from the steering wheel. With interior comfort and features like these, Citation II helps make long-distance driving pure pleasure.











X-11. Action Added.

Our X-11 is for drivers who want even more sport than Citation II. With the X-11, our engineers have exploited Citation II's natural roadworthiness to create a car that performs. On mountain roads and desert straightaways. With front-drive traction for rain and snow. First they dialed in Chevrolet's famed F41 Sport Suspension to the performance characteristics of available Eagle GT low-profile, steel-belted radials mounted on 14" aluminum alloy wheels. The result: X-11's maximum lateral acceleration tested at .83g.* Then they gave X-11 a special domed hood with functional air intake and a specific exhaust system to let the standard High Output 2.8 Liter V6 breathe. Power front disc brakes and 4speed manual or available automatic transmission make X-11 ready to go or stop on command. And specific graphics and body accents let everyone know your X-11 is "bred for excitement." The X-11

Hatchback features up to 35 cubic feet of cargo capacity. And both hatchback and notchback models give you 5-passenger leg, hip, head and shoulder room for long-distance driving comfort. You won't find a more versatile sporty hatchback on the road.

also shown.



*GM Test Track skidpad results: .83g

Electronic Fuel Injection Like

Corvette's at Citation II's Price.

Citation II's standard 2.5 Liter

engine features Electronic Fuel

Injection (E.F.I.) for dependable

starts, smooth drivability and

This advanced system works

with GM's Computer Command

Control to adjust Citation II's air.

fuel mixture over 80 times per

second to deliver the following

without flooding delays from

pumping the accelerator.

Reduces chance of battery failure or starting motor

Dependable hot starts without

prevent stalling when cold and

Self-adjusting idle to help

fuel waste when warm.

performance between

recommended service

Helps prevent loss of engine

Automatic idle increase when

accessories are engaged to

help maintain battery charge.

Efficient combustion for clean-

Automatic adjustment to

power loss and

fuel waste.

running engine and emissions

changing altitudes to minimize

vapor lock delays.

Dependable cold starts

efficient combustion.

advantages:

burnout.

intervals

control.

Appearance and Protection

Bumper guards, front and rear

Color-keyed floor mats, front

■ CL Custom Interior trim (not

available on 2-dr. coupe)

■ Deluxe Exterior: Includes side

(includes Value Appearance

■ Mirrors: Remote-control outside

rearview, left-hand; Sport, left-

Group on 2-dr. coupe)

Engine coolant

Spark plugs

Air cleaner

PCV inspection

EGR cleaned

inspected

window reveal molding, tricolor

tail lamps and body pin striping

Custom Two-Tone point

Bumper rub strips, front and rear

Body pin striping

and rear

Dual horns

Light Maroont**

hand remote and right-hand

manual (included with Sport

Moldings, body side and door

Sport Decor Package (2-dr.

accented body highlights;

models only): Includes black-

Body-color bumpers with rub

strips; Decals, lower body side

striping and rear deck spoiler

■ Value Appearance Group

(hatchback only); Sport mirrors;

also includes Rally wheels and

■ Tinted glass

trim rings*

Every 24 months or 22,500 miles.

Every 30,000 miles.

Auto, trans, fluid Every 100,000 miles.

Decor Package). All mirrors black

(2-dr. coupe only): Includes

bright rocker panel moldings.

wheel opening moldings and

deck-lid stripe (included with

Comfort and Convenience

Auxiliary Lighting: Includes

steering and brakes)

and courtesy lights

Comfortilt steering wheel

Deluxe Exterior on 2-dr. coupe).

Air conditioning (requires power

headlamps-on warning buzzer

underhood, glove box, ashtray

Console (requires bucket seats)

resume and speed adjustment

features (requires power brakes)

Electric rear window defogger

Electronic speed control with

Intermittent windshield wiper

plus luggage compartment,

features En

- *Not available with Sport Decor
- ** Not available with X-11 Sport Equipment Package.

New standard all-season, M+S-

rated (mud and snow), steel-belted

radial ply tires are designed for low

noise and long wear with excellent

performance in all driving


conditions.



The available electronic speed control with resume feature now permits you to increase or decrease cruising speeds with the touch of a finger.

Chevrolet Citation IIs are engineered work is designed for conveniently scheduled service intervals f Highenergy ignition, self-adjusting hydraulic valve lifters and computerreduce maintenance costs. Manual transmission clutches are selfadjusting for long life. And front disc brakes feature audible wear indicators. In addition to the recommended service, shown at for trouble-free, low-cost operation.

1Service intervals are designed for normal driving conditions. More frequent service may be required. Ask your dealer when you take delivery



Dark Blue*t

Rapid engine response to opened throttle.

 Reduced maintenance (no choke, carburetor, accelerator pump or needle valve adjustments required).

 Available air conditioning switches off automatically under full throttle for better acceleration.

 Self-pressurizing system provides easy starts after refilling without "priming the carburetor" if you run out of gas.



28 Liter V6 and High Output 28 Liter V6 engines are available on all Citation II models

Power Teams 4-Spd. Engine 3-Spd. Automatic 2.5 Liter L4 (A) LR8 2.8 Liter 2-Bbl. LE2 2.8 Liter 2-Bbl. High LH7

(A) Produced by GM-Pontiac Motor Division. (B) Produced by GM-Chevrolet Motor Division. 'Electronic Fuel Injection. Included with X-11. S: Standard. 0: Optional. *Power brakes required.

An optional console adds a sporty flavor to your Citation II (available only with optional bucket seats).



for low-cost service. All maintenance adjusted carburetion are designed to right, Chevrolet recommends periodic inspection of hoses, belts, spark plug wires, fuel lines, tires and other areas See your dealer for details.

Every 12 months or 7,500 miles.

Citation II Recommended Service Intervals

 Power brakes 12 months or 7,500 miles; every 15,000 miles thereafter. Power door lock system

■ Power steering Power windows

Gage package

system

 Quartz electric clock Quiet Sound/rear compartment

decor (hatchbacks) Remote swing-out side windows (hatchbacks only).

Performance ■ F41 Sport Suspension

- · Heavy-duty battery
- · Heavy-duty cooling
- · Heavy-duty front and rear suspension
- X-11 Sport Equipment Package: Includes High Output V6 engine, 4-speed manual transmission, power brakes, special domed hood with air intake, specific exhaust system, body-color bumpers with rub strips, decals. rear deck spoiler (hatchback only); Black grille, headlamp bezels and all-black-accented body highlights; F41 Sport Suspension includes 14" X 6.5" aluminum alloy wheels and P215/60R blackwall steelbelted radial ply tires.

Audio Equipment

GM-Delco radio equipment: All radios include dual front speakers; all stereos also include dual rear speakers.

- AM radio (2-dt. coupe only)
- AM/FM radio
- AM/FM stereo radio
- AM/FM stereo radio with cassette

radios).

■ P185/80R-13 steel-belted radial ply white-stripet

Dual rear speakers (monaural)

Tires and Wheels

- P205/70R-13 steel-belted radial ply white-lettered (requires F41 Sport Suspension)†
- P215/60R-14 steel-belted radial ply Eogle GT white-lettered (with X-11 Sport Equipment Package
- Rally wheels (includes wheel trim
- *Available on Notchback Coupe 1984 †GM all-season specification.

dealer about this option.

GM Continuous Protection Plan An option that offers service protection in addition to that provided by GM's new-vehicle limited warranty. Available only in the U.S. and Canada for the 1984 model year. Ask your



Safety Features

Every GM car is designed with your safety in mind. Safety is a goal from the first sketches of a new car, through design models and prototypes, up to final production. We are the leaders in safety testing. In fact, most of the technology necessary for crash tests and research used in the industry has been developed by the GM safety team.

Occupant Protection

Manual lap/shoulder belts with push-button buckles for driver and right front passenger (driver's side includes visual and audible warning system) - Manual lap belts with push-button buckles at rear passenger positions including center = Energy-absorbing steering column - Passenger-guard inside door lock handles - Safety interlocking door latches = Inertiatype folding front seat-back latches ■ Energy-absorbing instrument panel and front seat-back tops ■ Laminated safety glass windshield/tempered safety glass side and rear windows - Safety armrests - Front seat head restraints for driver and right front passenger (adjustable).

Accident Avoidance

- Side marker lights and reflectors
- Parking lamps that illuminate with headlamps ■ Four-way hazard warning flasher ■ Backup lights
- Lane-change feature in direction signal control Windshield defrosters, washer and dual-speed wipers Vinyl-bonded inside rearview mirror glass Outside left rearview mirror Dual master cylinder brake system with warning light Starter safety switch Dual-action safety hood latch.

Anti-Theft

■ Audible anti-theft ignition key reminder ■ Anti-theft steering column lock ■ Inside hood release.

OFFICIAL U.S.
CARS AND TRUCKS
OF THE XIV
OLYMPIC WINTER
GAMES

Exterior Features	2-Door Coupe	2-Door Hatchback Coupe	4-Door Hatchback Sedan
Bright rocker panel and wheel opening moldings	0	s	s
Bright roof drip molding	S	S	S
Corrosion protection: • Anti-chip protective coatings on lower body	s	s	s
Seven-stage zinc phosphate anti-	s	s	s
corrosion process Hot-melt-wax submersion of entire frame	S	S	S
Liberal use of precoated steels and zinc- rich primers	s	s	s
Halogen headlamps	S	S	S
Rear deck and quarter panel pin striping	0	S	S
Full wheel covers	S	S	S
Interior Features	1 2/0	11111	10/40
AM push-button radio w/dual front speakers	0	s.	s.
Cigarette lighter	0	S	S
Cloth-covered molded foam headliner	S	S	S
Color-keyed seat and shoulder belts	0	S	S
Column-mounted control for turn signals, headlamp dimmer and windshield wiper/	19.19	1/1/	441
washer operation	S	S	S
Folding rear seat	NA	S	S
Formed, one-piece, cut-pile carpeting Low-back front bench seat with adjustable	S	S	S
head restraints Removable cargo cover	S NA	S S	S
	INA	3	3
Mechanical Features	-	•	
Computer Command Control	S	S	S
Electronic Fuel Injection	S	S	S
Front disc/rear drum brakes	S	S	S
Front disc brake wear sensors	S	S	S
Front stabilizer and rear track bar	S	S	S
Front-wheel drive	S	S	S
MacPherson-strut front suspension	S	S	S
Permanently lubricated wheel bearings P185/80R-13 steel-belted, all-season		14/4/2014	S
radial ply tires (except spare)	S	S	S
Rack-and-pinion steering	S	S	S
S: Standard. O: Optional. NA: Not Available	. "Hadio m	ay be deleter	f for credit
Dimensions (in.) Wheelbase	104.9	104.9	104.9
Length (overall)	176.7	176.7	176.7
Width (overall)	68.3	68.3	68.3
Height (loaded)	53.9	53.9	53.9
Head Room — Front	38.1	38.1	38.1
Head Room — Regr	37.5	37.7	37.7
Leg Room — Front	42.2	42.2	42.2
Leg Room — Rear	34.6	34.6	35.6
Hip Room — Front	55.1	55.1	55.1
Hip Room — Rear	53.8	53.8	55.0
Shoulder Room — Front	56.2	56.2	56.3
Shoulder Room — Rear	56.2	56.2	55.9
Total Cargo Volume Index (cu. ft.)	50.2		7
A STATE OF THE PARTY OF THE PAR		35.1	35.7
(rear seaf down)			10.0
(rear seaf down) Usable Trunk/Luggage Capacity (cu. ff.) Fuel Tank Capacity (gals.)	12.5 14.6†	19.6* 14.6†	19.6 14.6

A word about assembly, components and optional equipment in these Chevrolets.

The Chevrolets described in this catalog are assembled at facilities of General Motors Corporation operated by the GM Assembly Division. These vehicles incorporate thousands of different components produced by various divisions of General Motors and by various suppliers to General Motors. From time to time during the manufacturing process, it may be necessary, in order to meet public demand for particular vehicles or equipment, or to meet federally mandated emissions, safety and fuel economy requirements, or for other reasons, to produce Chevrolet products with different components or differently sourced components than initially scheduled. All such components have been approved for use in Chevrolet products and will provide the quality performance associated with the Chevrolet name. With respect to extra-cost optional equipment, make certain you specify the type of equipment you desire on your vehicle when ordering it from your dealer. Some options may be unavailable when your car is built. Your dealer receives advice regarding current availability of options. You may ask the dealer for this information. GM also requests the dealer to advise you if an option you ordered is unavailable. We suggest that you verify that your car includes optional equipment you ordered or, if there are changes, that they are acceptable to you.

A word about engines.

Some Chevrolets are equipped with engines produced by other GM divisions, subsidiaries, or affiliated companies worldwide. See your dealer for details.



Let's get it together... buckle up.

CHEVROLET gge