

SUBURBAN



TRUCK A HUCK you can live with

GMC Suburban is superbly qualified to make your travel life comfortable and exciting.

For instance there's uncommon interior spaciousness starting with a standard 3-passenger bench seat and 165 cubic feet of rear load space. With available center and rear seats in place, nine passengers can sit at luxurious ease in posh surroundings - and there's still 39 cubic feet of room behind the third seat for gear. Remove the quick-release rear seat, fold the center seat forward, and you create an 8' 4"-long floor with a whopping 144-cubic-feet of cargo room.

Talk about power and performance! A C-2500 2-WD Suburban with available 7.4 Liter (454 CID) V8 gasoline engine, 3-speed automatic transmission, and 4.10-to-1 rear axle ratio gives new meaning to the words. With this combination and other proper trailering equipment you can sprint right up that mountain highway trailering a Gross Combination Weight (GCW) of 16,000 lb (includes Suburban, passengers, cargo, and trailer). 1986 gasoline engines incorporate several improvements (see page 4). The Suburban is also available with a 6.2 Liter V8 diesel engine designed especially for trucks.

COMMITMENT QUOLITY PLUS TRUCKS

Commitment Plus is one of the most complete joint sales and service customer satisfaction program available on light-duty trucks today. It offers the following benefits:

- a thorough new-vehicle inspection
- one full tank of fuel
- complimentary 1000-mile inspection
- complimentary 3000-mile maintenance service including oil change and filter at no extra charge.

GMC Truck and GMC Dealerships are truly committed to making GMC Light Duty Trucks easy to live with. Our customers' total satisfaction is indeed our goal!

> Panel-type rear doors have fixed, tinted glass;

opening is 37" high by

59.6" wide. Power door lock available

Applies to retail sales only.

Style and Beauty Three Ways

Sierra Classic, Everything about Suburban's luxury trim reflects beauty, craftsmanship, comfort, and convenience. Outside there are dual headlamps and bright moldings. Inside there is a deluxe instrument panel with needlegage instruments, insulated floor carpeting, custom steering wheel, and visor mirror. You have a choice of custom cloth or custom vinyl upholstery for the standard bench seat or available highback bucket seats with new dual armrests. Interior colors are Blue, Saddle Tan, Burgundy, or Slate Gray, depending upon seat and fabric choice.

High Sierra. Midlevel trim featuring a full-length insulated headliner, colorkeyed rubber floor mats, and front and rear dome lamps with door switches. Upholstery is Blue or Saddle Tan standard vinyl or available custom vinyl or custom cloth. Moldings, bright trim, and dual-note horn add distinction to the exterior.

Sierra (Standard). Suburban's standard trim presents a sleekly attractive exterior and a very comfortable interior. Deep-foam front bench seat and available rear seats are covered in your choice of Blue or Saddle standard vinyl. Standard amenities include: color-keyed dual sunshades; door trim panels with integral armrests; cockpit-type instrument cluster; full-length black rubber floor covering; and all-around tinted window glass. (Details of all trim levels on back cover.)

Beginning September, 1985 nearly 200 senior North Americans are planning to travel the backroads of mainland China on an unprecedented international friendship mission driving GMC Truck Suburbans pulling Airstream trailers









Sierra Classic instrument cluster with needle-type gages for voltmeter, temperature, and oil pressure

drop glass, with or

without electric defogger.



Great Wall of China







Sierra standard interior comes in Blue or Saddle Tan vinyl.



Sierra Classic Suburban with available equipment

5 4-WD POWER

TRUCK

Live It Up With 4-WD! Stalwart 4-WD GMC Suburbans are powered by husky V8 gasoline or diesel engines. They can be equipped to transport up to 9 passengers and a mountain of gear to your favorite wilderness hideaway or off-road worksite. What's more, a half- or threequarter-ton properly equipped 4-WD Suburban is ideally suited for trailering. (See trailering information on page 6.)

Versatile 4-WD Systems The standard 4-WD system features dependable manual-locking front hubs that freewheel in 2-WD for smooth, economical highway cruising but can be locked into 4-WD in a jiffy to traverse low-traction terrain or engage in such rugged work as

snowplowing. Or, you may want to ask your GMC Dealer about available automatic hub locks which permit no-stop shifting into 4-WD at speeds up to 25 MPH.

Heavy-Duty Equipment Available for 4-WD

Suburban is equipped with standard power brakes, power steering, and front stabilizer bar for easy handling wherever you travel. For tackling really rugged work you may wish to add available heavy-duty-front spring package; or heavy-duty front quad shock absorbers; locking differential rear axle; and stone shields for the fuel tank and transfer case. (Also see standard and available equipment pages 6 through back cover.)

QUALITY-CRAFTED SUBURBAN

Traditional Standard Value Features: • With heater fan on, power ventilation system circulates air through the interior, forcing stale air out through door vents . Doublewall construction is used in hood, cowl, front fenders, rear side panels, side and rear doors, or tailgate . Girder-beam suspension on 2-WD models permits front wheels to take bumps independently for a smooth ride. Two-stage multileaf rear springs pro-vide a soft ride under light load and firmer support as load increases . Salisbury-type rear axle with a wide range of ratios; locking differential is available with certain ratios . Steel-belted, radial-ply tires give good service, and All Seasons tires on C/K-1500 models eliminate the need for

snow tires in most localities . Delco Freedom It batteries never need water fill, just routine checking of built-in charge

Suburban vs Corrosion

GMC anti-corrosion treatments use rustresistant steels for many parts of the body and sheet metal. In addition, special Elpo-Dip priming coats the entire body. To ward off contaminants, aluminum wax preservative and special sealers are used in critical areas. A special sprayed-on anti-chip coating on lower body areas precedes the finish paint coat of baked-on lustrous acrylic



Sierra Classic 4-WD Suburban with exterior decor package and other available equipment

POWERFUL V8 ENGINES

High-compression 5.0, 5.7, and 7.4 Liter V8 gasoline engines give Suburbans big tote-and-tow ability and deliver smooth, exhilarating performance. A C-2500 Suburban with available 7.4 Liter V8 and other equipment walks away from the competition in on/off-road performance and trailering capacity. (See chart on page 7 for drivetrain availability.)

'86 Gasoline Engine Improvements

New generator drive belts have a wider area of contact which results in increased drive friction. The 5.0 Liter and 5.7 Liter gasoline engines also have new molded rubber oil pan gaskets and new crankshaft seals. A new electric auxiliary booster fan provides optimum cooling for the 7.4 Liter engine when used with available air conditioning.

6.2 Liter V8 Diesel Engine

Designed specifically for trucks, the 6.2L gives excellent service for GMC Suburbans. Diesel models have standard power steering, power brakes, heavy-duty electrical and cooling systems, and other rugged components for toughness.

A WORD ABOUT ENGINES

Some GMC Light Duty Trucks are equipped with engines produced by other GM divisions, subsidiaries, or affiliated companies worldwide. See your dealer for details.

ENGINE TECHNICAL DATA

OVB 5	FOUTY IDER 850 7 VS	6.2 VB Diesel		7.4 V8	6.2 V8
th ESC		Diesel	5.7 VB	7.4 V8	
9 (10 (2)	1 600				Diesel
	F98	LHS (1)	LT9	LE8	LL4
× 3.45 4.0	× 3.48	3.98×3.82	4.0×3.48	4.25×4.0	3.96×3.82
3.21	12.1	21.3.1	8.3.1	7.9.1	21.3:1
		130 ap 3600	185 (P 4000 (3)	243 m 3800 (4)	148 @ 3600
		240 a) 2000	285 (e 2400 (3)	375 (b) 3200 (4)	246 gr 2000
4	10 cm 1 400 1 15 cm 2	60 ee 165 ee 400 3800 15 ee 275 ee	60 cm 165 cm 130 cm 400 3800 3600 15 cm 275 cm 240 cm	60 cm 165 cm 130 cm 135 cm 400 3800 3600 4000 (3) 15 cm 275 cm 240 cm 285 cm	66 ap 165 ap 130 ap 135 ap 240 ap 400 3800 3600 4000 (3) 3800 (4) 65 ap 275 ap 240 ap 285 ap 375 ap

Engine net available in California Produced by GM: Chevrolet Pointac Canada Group Net HP 125 & 4900, net tompe 290 @ 2800 in California - Net HP 230 @ 3800, net tompe 360 @ 2800 in California





AVAILABLE ACCESSORIES



C-2500 Suburban with 7.4 Liter V8 gas engine is in a trailering class by itself! (See below)

Quartz

electric clock

Add To Your Pleasure With Options

There are many options to make travel in your new Suburban even more enjoyable. If you go long miles with many people, front and rear air conditioning and a rear heater could be necessities. Comfortilt steering wheel and automatic speed control ease driver effort. Excellent GM-Delco audio equipment adds a cheerful note for everyone.

Check out the accessories pictured here and those listed in the chart on the back cover for more comfort and convenience items. Also ask about dealer-installed accessories.

GM Protection Plan

An option that offers service protection beyond that provided by GM's New Truck and Chassis Limited Warranty. Available only in the USA and Canada during the 1986 model year. See your dealer for details.

TRAILERING WITH GMC SUBURBAN

Suburbans are noted for their ability to pull trailers. A properly equipped C-2500 Suburban can move up to 16,000 lb Gross Combination Weight (GCW) - that includes everything going down the road (vehicle, passengers, cargo, and

GMC Trailering Special package includes: a 9500-lb-capacity weight-distributing platform hitch with a maximum 1000-lb tongue load; 7-wire trailer wiring harness; an engine-oil cooler (gasoline models); transmission-oil cooler; power steering where not already standard; heavy-duty front and rear shock absorbers for gasoline-engine C-1500 models; and a heavy-duty 66-amp Delcotron generator for gasolineengine models — almost all of the equipment you need for proper towing. Charted below are some of the powertrain requirements for the Trailering Special package, as well as the GCW rating obtained with this equipment.



Comfortilt steering wheel



Front air conditioning

Power door locks and/or power windows



Delco radios: AM, AM/FM AM/FM stereo, AM/FM stereo with cassette tape player



Platform trailer hitch (requires Trailering Special Equipment)



Rear air conditioning (requires front air conditioning)



Roof marker lamps

TRAILERING SELECTOR GUIDE BY GCWR

		rea.		600	_	C 2500			0.0000		_		
MODEL SERIES		500 500		500 500		C-2500 K-2500			C-2500 K-2500			C-2500	
SCWR (1)	10,500	12,000	10,000	11,000	12,000	13,000	14,000	11,000	12,000	13,500	12,500	14,500	16,000
AXLE RATIO	3.42	3.73(2)	3.42	3.73	3.73	4.10	4.56(4)	3.73	4.10	4.56(4)	3.21	3.73	4.10
ENGINE		59 ter V8 pline	5.2 U	HG Ser VS HB(3)	LT9 5.7 Liter VB Gassline		5.2 Liter VB Deset			LEB 7.4 Liter VB Gasoline			
TRANSMISSION	Auto	matic	Auto	matic	Automatic		Automatic			Automatic			

cess Combination Weight Rating with selected engine and rear axis ratios. Refer to the 1995 GMC Trailoring Guide for further information Except Series C-1500 in Californ





Styled wheels

Aluminum wheels







Standard Solid Paint Scheme

Available Special Two-Tone

Available Exterior Decor Package

DIESEL ENGINE

Standard Paint

Suburban offers a choice of 10 solid colors. Black or bright body side moldings are available with standard paint scheme.

Available Special Two-Tone For Added Distinction

Includes two-tone paint and bright-trimmed black lower body side and rear moldings (Sierra models) plus bright wheel opening moldings and bright side marker and taillight trim (Sierra, High Sierra models). Second color is applied below body side and rear moldings.

Available Exterior Decor Package

This attractive option includes the moldings and bright trim described above, upper body side and rear decal stripes coordinated to your choice of 23 two-tone paint combinations, and stand-up hood ornament for gas-engine models.

TECHNICAL INFORMATION

MODEL TIPE		GWOOTHE ENGINE				DIESET ENGINE					
DRIVE TYPE		2-whod		4-wheel		2-wheel .		6-wheel			
SONGS		C-1500	C-2500	K-1500	K-2500	C-1500	C 2500	K-1500	K-2500		
GROSS VEHICLE WEIGHT RATING (IN)	Standard	6100 (1)	8900	6100 (1)	8500	7000	8600	7000 (1)	8600		
Available		6800	-	7900	-	-	-	7300 (2)	-		
ENGINE/TRANSMISSION AVAILABILITY	Y										
5.0L V8/4-speed automatic overdris	e	186 (3)	-		(44)			-	- 10		
5.7L V8/4-speed manual		-	std	s40 (3)	513	-	-	-	-		
5.7L VB/3-speed automatic		-	avoil	-	nal	-	-	-	Cast.		
5.7L VB/4-speed automatic overdriv	e	aval	-	2595	- Car	-	-	-	-		
7,4L VB/3 speed automatic		-	avel		-	-	-	-	-		
6.2t, VB/3 speed automatic		-	-	-	-	-	std	-	std		
6.2t. V8/4-speed automatic overdrive		-	-		-	6M (3)	-	std (3)	-		
FRONT SUSPENSION		independent, coll springs (2-W0t; salisbury axie, leaf springs (4-W0)									
Capacity (b)		3250	3800	3500	3800	3400	3800	3600	3800		
Spring capacity (ib) (4)	Standard	1625	1900	1853	1850	1700	1900	1850	1850		
	Available	-	-	2250	2250	-	-	, 2250	2250		
Shock absorber diameter (mm)	Standard	25	32	25	32	25	32	1.25	32		
	Available	32	-	32 (5)	(5)	32		32 (5)	(5)		
Stabilizer bar diameter (iri)	Standard	-	1.05	1.25	1.25	1.06	1.06	1.25	1.25		
	Available	1.06	1.25	-	-	-	1.25	-	-		
REAR SUSPENSION					salisbury axi	, leaf springs	725				
Aude capacity (b)		4000	6000	4000	6000	4000	6000	4000	6000		
Spring capacity (b) (4)	10.00	2000	3000	2000	3000	2000	3000	2000	3000		
Shock absorber dameter (mm)	Standard	25	32	25	32	25	32	25	32		
	Araitotic	32	-	32 (5)	(5)	32	-	32 (5)	(5)		
BRAKES					hydraulic, front	displrear drur	16		-		
Power boester		vacuum vacuum			hydraulic bydraulic						
Parking		cable to rear wheels									
STEERING		manual (pe-	ver available)	po	wer	po	WYCE	po	belof		
TIRES (All Seasons type on CIK-1500)	nodels)	radial ply									
	Standard	P235/ 75R15	LT2357 85R16D/E	P215/ 75R15	U235/ 85R160/E	P235/ 75R15xL	L1235/ 85R16D/E	P235/ 75R15	LT235/ 85R15D4		
	Available			V	arious (opesuit	your GMC Dea	ler)		1000		
FUEL TANK CAPACITY (gal)	Standard	8	25	25	25	27	27	27	27		
Arallal		-31,40	31,40	31,40	31,40	32,41	32,41	32.41	32,41		
BATTERY CCA		1	405 115,	540 avail	-	dus	1540	dua	1540		
GENERATOR AMPS		1	37 std: 64	5 avail (6)		56	063	66	481		

- Not available with optional second rear seat
- Requires optional second rear soat.
 Not available in California
- Front Quad Shocks available (four 25 mm front, two 32 mm roar)
 94 amp generator required with 7-6, engine and when optional rear heater and rear window dologger are used in combination on taligate-type models

IMPORTANT! A WORD ABOUT THIS CATALOG

We have tried to make this catalog as comprehensive and factual as possible and we hope you find it helpful. However, since the time of printing, some of the information you'll find here may have been updated. Also, some of the equipment shown or described throughout this catalog is available as factory-installed options, as dealer accessories, and as specialized equipment from various independent suppliers at extra cost. Your dealer has details and, before ordering, you should ask him to bring you up to date.

The right is reserved to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, and models. Check with your GMC Dealer for complete information.

A WORD ABOUT ASSEMBLY, COMPONENTS, AND OPTIONAL EQUIPMENT IN THESE GMC PRODUCTS:

The GMC Trucks described in this brochure are assembled at facilities of General Motors Corporation operated by General Motors. These vehicles incorporate thousands of different components produced by car and truck groups and various component divisions of GM and by various suppliers worldwide to General Motors. From time to time during the manufacturing process, it may be necessary, in order to meet public demand for particular vehicles or equipment, or to meet federally mandated emissions, safety, and fuel

economy requirements, or for other reasons, to produce GMC products with different components or differently sourced components than initially scheduled. All such components have been approved for use in GMC products and will provide the quality performance associated with the GMC name.

With respect to extra-cost optional equipment, make certain you specify the type of equipment you desire on your vehicle when ordering it from your dealer. Some options may be unavailable when your truck is built. Your dealer receives advice regarding the current availability of options. You may ask the dealer for this information. GM also requests the dealer to advise you if an option you ordered is unavailable. We suggest that you verify that your truck includes the optional equipment you ordered, or if there are changes, that they are acceptable to you.

These vehicles also are available under the Chevrolet nameplate Series C10, C20, K10, K20 Suburban

A WORD ABOUT UPDATED SERVICE INFORMATION GMC Truck & Bus Operation regularly sends its dealers useful

service bulletins about GMC Truck products. GMC Truck & Bus Operation monitors product performance in the field. We then prepare bulletins for servicing our products better. Now you can get these bulletins, too. Ask your dealer. To get ordering information, call toll free 1-800-551-4123.

GMC SUBURBAN STANDARD AND AVAILABLE EQUIPMENT

-			SIERRA	HIGH	
TRAM LEVEL	0.4000		(STD)	(262)	(YES)
EXTERIOR APPEA		t Painted Molded Plastic: Besels for Single		_	_
GRILLE/ HEADLAMP BEZELS	Roctangular Hea	S	s	-	
	Headlamps	t Painted Moided Plastic; Bezels for Dual	A(1)	A(1)	s
IDENTIFICATION	Front Fender	Specific Nameplate with Series Designation	. s	s	s
		"6.2 Litre Diesel" Nameplate	S	S	S
	Grile	Integral GMC Letters	S	-	-
		Bright Applied GMC Letters	A(1)	S	8
	Hood	Blight Ornament with "6.2 Little Diese" Lettering (6)	S	s	s
	Control of the Contro	Bright Ornament w/GMC Lettering (7)	AG)	A(2)	A(2)
	Rear Doors/Talgate	Bright "Suburban" Nameplate with GMC Letters	s	s	s
		"Diesel 6-21," Nameplate (6)	S	S	5
ORNAMENTATION	Body Side/	Black Plastic with Bright Trim	A	S	-
NAME OF TAXABLE PARTY.	Rear Moldings	Bright Plastic with Black Trim	AGR	A(3)	-
		Custom Black Plastic with Bright Time	A(3)(4)	A(3)(4)	-
			A(3)(4)	1.75	COLUM
	Block Br. 14.00	Deluxe Bright Plastic with Black Tim	114441	A(3)(4)	S(3)(4)
	arman Education Statement	igs Over Side Doors, Rear Doors or Talgate	8	8	5
		Headlamp Bezel Outline Moldings	S	8	\$
		Marker and Taillamp Trim		S	8
		id and Side Rear Quarter Window Trim	no.	S	5
WHEELSWHEEL	Bright Metal Hut	ocaps	S	S	S
TRIM	Bright Metal Wh	eel Covers (C/K-1500 only)	A	A	A
	Cast Aluminum	Wheels (CW-1500 prily)	A	A	A
	Silver Painted R	A	A	A	
		letal Wheel Covers (C/K-2500 only)	A	A	A
V	and the second s	onventional Wheels (includes spare on	s	s	s
	Acres and a second	tyled Wheels (K-1500 only)	A	A	A
INTERIOR APPEA		gree reneas pri tour unity		-	-
FLOOR		of a full cost testales		-	_
COVERING	Rear Wheelhout			-	S
	Rubber for Cent	ster in Front Seat Area; Embossed Black er and Rear Seat Areas (Color Keyed ted with Optional Center Seat)	-	s	1
		Rubber Throughout	S	-	-
GARWISH	Cowl Sides	Full Color-Keyed Plastic (6)	-		5
MOLDINGS/	COM CHOICE	Partial Color-Keyed Plastic (7)	S	S	
TRIM PANELS	Pilars	Color-Keyed Plastic on Windsheld and - Center Door Pillars		s	s
				0	5
	Rear Doors	Color Keyed Plastic on Rear Lock Pillars Color Keyed Viryl Covered Hardboard	-	-	- 2
		Trim Panels with Carpet Trim on Lower Doors: Color-Keyed Plastic Gamish			
The latest the same	00	Moldings on Upper Doors	-	-	5
	Rear Quarter Areas	Body Color Painted Steel Lower Panels Color Keyed Viryl Covered Plastic Trim Panels with Carpet Tim on Lower Areas; Color Keyed Plastic Garnish Moldings in	S	S	
		Upper Areas		-	S
13.37	Side Doors	Color-Keyed Embossed Plastic Tirm Panels with Integral Ammests Plus	10	188	
		Ashtrays in Rear Doors Color-Keyed Embossed Plastic Trim	S	S	-
	-	Panels with Integral Ammests, Upper Insert with Powter fone Brushed Metal Finish, Clath Insert in Ammest Area, Lower Carpeted Area with Bright Time, Front Door Closing Assist Straps and Map		7_	s
	Tuloute	Pockets, and Ashtrays in Rear Doors Color Keyed Plastic Trim Panel with	-		9
of any many	Taigate	Carpet Trim	-	-	S
HEADLINER & MOLDINGS		r-Keyed Perforated Cloth on Molded Watching Plastic Pletainer Moldings (8)		_	s
Series Co.	Full-Length Cold	r-Keyed Perforated Molded Plastic with	1	7.	
	Fiberglass Backi	ng and Matching Retainer Moldings (7)	A	S	
INSTRUMENT	Instrument	Black Crackle Finish and Bright Tilm	S		-
PANEL TRIM	Cluster Bezel	Pewter Tone Brushed Metal Finish and Bright Trim	322	s	s

TRIM LEVEL			SIERRA (STD)	HIGH SIERRA (262)	CLASSI (YE9)
INTERIOR APPEA	RANCE (contd)				
INSTRUMENT PANEL TRIM	Instrument Panel Pad Applique	Black Crackle Finish with Specific Nameplate	s	s	_
(contd)		Pewter Tone Brushed Metal Finish with Specific Nameplate	_		s
STEERING	Black Horn Butto	n with Red GMC Lettering	S	S	-
WHEEL TRIM	Black Hom Butto	n with Red GMC Lettering and Bright Trim	-	-	S
COMFORT/CONV	ENIENCE/PROTEC	TION			0.000
BUMPERS "	Chromed Front a	nd Rear	S	S	S
	Delaxe Chromed strips)	Front and Rear (includes black rubber rub	A	A	A
FLOOR MATS		ber; Front or Front and Center Rear	-	-	A
GLASS	Deep-Tinted Glas Quarter Windows	A	A	A	
	Deep-Tinted Glas Windows, and R	A	A	A	
	A THE RESIDENCE AND ADDRESS OF THE PARTY OF	Window (for ESS models)	A	A	A
	Tinted Glass All-A		S	8	S
GUNROS	Bright Door Edge	the larger than the larger tha	A	A	A
		lumper (not available with Deluxe Front	A	A	A
HEATING	And in contrast of the last of	Front or Front and Rear	A	A	A
COOLINGY .	Cold Climate Pac		A	A	A
DEFOGGING		dow Delogger (ES6 models)	Â	A	A
STATE OF THE PARTY OF	Flow-Through Po		S	S	S
		Heavy Outy Outside Air Type (6)	A	A	A
	A STATE OF THE PARTY OF THE PAR	Outside Air Type	S	S	S
	Rear Heater	COLORD IN 1990	A	A	A
HORN	Single Electric (L	over Market	S	S	S
NAME OF TAXABLE PARTY.	Additional Electric		-	5	S
NSTRUMENT	Gage-Type	c (riginos)	A	A	S
CLUSTER	Annual Control of Control of Control	his Mark transies was ton shorted	A	A	A
	Action and the Control of the Contro	tric Clock (requires gage-type cluster)	\$	\$	- A
NSTRUMENT	Warning-Light Ty Central Tip-Out A		S	5	S
RANEL	INCOME NATIONAL PROPERTY.	with Ashtray Burnination	A	S	S
	the state of the s	S	8	8	
		rgy-Absorbing Pad	S	8	S
INTERIOR	Done: Freet and	age Compartment with Latch Rear with Door- or Talgate-Operated	11/20/0	100	
LAMPS	Switches (8)	A(5)	S	8	
	Action to Company of the Company of	ument panel at center)	\$	5	S
MIRRORS		ior, Conventional Type Itainless Steel Exterior, Below Eyeline Type	S	S	S
		A	A	A	
	Dual Stainless St	A	A	A	
	Interior Rear View	S	S	S	
	Interior Right-Ha	AND THE RESIDENCE OF THE PARTY		- 00	S
	Package (rear do	ely or Together in Operating Convenience or locks available separately)	A.	A	A
RADIOS/ ANTENNAS		VFM Stereo, and AM/FM Stereo with quitar and full-feature)	A	A	A
411011010	and the second s	Â	A	A	
SEATS/SEAT		nna (included with optional radios) senger Front Bench with Outboard	^	-	
BELTS	Retractable Lap/	Shoulder Belts and Manual Center Lap Belt senger Folding Center Bench Divided into	S	S	S
	Two Sections wit Manual Center L seat backs)	A	A	A	
	Full-Foam 3-Past Bench with Arms ashtrays in arms	A	A	A	
AMAGE - 12	Full-Foarn Driver Backrests and In retractable lap/si	-	-	A	
STEERING WHEEL/	CONTRACTOR OF THE PARTY OF THE	sorbing Column with Anti-Theft Locking	S	S	5
COLUMN	Two-Spoke Sett I	A	A	A	
		Black Plastic Wheel, Conventional Type	S	S	8
SUNSHADES	Color-Keyed Pad	ALCOHOLOGICA CONTRACTOR CONTRACTO	S	S	S
WINDSHIELD	CONTRACTOR OF THE PARTY OF THE	ed Wipers; Wet Arm Type Washers	S	S	S
WASHERS		ed Wipers with Intermittent Wipe Feature;			
- Lanner Mar	Wet Arm Type W	Rishers C Dealer for details.)	A	A	A

EXTERIOR PAINT COLORS

- S Standard A Anskible 1 Part of optional Delate Front Appearance package 2 Part of optional Extenior Decor package
- Includes bright side marker and tail lamp trim.
 Includes bright wheel opening mcklings.
 Part of optional Interior Headliner
- 6 Diesel models only
- 7 Gasoline models only 8 Standard on all diesel models





Midnight Black

Light Blue (M)

Midnight Blue Carryon Copper (M)

Doeskin Tan

Nevada Gold (M) Indian Bronze (M)

Apple Red NOTE: Due to printing irregularities, colors shown may vary from actual tones. Ask your dealer to show you accurate paint chips and fabric swatches. (MI-Metallic.

Frost White

Let's Get it Together...Buckle Up

Every new 1986 GMC Light Duty Truck deliv-ered by a GMC Truck Dealer in the United States comes with a one-year, \$10,000 safety belt insurance certificate from MIC General Insurance Corporation at no additional charge, \$10,000 will be paid to the estate of any occupant who suffers fatal injuries as a result of an accident involving that vehicle while wearing a GM safety belt. Buckle up every time you drive.





At your GMC Truck Dealer, financing or leasing your new GMC Truck is as easy as saying GMAC...the financial services people from General Motors.



7377-86 USA Litho in USA