

2018

# TRANSIT

PASSENGER WAGON + CARGO VAN  
CUTAWAY + CHASSIS CAB





**V** CARGO VAN

**W** PASSENGER WAGON

**C** CUTAWAY+CHASSIS CAB

## FOR ALL YOU DO.

Are you running a small business? Or raising a large family? Maybe you're tackling both. Either way, you know there's power in numbers. Transit knows it, too. That's why the 2018 Ford Transit lineup offers you the most vehicle configurations in the class.<sup>1</sup>

For starters, you'll select a body style: Passenger Wagon, Cargo Van, Cutaway or Chassis Cab. Next, you can explore the advantages of the different heights, lengths, wheelbases and engines available on your Transit. Seat up to 8, 10, 12 or 15 people in a Passenger Wagon. Carry up to 487.2 cu. ft. of max. cargo, or haul up to 4,650 lbs. of max. payload in a Cargo Van.<sup>2</sup> Or find a Cutaway or Chassis Cab that meets your needs. No matter which Transit you choose, you can rest assured it's Built Ford Tough.<sup>®</sup>

2018 Transit | [ford.com](http://ford.com)

Transit Cargo Van: 150 MR LWB. Blue Jeans. Transit Passenger Wagon: XLT 350 HR LWB. Oxford White. Transit Chassis Cab: 350 HD LWB. Race Red. All shown with available and aftermarket upfit equipment.

<sup>1</sup>Class is Full-Size Vans based on Ford segmentation. Excluding other Ford vehicles. <sup>2</sup>When properly configured. Passenger and cargo capacity limited by weight and weight distribution.

Vehicles throughout this brochure may be shown with antennas removed, and optional and aftermarket upfit equipment.



# LINEUP

**W**  
PASSENGER WAGON

- 8, 10, 12 OR 15 SEATS
- 3 ENGINES
- 3 ROOF HEIGHTS
- 3 BODY LENGTHS
- 2 WHEELBASES



**V**  
CARGO VAN

- 2 SEATS
- 3 ENGINES
- 3 ROOF HEIGHTS
- 3 BODY LENGTHS
- 2 WHEELBASES



**C**  
CUTAWAY+CHASSIS CAB

- 2 SEATS
- 2 ENGINES
- 3 WHEELBASES



CHOICES  
CHOICES  
CHOICES



# ENGINES

## 3.7L Ti-VCT V6

For plenty of low-speed torque and top-end power, the standard 3.7L engine features twin independent variable camshaft timing (Ti-VCT) technology to optimize combustion at all engine speeds. A CNG/Propane Gaseous Engine Prep Package readies it for an upfit to run on compressed natural gas (CNG), propane autogas, or as a bi-fuel vehicle that can switch between operating on gasoline and CNG or propane.



An excellent choice for those who need extra hauling capacity, the 3.5L EcoBoost® engine<sup>1</sup> boasts a best-in-class gas torque rating of 400 lb.-ft. It also features twin turbochargers that spool up more quickly than a conventional single turbo. The instantaneous low-end torque and 310 hp you get with this engine are the result of direct injection, which delivers a precise amount of fuel to optimize efficiency and power.

## 3.5L EcoBoost

## 3.2L Power Stroke® I-5 Turbo Diesel

If your engine needs to run long hours under constant idling or stop-and-go conditions, the Turbo Diesel<sup>1</sup> delivers. For maximum flexibility, 90% of its peak torque is available from 1,500 to 2,500 rpm. Direct injection and a Variable Geometry Turbocharger combine to help optimize efficiency and deliver instantaneous power. And quick-start glow plugs offer fast startups at temperatures as low as -10°F.





## GET COMFORTABLE.

Transit offers plenty of driver amenities engineered to ease your day.

### ON EARLY MORNINGS

Chase away the chill in 10-way power, heated front seats<sup>1</sup> with lumbar support and inboard armrests, available in cloth or leather trim.<sup>1</sup>

### WHEN ROADS ARE WET

After you turn them on, rain-sensing windshield wipers<sup>1,2</sup> automatically activate to help keep your view ahead clear. Standard on XLT Passenger Wagon.

### SEEING TO THE SIDES

New power-folding capability is added to the power, heated, short-arm sideview mirrors,<sup>1</sup> which also feature integrated turn signal indicators.

### BACKING IT UP

A new high-mounted rear view camera is standard on Passenger Wagon and Cargo Van MR and HR models. It offers a broad, full-color view from its high vantage point to make Transit easy to maneuver in Reverse.



# GO CONFIDENTLY.

Easy maneuverability and a commanding view of the road are standard on every Transit.

## WHILE TOWING AND HAULING


All 3 engines are paired with our 6-speed SelectShift® automatic transmission, which offers a selectable tow/haul mode<sup>4</sup> to help make both towing and hauling easy. When you engage this mode, it compensates for grade and load, and reduces gear hunting. The transmission also offers manual upshift and downshift capability, as well as progressive range select, which lets you reduce the available gear range for better performance in difficult road and/or load conditions.

## EVEN WHEN THE WIND'S BLOWING


AdvanceTrac® with RSC® (Roll Stability Control™) and Side-Wind Stabilization help you handle sudden, strong side-wind gusts.<sup>2</sup> Standard on every Transit, the system can apply the brakes on one side of the vehicle if needed to help you stay on your intended path.



LANE-KEEPING ALERT



SWAY CONTROL



**STAY CENTERED** with help from our Lane-Keeping Alert.<sup>1,3</sup> It can detect lane markings and send gentle vibration pulses to the steering wheel if needed to prompt you to steer back toward center.<sup>4</sup> If it detects you've crossed the line repeatedly, the Driver Alert System<sup>1,3</sup> can chime and display a coffee cup icon to suggest you take a break from driving.

**TOW UP TO 7,500 LBS<sup>5</sup>** with the help of trailer sway control<sup>1,2</sup> technology. The rear view camera<sup>1,3</sup> display also offers guidelines to help you connect with your trailer.



### FORDPASS™ SMARTPHONE APP<sup>3</sup>

Your personal journey assistant  
Find fuel and compare prices  
Find, reserve and pay for parking  
in select locations  
Get help from our trained team  
of Ford Guides – available 24/7



### SYNC APPLINK<sup>2,4</sup>

Voice control for your favorite  
compatible mobile apps  
Spotify® • Pandora® • and more



### APPLE CARPLAY™ COMPATIBILITY<sup>6</sup>

Use Siri to interact with your iPhone  
Access your favorite songs and  
playlists in Apple Music®  
Use Apple Maps for voice-guided  
navigation and estimated travel time



### VOICE-ACTIVATED NAVIGATION<sup>2</sup>

Turn-by-turn directions  
Vivid 3-D maps  
Pinch-to-zoom touchscreen capability



### SIRIUSXM® TRAFFIC & TRAVEL LINK<sup>2,5</sup>

Complimentary for 5 years  
Real-time traffic updates  
Fuel station locations and prices  
Current and forecasted weather  
Movie locations and showtimes  
Sports scores



### ANDROID AUTO™ COMPATIBILITY<sup>6</sup>

Talk to Google™ to interact with your  
Android™ smartphone  
Access your favorite music through  
your apps  
Utilize Waze™ or Google Maps™ for  
voice-guided navigation and estimated  
travel time

# SYNC 3

STAY CONNECTED ON THE MOVE.

Imagine controlling calls, music and more with just a touch and your voice. SYNC<sup>®</sup> 3<sup>1,2</sup> lets you keep your hands on the wheel while it quickly responds to your spoken requests. Or use the responsive touchscreen in the center of your instrument panel to access its many helpful features. Bring the power of Siri<sup>®</sup> into Transit with Siri Eyes Free and your paired iPhone<sup>®</sup>. The system also features 2 smart-charging USB ports to help keep your devices powered up and ready to go.





## BRING 'EM!

Transit Passenger Wagon seats as many as 8 to 15 people and comes in 3 roof heights. Low Roof (LR) is designed to fit in most garages. Medium Roof (MR) helps make loading and unloading easy. With best-in-class interior height, High Roof (HR) offers those up to 6'4" tall an easy walk to their seats.

### TRAVEL SAFELY

Transit Passenger Wagon features 6 airbags<sup>1</sup> in the front row, including Safety Canopy<sup>®</sup> side-curtain airbags that cover all rows, plus 3-point safety belts for every seat.<sup>1</sup>

### KEEP IT CLEAN

Rugged vinyl flooring, standard on XL and optional on XLT, can be washed clean with a hose if needed.

### STEP IT UP

New extended-length running boards<sup>2</sup> beneath the driver's door and both passenger-side doors provide firm footing for all passengers to enter and exit.

### PACK IT IN

Behind the last row of seats in 15-passenger EL models, you'll enjoy best-in-class factory-built cargo capacity of 100.5 cu. ft.



**LEATHER-TRIMMED SEATS<sup>2</sup>** feature 10-way power adjustability, heat and inboard armrests for the driver and front passenger. In other rows, manually reclining seat backs<sup>2</sup> can each be adjusted independently for personalized comfort, and inboard armrests<sup>2</sup> fold down for support or flip up for easy entry and exit.



**POWER RUNNING BOARD<sup>2</sup>** automatically deploys when the rear passenger-side door is opened to help ease entry and exit for your passengers, then returns to its stowed position when the door is closed.





## STAND AND DELIVER.

Whatever your day demands, there's a Transit Cargo Van sized just right for you. Available in 3 roof heights – Low (LR), Medium (MR) and High (HR) – it offers the flexibility to work the way you want.

### EASIER THAN EVER

Getting in and out of the rear cargo area is easier this year, thanks to new D-pillar assist handles<sup>2</sup> and a new larger rear-door pull-and-release exit handle on the inside of the vehicle.

### WITH MAX. HEAD ROOM

A best-in-class gas-powered max. interior height of 81.5" makes it easy to stand upright and to carry the tallest items in Transit HR models.<sup>1</sup> The 237° swing-out rear cargo doors<sup>2</sup> provide quick and easy access.

### AND SPACE TO SPARE

Transit HR LWB EL Cargo Van helps transform your productivity by saving you extra trips. It offers a gross vehicle weight rating of up to 10,360 lbs., plus best-in-class gas-powered max. cargo capacity of 487.2 cu. ft. and max. payload capacity of up to 4,650 lbs.<sup>1</sup>



# UPFIT IT!

Transit offers you exceptional versatility inside its full lineup of Built Ford Tough® Cargo Vans. Control up to 4 different aftermarket items such as auxiliary lighting, a compressor, and more with the upfitter switches<sup>1</sup> conveniently located in the center of your instrument panel. You can also choose from 15 vocation-specific upfit ship-thrus<sup>1</sup> – 9 of which are within 30 miles of the Kansas City Assembly Plant where Transit is built – for prompt delivery. These smart solutions are from some of the best upfitters in the business, including:

- Adrian Steel®
- Masterack®
- Sortimo By Knapheide
- TransitWorks™

Explore all your options at [transitupfits.com](http://transitupfits.com).



**GENERAL CONTRACTING:** Heavy-duty upfits designed for general contractors offer you sturdy steel cabinets, drawers, dividers, bins, and even a document holder that helps you keep each day's work orders ready to reference.



**PLUMBING:** Heavy-duty upfits designed specifically for plumbing contractors offer you everything from a General Service Package to a workbench with an integrated vise.



**HEATING AND COOLING:** Smart solutions for HVAC technicians include heavy-duty upfits, like a single or double ladder rack, a wide range of partitions, and lots of racks and bins systems, many with noise-reduction features.



**ELECTRICAL:** Your choice of heavy-duty upfits include Base Shelving and General Service Packages, as well as other options to help keep your electrical supplies in order.



## GO CUSTOM.

Whether you want to move people, tools, flora, fauna, or something else entirely, Transit Cutaways and Chassis Cabs are convenient bases for building all sorts of versatile vehicles. Cutaways have an open passenger compartment for pairing with specialty body modules to make shuttle buses, recreational vehicles and more. Chassis Cabs have an enclosed passenger area and a bare frame ready for body modules that create cargo delivery flatbeds, small horseboxes and beyond. Frame rails are reinforced with boron steel for lightweight strength, and the clean box section helps make upfits easy. Plus, frame rail extension adapters enable frame upfits up to 18' long, giving you even more opportunities to create the Transit you need.

Find your Ford authorized upfitter at [fordtoughtruck.com](http://fordtoughtruck.com).



# MAXIMIZE YOUR UPTIME.

The certified experts at your local Ford Commercial Vehicle Center are ready to help you find the right Transit for your needs – and keep it out there on the road working hard for you. At their Service and Parts department, you'll find service discounts and extended hours, plus a new Parts Advantage program that helps keep the fastest-moving parts in your area in stock. We're here to help you maximize your vehicle's uptime while protecting your investment with prompt, specialized maintenance and service.

Learn more at [fordcommercialvehiclecenter.com](http://fordcommercialvehiclecenter.com).



**EXTERIORS / INTERIORS / WHEELS**

| <b>EXTERIOR</b> | <b>INTERIOR</b>                |   |   |   |   |   |
|-----------------|--------------------------------|---|---|---|---|---|
|                 | Oxford White                   | 1 | 2 | 3 | 4 | 5 |
|                 | Ingot Silver <sup>1</sup>      | 1 | 2 | 3 | 4 | 5 |
|                 | School Bus Yellow <sup>2</sup> | 1 | 2 | 3 | 4 | 5 |
|                 | White Gold <sup>1</sup>        | 1 | 2 | 3 | 4 | 5 |
|                 | Stone Gray <sup>1</sup>        | 1 | 2 | 3 | 4 | 5 |
|                 | Race Red                       | 1 | 2 | 3 | 4 | 5 |
|                 | Blue Jeans <sup>1</sup>        | 1 | 2 | 3 | 4 | 5 |
|                 | Magnetic <sup>1</sup>          | 1 | 2 | 3 | 4 | 5 |
|                 | Green Gem <sup>1</sup>         | 1 | 2 | 3 | 4 | 5 |
| Shadow Black    | 1                              | 2 | 3 | 4 | 5 |   |



Oxford White



Ingot Silver



School Bus Yellow



White Gold



Stone Gray



Race Red



Blue Jeans



Magnetic



Green Gem



Shadow Black



Pewter Vinyl  
1



Pewter Leather<sup>3</sup>  
2



Charcoal Leather  
3



Pewter Cloth  
4



Charcoal Cloth  
5



16" Silver Steel with Black Hubcap  
Standard: XL Passenger Wagon/ SRW Cargo Van/Cutaway & Chassis Cab



16" White Steel with Mini-Cap and Lug Nut Covers  
Optional: All SRW (Fleet only)



16" Silver Steel with Exposed Lug Nuts (front wheel shown)  
Standard: DRW Passenger Wagon & Cargo Van



16" Easy-To-Clean Aluminum with Locking Lug Nuts  
Optional: All SRW (n/a with 9,500 lbs. GVWR or greater)



16" White Steel with Exposed Lug Nuts (front wheel shown)  
Standard: DRW Cutaway & Chassis Cab  
Optional: DRW Passenger Wagon & Cargo Van (Fleet only)



16" Polished Forged Alloy (front wheel shown)  
Optional: All DRW



16" Black Steel with Silver-Styled Cover  
Standard: SRW XLT Passenger Wagon  
Optional: XL Passenger Wagon/ SRW Cargo Van/Cutaway & Chassis Cab



**Mechanical**

- 25-gallon fuel tank
- 70-amp-hr battery
- 150-amp alternator
- Auxiliary fuel port
- Dual-note electric horn
- Hill start assist
- Power-assisted rack-and-pinion steering
- Power 4-wheel disc brakes with Anti-Lock Brake System (ABS)
- Stationary elevated idle control (SEIC)
- Suspension – Front: independent MacPherson-strut and stabilizer bar; rear: leaf springs and heavy-duty gas shock absorbers

**Interior**

- 4-spoke polyurethane steering wheel with tilt/telescoping column
- 12V powerpoints, 2 in front
- 12V powerpoint, 1 in rear (Passenger Wagon and Cargo Van)
- Accessory delay
- Center stack console with integrated gear shifter
- Driver and front-passenger vinyl-trimmed sun visors
- Front dome light with map lights and theater-dimming feature
- Front overhead console (n/a on LR models)
- Grab handle on passenger-side A-pillar
- Lockable glove box
- Power door locks with autolock
- Rearview mirror (requires rear-door glass)
- Remote Keyless Entry System with 2 key fobs
- Speedometer (mph/kph), tachometer, and coolant temperature and fuel level gauges
- Windows – Power front

**Exterior**

- Easy Fuel® capless fuel filler
- Front bumper – Black, molded-in-color with lower valance
- Front fender-mounted antenna
- Roof marker lamps (DRW)
- Solar-tinted glass
- Variable-intermittent windshield wipers

**Safety & Security**

- 3-point safety belts for all seating positions
- AdvanceTrac® with RSC® (Roll Stability Control™) with side-wind stabilization
- Driver and front-passenger front airbags, front-seat side airbags, and Safety Canopy® side-curtain airbags<sup>1</sup>
- SOS Post-Crash Alert System™
- Tire Pressure Monitoring System (SRW; excludes spare)

|  | <b>3.7L Ti-VCT V6</b>          | <b>3.5L EcoBoost® V6</b>                   | <b>3.2L Power Stroke® I-5 Turbo Diesel</b>                        |
|--|--------------------------------|--|---|
| Configuration  | DOHC                           | DOHC                                       | DOHC  |
| Fuel injection   | Sequential electronic          | Direct-injection                           | Direct-injection  |
| Induction system   | Naturally aspirated            | Twin-turbocharged; intercooled             | Single variable geometry turbocharged; intercooled                |
| Cylinders  | 6                              | 6  | 5   |
| Cylinder heads   | Aluminum                       | Aluminum                                   | Aluminum  |
| Block material   | Aluminum                       | Aluminum                                   | Cast iron   |
| Bore/stroke  | 3.76"/3.41"                    | 3.64"/3.41"                                | 3.54"/3.96"   |
| Compression ratio  | 10.5:1                         | 10.0:1                                     | 15.8:1  |
| Transmission   | 6-speed SelectShift® automatic | 6-speed SelectShift automatic              | 6-speed SelectShift automatic                                     |
| Horsepower   | 275 @ 6,000 rpm                | 310 @ 5,500 rpm                            | 185 @ 3,000 rpm   |
| Torque   | 260 lb.-ft. @ 4,000 rpm        | 400 lb.-ft. @ 2,500 rpm                    | 350 lb.-ft. @ 1,500-2,500 rpm                                     |
| Recommended fuel   | Regular unleaded               | Regular unleaded                           | Ultra-low-sulfur diesel or B20 (containing 20% or less biodiesel) |
| EPA-estimated ratings <sup>2</sup> (Passenger Wagon LR/MR RWB) | 14 city/18 hwy/16 combined mpg | 15 city/18 hwy/16 combined mpg             | Not EPA rated   |
| Availability   | Standard                       | Available on Passenger Wagon and Cargo Van | Available on Passenger Wagon, Cargo Van, Cutaway and Chassis Cab  |



| PASSENGER WAGON<br>CARGO VAN<br>CUTAWAY<br>CHASSIS CAB |   |   | PASSENGER WAGON<br>CARGO VAN<br>CUTAWAY<br>CHASSIS CAB |   |  |
|--|---|---|--|---|--|
| 0  |   | <b>Ambulance Prep Package</b> <sup>1</sup> : dual heavy-duty batteries, heavy-duty alternator, and limited-slip axle; optional on MR or HR with sliding passenger-side door; includes fixed side- and rear-door glass, Modified Vehicle Wiring System, and auxiliary fuse panel; 4.10 axle on 3.7L V6 (standard on HR, optional on MR), and 3.73 axle on 3.2L Diesel, 3.5L EcoBoost, and MR 3.7L V6   | 0  |   | <b>Motorhome Prep Package</b> <sup>1</sup> : cruise control, AM/FM stereo with audio input jack and 4" multifunction display, dual heavy-duty batteries, heavy-duty alternator, driver and front-passenger sun visors, Modified Vehicle Wiring System, Trailer Wiring Provisions Package, auxiliary fuse panel, cloth 4-way manual driver and front-passenger seats with inboard armrests and manual driver's lumbar, Exterior Upgrade Package, and vinyl front floor covering   |
| 0  |   | <b>Ambulance Prep Package</b> <sup>1</sup> : dual heavy-duty batteries, heavy-duty alternator, limited-slip axle, spare wheel and tire, manual short-arm sideview mirrors, and LED-enabled separate stop/turn taillamps; 4.10 axle on 3.7L V6 and 3.73 axle on 3.2L Diesel  | 0  |   | <b>Multifunctional School Activity Bus Prep Package</b> <sup>1</sup> : banded front-door glass, dual heavy-duty batteries, heavy-duty alternator, auxiliary fuse panel, LED-enabled separate stop/turn taillamps, and Passenger-Side Door Delete Package   |
| 0  | 0 | <b>Auxiliary Heater/AC Prep Package</b> <sup>1</sup> : requires aftermarket upfit of a rear climate control system  | 0  |   | <b>Passenger-Side Door Delete Package</b> <sup>1</sup> : requires vinyl 4-way manual driver's seat only with inboard armrest and manual lumbar, and front-passenger seat delete  |
| 0  | 0 | <b>Auxiliary Heater Prep Package</b> <sup>1</sup> : requires aftermarket upfit of a rear climate control system   | 0  | 0 | <b>Premium Package</b> <sup>1</sup> : Interior and Exterior Upgrade Packages; Pewter leather-trimmed, heated, 10-way power driver and front-passenger seats with inboard armrests; and vinyl front and rear floor covering (Cargo Van)   |
| 0  |   | <b>Builder's Prep Package</b> <sup>1</sup> : Modified Vehicle Wiring System; vinyl front floor covering on XL, carpeted on XLT; AM/FM stereo/single-CD player with 4" multifunction display; requires dual heavy-duty batteries and heavy-duty alternator; package deletes rear floor covering, rear seat rails, and rear seats and safety belts  | 0  | 0 | <b>Radio Prep Package</b> : front speaker grilles, antenna, cover plate in place of radio, wiring for single-CD audio and speakers (no radio chassis provided)   |
| 0  | 0 | <b>CNG/Propane Gaseous Engine Prep Package</b> : hardened intake/exhaust valves and valve seats (3.7L V6 only)  | 0  | 0 | <b>RV Prep Package</b> <sup>1</sup> : Modified Vehicle Wiring System, Trailer Wiring Provisions Package, privacy glass, carpeted front floor covering and rear cargo door exit handle; requires dual heavy-duty batteries and heavy-duty alternator; package deletes all Passenger Wagon content behind the B-pillars including rear floor covering, rear seating, rear seat rails, rear fixings and safety belts, rear headliner, rear Safety Canopy side-curtain airbags, and rear climate control (XLT Passenger Wagon) |
| 0  | 0 | <b>Exterior Upgrade Package</b> <sup>1</sup> : chrome headlamp trim, grille and grille surround; and 16" black steel wheels with silver-styled covers (SRW; n/a on XL Passenger Wagon)  | 0  |   | <b>School Bus Prep Package</b> <sup>1</sup> : banded front-door glass, dual heavy-duty batteries, heavy-duty alternator, auxiliary fuse panel, LED-enabled separate stop/turn taillamps, and Passenger-Side Door Delete Package  |
| 0  | 0 | <b>Heavy-Duty Trailer Tow Package</b> : trailer wiring provisions, 4-/7-pin connector, electric brake controller, frame-mounted hitch receiver, and tow/haul mode   | 0  |   | <b>Shuttle Bus Prep Package</b> <sup>1</sup> : Exterior Upgrade Package, dual heavy-duty batteries, heavy-duty alternator, engine block heater, Trailer Wiring Provisions Package, and auxiliary fuse panel  |
| 0  | 0 | <b>Interior Upgrade Package</b> <sup>1</sup> : cruise control, cloth 4-way manual driver and front-passenger seats with inboard armrests, AM/FM stereo with single-CD player, 4" multifunction display, message center, SYNC <sup>®</sup> instrument panel console mats, illuminated vanity mirrors, Load Area Protection Package (Cargo Van), and leather-wrapped steering wheel with controls for audio and multifunction display (Cutaway/Chassis Cab) | 0  |   | <b>Smoker's Package</b> : cigarette lighter and ash cup  |
| 0  |   | <b>Load Area Protection Package</b> <sup>1</sup> : complete rear polypropylene panels on side walls and doors, and vinyl front and rear floor covering  | 0  | 0 | <b>Trailer Wiring Provisions Package</b> : trailer wiring harness, trailer sway control, tow/haul mode, 4-/7-pin connector assembly and rear jumper (Passenger Wagon/Cargo Van)  |
| 0  | 0 | <b>Modified Vehicle Wiring System</b> : modified vehicle connections for customized wiring harness provisions; requires dual heavy-duty batteries and heavy-duty alternator   |  |   |  |



**STANDARD FEATURES**

**Mechanical**

4-/7-pin connector assembly and rear jumper  
Full-size spare wheel and tire, 4-ton jack and tool kit

**Seating**

8-passenger (RWB)  
12-passenger (LWB)  
15-passenger (LWB EL)

**Interior**

Cargo area LED load compartment lighting  
Front and rear air conditioning

**Exterior**

Center high-mounted stop lamp  
Doors – 180° rear cargo with key-lock cylinder (RWB)  
Doors – 237° rear cargo with key-lock cylinder (LWB and LWB EL)  
Doors – 60/40 swing-out passenger-side (LR)  
Doors – Sliding passenger-side (MR and HR)  
Mirrors – Short-arm, power sideview  
Rear bumper – Black, molded-in-color with extended integral step (LR)  
Rear bumper – Black, molded-in-color with bumper step (MR and HR)  
Windows – All-around with 4th-row flip-open glass (LWB EL)  
Windows – Fixed, all-around (RWB and LWB)

**Safety & Security**

Camera – Low-mount rear view (LR)  
Camera – High-mount rear view (MR and HR)



| TX | XLT |   |
|----|-----|---|
|    |     | <b>Mechanical</b>   |
| 0  | 0   | Alternator – Heavy-duty (210-amp on diesel, 250-amp on gas)   |
| 0  | 0   | Battery – Dual heavy-duty absorbed glass mat (AGM) (standard with diesel engine)  |
| 0  | 0   | Battery – Single absorbed glass mat (AGM) (gas engine)  |
| 0  | 0   | Battery guard – Programmable  |
| 0  | 0   | Engine block heater (recommended when minimum temperature is 10°F or below; standard on diesel)   |
| 0  | 0   | Operator-commanded exhaust filter regeneration (diesel engine)  |
| 0  | 0   | Operator-commanded exhaust filter regeneration with active regeneration inhibit (diesel engine)   |
| 0  | 0   | Push-down manual parking brake <sup>1</sup>   |
| 0  | 0   | Trailer brake controller (requires Heavy-Duty Trailer Tow Package)  |
|    |     | <b>Driver-Assist Technology</b>   |
| 0  | 0   | Lane-Keeping Alert with Driver Alert System   |
| 0  | S   | Rain-sensing windshield wipers with automatic headlamps   |
| 0  | 0   | SYNC® Voice Recognition Communications and Entertainment System with 4" color LCD screen in center stack, 911 Assist, AppLink, Apple CarPlay™ compatibility, Android Auto™ compatibility, and 2 smart-charging USB ports <sup>1</sup> |
| 0  | 0   | SYNC 3 with 6.5" color LCD capacitive touchscreen in center stack, 911 Assist, AppLink, Apple CarPlay™ compatibility, Android Auto™ compatibility, and 2 smart-charging USB ports <sup>1</sup>  |
|    |     | <b>Seating</b>  |
| 0  | 0   | 10-passenger (RWB)  |
| 0  | 0   | 15-passenger (LWB)  |
| S  |     | Vinyl, 4-way manual driver and front-passenger seats with driver's inboard armrest  |
| 0  |     | Vinyl, 4-way manual driver and front-passenger seats with inboard armrests  |
| 0  | S   | Cloth, 4-way manual driver and front-passenger seats with inboard armrests and driver's manual lumbar   |
| 0  | 0   | Cloth, 10-way power, heated driver and 4-way manual front-passenger seats with inboard armrests   |
| 0  | 0   | Cloth, 10-way power, heated driver and front-passenger seats with inboard armrests  |
| 0  | 0   | Leather-trimmed, 10-way power, heated driver and front-passenger seats with inboard armrests  |
| S  |     | Manual recline rear seats with inboard armrests (excluding last row)  |
|    |     | <b>Interior</b>   |
| S  |     | AM/FM stereo with audio input jack and digital clock  |
| 0  |     | AM/FM stereo with audio input jack, Bluetooth® and USB port <sup>1</sup>  |
| 0  | S   | AM/FM stereo/single-CD player with audio input jack and 4" multifunction display  |

| TX  | XLT |   |
|-----|-----|---|
| 0   | 0   | AM/FM stereo/single-CD player with audio input jack, 4" multifunction display and HD Radio™   |
| 0   | 0   | AM/FM stereo/single-CD player with SYNC, message center, and leather-wrapped steering wheel with controls for audio and multifunction display   |
| 0   | 0   | AM/FM stereo/single-CD player with SYNC, message center, HD Radio, and leather-wrapped steering wheel with controls for audio and multifunction display   |
| 0   | 0   | AM/FM stereo with SYNC 3 including Navigation System with pinch-to-zoom capability, SiriusXM® Traffic and Travel Link® with 5-year subscription, <sup>2</sup> and HD Radio; leather-wrapped steering wheel with controls for audio and multifunction display; and Lane-Keeping Alert with Driver Alert System |
| 0   | 0   | SiriusXM Radio with 6-month All Access trial subscription <sup>1,2</sup>  |
| 0   | 0   | 110V/150W AC power outlet (requires dual heavy-duty batteries) <sup>1</sup>   |
| 0   | 0   | Auxiliary fuse panel (requires dual heavy-duty batteries and heavy-duty alternator; includes Modified Vehicle Wiring System; included with user-defined upfitter switches)  |
| 0   | S   | Cruise control with message center including full trip computer and engine-hour meter   |
| S   | 0   | Flooring – Vinyl front and rear <sup>1</sup>  |
| 0   | S   | Flooring – Carpeted front and rear  |
| 0   | 0   | Floor mats – All-weather front (requires carpeted flooring)   |
| 0   | 0   | Floor mats – Carpeted front   |
| 0   | 0   | Ford Telematics™ powered by Telogis® <sup>3</sup> – Fleet tracking system (includes 1 year of subscription service)   |
| 0   | 0   | High-capacity upfitter switches (4; requires dual heavy-duty batteries and heavy-duty alternator; includes Modified Vehicle Wiring System, customer connection point and auxiliary fuse panel)  |
| S   |     | Rear dome light with map lights and theater-dimming feature   |
| 0   | S   | Vinyl-trimmed sun visors with illuminated vanity mirrors <sup>1</sup>   |
|     |     | <b>Exterior</b>   |
| 0   | 0   | Doors – Sliding passenger-side (LR)   |
| S/O | S/O | Front license plate bracket (standard in states requiring 2 license plates and optional in all others)  |
| S   |     | Grille – Black with black surround  |
| S   |     | Grille – Chrome with chrome surround  |
| 0   | S   | Headlamps – Automatic with rain-sensing windshield wipers   |
| S   |     | Headlamps – Halogen with black trim   |
| S   |     | Headlamps – Halogen with chrome trim  |
| 0   | 0   | Mirrors – Short-arm, power-folding sideview with power, heated glass and integrated turn signal indicators  |
| 0   | 0   | Mirrors – Long-arm, power sideview  |
| 0   | 0   | Mirrors – Long-arm, power, heated sideview with integrated turn signal indicators   |
| 0   | 0   | Rear bumper – Black, molded-in-color with bumper step (LR)  |
| 0   | 0   | Remote Start System (n/a with diesel engine)  |
| 0   | 0   | Reverse Sensing System  |

| TX | XLT |  |
|----|-----|--|
| 0  | 0   | Running board – Fixed passenger-side   |
| 0  | 0   | Running board – Power passenger-side   |
| 0  | 0   | Running boards – Fixed extended-length passenger-side and fixed driver-side <sup>4</sup>   |
| 0  | 0   | Stainless steel wheel covers (factory-invoiced, dealer-installed accessory; available with standard DRW steel wheels only)   |
| 0  | 0   | Wheel-well liners (front only)   |
| 0  | 0   | Windows – All-around with 2nd-row driver's side flip-open glass and fixed 60/40 swing-out passenger-side door glass (optional with LR only; requires privacy glass)          |
| 0  | 0   | Windows – All-around with 2nd-row flip-open glass and 4th-row flip-open glass (optional on LWB EL; requires privacy glass)   |
| 0  | 0   | Windows – All-around with 2nd-row flip-open glass (LWB SRW with sliding passenger-side door only; requires privacy glass; n/a on LR model)                                   |
| 0  | 0   | Windows – Privacy glass (includes rear-window defroster)   |
| 0  | 0   | Windows – Rear defroster   |
|    |     | <b>Safety &amp; Security</b>   |
| 0  | 0   | 2 spare keys   |
| 0  | 0   | Backup alarm <sup>3</sup>  |
| 0  | 0   | MyKey® technology to help encourage responsible driving <sup>1</sup> includes Level 2 instrument cluster (requires SecuriLock® Passive Anti-Theft System and cruise control) |
| 0  | 0   | Perimeter alarm (requires SecuriLock Passive Anti-Theft System)  |
| 0  | 0   | SecuriCode™ keyless entry keypad   |
| 0  | 0   | SecuriLock Passive Anti-Theft System   |
|    |     | <b>Packages<sup>1,5</sup></b>  |
| 0  | 0   | Auxiliary Heater/AC Prep Package   |
| 0  | 0   | Auxiliary Heater Prep Package  |
| 0  | 0   | Builder's Prep Package   |
| 0  | 0   | CNG/Propane Gaseous Engine Prep Package  |
| S  |     | Exterior Upgrade Package   |
| 0  | 0   | Heavy-Duty Trailer Tow Package   |
| 0  | 0   | Modified Vehicle Wiring System   |
| 0  | 0   | RV Prep Package  |
| 0  | 0   | Smoker's Package   |
| 0  | 0   | Trailer Wiring Provisions Package  |
|    |     | <b>Available Fleet-Only Options</b>  |
| 0  | 0   | Center console delete <sup>1</sup>   |
| 0  | 0   | Daytime running lamps  |
| 0  | 0   | Mirrors – Short-arm, manual sideview   |
| 0  | 0   | Speed limitation (65-, 70- or 75-mph governed top speed options)   |
| 0  | 0   | Wheels – 16" white steel with exposed lug nuts (DRW)   |
| 0  | 0   | Wheels – 16" white steel with mini-cap and lug nut covers (SRW)  |



**W PASSENGER WAGON SPECIFICATIONS**

| DIMENSIONS         | 150 SRW     |    |    |    | 350 SRW  |    |    |    |    |    | 350 HD DRW  |
|--------------------|-------------|----|----|----|----------|----|----|----|----|----|-------------|
|                    | Regular 130 |    |    |    | Long 148 |    |    |    |    |    | Long EL 148 |
| Wheelbase (in.)    | LR          |    | MR |    | LR       |    | MR |    | HR |    | HR          |
| Roof height        |             |    |    |    |          |    |    |    |    |    |             |
| Passenger capacity | 8           | 10 | 8  | 10 | 12       | 15 | 12 | 15 | 12 | 15 | 15          |
| Rows of seats      | 3           | 4  | 3  | 4  | 4        | 5  | 4  | 5  | 4  | 5  | 5           |

| <b>Exterior (in.)</b>                      |             |  |             |  |             |  |             |  |             |  |             |
|--|-------------|--|-------------|--|-------------|--|-------------|--|-------------|--|-------------|
| Wheelbase                                  | 129.9       |  | 129.9       |  | 147.6       |  | 147.6       |  | 147.6       |  | 147.6       |
| Length                                     | 219.9       |  | 217.8       |  | 237.6       |  | 235.5       |  | 235.5       |  | 263.9       |
| Height                                     | 82.2        |  | 98.7        |  | 82.4        |  | 99.2        |  | 108.6       |  | 107.7       |
| Width - Excluding mirrors / mirrors folded | 81.3 / 83.2 |  | 81.3 / 83.2 |  | 81.3 / 83.2 |  | 81.3 / 83.2 |  | 81.3 / 83.2 |  | 83.7 / 83.7 |
| Width - Including short-arm mirrors        | 97.4        |  | 97.4        |  | 97.4        |  | 97.4        |  | 97.4        |  | 97.4        |
| Front track / rear track                   | 68.2 / 68.6 |  | 68.2 / 68.6 |  | 68.2 / 68.6 |  | 68.2 / 68.6 |  | 68.2 / 68.6 |  | 68.5 / 65.7 |
| Front overhang / rear overhang             | 40.3 / 49.7 |  | 40.3 / 47.6 |  | 40.3 / 49.7 |  | 40.3 / 47.6 |  | 40.3 / 47.6 |  | 40.3 / 76.0 |
| Rear overhang with extended bumper         | -           |  | 49.7        |  | -           |  | 49.7        |  | 49.7        |  | 78.1        |
| Load height (curb)                         | 28.2        |  | 28.2        |  | 28.8        |  | 28.8        |  | 28.8        |  | 27.8        |
| Side door opening height                   | 49.6        |  | 63.0        |  | 49.6        |  | 63.0        |  | 63.0        |  | 63.0        |
| Side door opening width - 60/40 swing-out  | 51.2        |  | -           |  | 51.2        |  | -           |  | -           |  | -           |
| Side door opening width - Sliding          | 51.2        |  | 51.2        |  | 51.2        |  | 51.2        |  | 51.2        |  | 51.2        |
| Rear cargo door opening height / width     | 46.9 / 59.8 |  | 62.8 / 59.8 |  | 46.9 / 59.8 |  | 62.8 / 59.8 |  | 72.2 / 59.8 |  | 72.2 / 59.8 |

| <b>Interior (in.)</b>  |                               |       |                    |  |                    |       |                                  |       |                    |       |                    |
|--|-------------------------------|-------|--------------------|--|--------------------|-------|----------------------------------|-------|--------------------|-------|--------------------|
| Head room: 1st row / 2nd / 3rd   | 40.8 / 41.1 / 40.6            |       | 52.0 / 55.8 / 55.8 |  | 40.8 / 41.1 / 40.6 |       | 52.0 / 55.8 / 55.8               |       | 56.6 / 65.2 / 65.2 |       | 56.6 / 65.2 / 65.2 |
| 4th row  | -                             |       | 38.7               |  | -                  |       | 55.8                             |       | 38.7               |       | 65.2               |
| 5th row  | -                             |       | -                  |  | -                  |       | 38.1                             |       | -                  |       | 61.3               |
| Leg room: 1st row (max.) / 2nd / 3rd / 4th <sup>1</sup> / 5th <sup>1</sup> | 41.3 / 33.7 / 35.6 / 35.6 / - |       |                    |  |                    |       | 41.3 / 33.7 / 35.6 / 35.6 / 35.6 |       |                    |       |                    |
| Hip room: 1st row / 2nd / 3rd / 4th <sup>1</sup> / 5th <sup>1</sup>        | 60.7 / 69.6 / 67.3 / 68.0 / - |       |                    |  |                    |       | 60.7 / 69.6 / 67.3 / 68.0 / 68.0 |       |                    |       |                    |
| Shoulder room: 1st row / 2nd / 3rd / 4th <sup>1</sup> / 5th <sup>1</sup>   | 67.9 / 71.4 / 67.0 / 67.8 / - |       |                    |  |                    |       | 67.9 / 71.4 / 67.0 / 67.8 / 67.8 |       |                    |       |                    |
| Passenger volume (cu. ft.)   | 177.0                         | 230.9 | 235.6              |  | 230.9              | 284.1 | 313.4                            | 386.8 | 359.9              | 445.4 | 445.4              |
| Cargo length front (at floor / at belt)                                    | 124.0 / 115.1                 |       | 124.0 / 115.1      |  | 141.7 / 132.8      |       | 141.7 / 132.8                    |       | 141.7 / 132.8      |       | 170.2 / 161.3      |
| Cargo width between wheelhouses  | 53.7                          |       | 53.7               |  | 53.7               |       | 53.7                             |       | 53.7               |       | 45.4               |
| Cargo height maximum   | 52.8                          |       | 67.6               |  | 52.8               |       | 67.6                             |       | 77.0               |       | 77.0               |

| <b>Cargo capacity (cu. ft. with rear seats removed)</b> |       |       |       |       |       |       |       |       |       |       |       |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| Cargo volume behind: 1st row                            | 224.5 | 213.1 | 292.7 | 281.4 | 245.1 | 212.1 | 324.7 | 291.8 | 371.3 | 338.3 | 414.1 |
| 2nd row   | 151.8 | 140.4 | 197.9 | 186.6 | 171.7 | 138.7 | 228.5 | 195.5 | 261.7 | 228.7 | 301.7 |
| 3rd row   | 94.2  |       | 125.0 |       | 124.5 | 91.5  | 166.9 | 133.9 | 190.0 | 157.0 | 230.0 |
| 4th row   | -     | 39.1  | -     | 51.8  | 70.1  | 48.9  | 93.9  | 72.8  | 107.0 | 85.8  | 184.0 |
| 5th row   | -     |       | -     |       | -     |       | -     |       | -     |       | 100.5 |



**CONFIGURATIONS**

|                    | 150 SRW        |    | 350 SRW     |    |    | 350 HD DRW     |
|--------------------|----------------|----|-------------|----|----|----------------|
|                    | Regular<br>130 |    | Long<br>148 |    |    | Long EL<br>148 |
| Wheelbase (in.)    |                |    |             |    |    |                |
| Roof height        | LR             | MR | LR          | MR | HR | HR             |
| Passenger capacity | 8/10           |    | 12/15       |    |    | 15             |

**Side Doors**

|                                |   |   |   |   |   |   |
|--------------------------------|---|---|---|---|---|---|
| 60/40 swing-out passenger-side | S |   | S |   |   |   |
| Sliding passenger-side         | 0 | S | 0 | S | S | S |

**Engines**

|                                     |   |   |   |   |   |   |
|-------------------------------------|---|---|---|---|---|---|
| 3.7L Ti-VCT V6                      | S | S | S | S | S | S |
| 3.5L EcoBoost® V6                   | 0 | 0 | 0 | 0 | 0 | 0 |
| 3.2L Power Stroke® I-5 Turbo Diesel |   |   | 0 | 0 | 0 | 0 |

**Max. Capabilities (lbs.)<sup>1</sup>**

|         |       |  |       |  |  |        |
|---------|-------|--|-------|--|--|--------|
| GVWR    | 8,550 |  | 9,400 |  |  | 10,360 |
| Payload | 2,900 |  | 2,980 |  |  | 3,520  |

**MAXIMUM LOADED TRAILER WEIGHT RATINGS (lbs.)<sup>1</sup>**

| Engines                            | Regular axle   |                |                | Limited-slip axle |                |      | GCWR   | Roof height <sup>2</sup> | Wheelbase       |              |                 |
|------------------------------------|----------------|----------------|----------------|-------------------|----------------|------|--------|--------------------------|-----------------|--------------|-----------------|
|                                    | 3.31           | 3.73           | 4.10           | 3.31              | 3.73           | 4.10 |        |                          | Regular<br>130" | Long<br>148" | Long EL<br>148" |
| 3.7L Ti-VCT V6                     |                | S              |                |                   | 0              |      | 10,800 | LR / MR                  | 4,700           | 4,300        | —               |
|                                    |                |                | 0 <sup>5</sup> |                   | 0 <sup>5</sup> |      | 11,200 | LR / MR                  | —               | 4,700        | —               |
|                                    |                |                | S              |                   |                | 0    | 11,200 | HR                       | —               | 4,500        | —               |
| 3.5L EcoBoost V6                   | S <sup>3</sup> |                |                | 0 <sup>3</sup>    |                |      | 11,200 | LR / MR / HR             | 5,000           | 4,600        | —               |
|                                    |                | 0 <sup>4</sup> |                |                   | 0 <sup>4</sup> |      | 11,200 | LR / MR / HR             | 5,000           | 4,600        | 3,800           |
| 3.2L Power Stroke I-5 Turbo Diesel | S <sup>3</sup> |                |                | 0 <sup>3</sup>    |                |      | 10,600 | LR / MR / HR             | —               | 3,800        | —               |
|                                    |                | 0              |                |                   | 0              |      | 11,200 | LR / MR / HR             | —               | 4,400        | 3,500           |



**8** | AVAILABLE IN LR, MR



**10** | AVAILABLE IN LR, MR



**12** | AVAILABLE IN LR, MR, HR



**15** | AVAILABLE IN LR, MR, HR



**15<sup>EL</sup>** | AVAILABLE IN HR



**STANDARD FEATURES**

*Includes all standard features, plus:*

**Mechanical**

4-/7-pin connector assembly and rear jumper  
Full-size spare wheel and tire, 4-ton jack and tool kit

**Seating**

2-passenger  
4-way manual driver and front-passenger seats with driver's inboard armrest

**Interior**

AM/FM stereo with audio input jack and digital clock  
Black plastic step well pads  
Cargo area LED load compartment lighting  
Cargo area tie-down hooks  
D-pillar weld nuts (MR and HR)  
Flooring – Front vinyl  
Front air conditioning  
Front cloth headliner  
Rear cargo door pull-and-release exit handle  
Rear cargo light switch

**Exterior**

Black bodyside moldings  
Black grille with black surround  
Center high-mounted stop lamp  
Doors – 180° rear cargo with key-lock cylinder (RWB)  
Doors – 237° rear cargo with key-lock cylinder (LWB and LWB EL)  
Doors – 60/40 swing-out passenger-side (LR)  
Doors – Sliding passenger-side (MR and HR)  
Headlamps – Halogen with black trim  
Mirrors – Short-arm, power sideview  
Rear bumper – Black, molded-in-color with extended integral step (LR)  
Rear bumper – Black, molded-in-color with bumper step (MR and HR)  
Roof and side marker lamps (DRW)

**Safety & Security**

Camera – Low-mount rear view (LR)  
Camera – High-mount rear view (MR and HR)  
Passenger-side front airbag<sup>1</sup> deactivation switch

**AVAILABLE OPTIONS**

**Mechanical**

Alternator – Heavy-duty (210-amp on diesel, 250-amp on gas)  
Battery – Dual heavy-duty absorbed glass mat (AGM) (standard with diesel engine)  
Battery – Single absorbed glass mat (AGM) (gas engines)  
Battery guard – Programmable  
Engine block heater (recommended when minimum temperature is 10°F or below; standard on diesel)  
Full-size spare wheel and tire delete (DRW)  
Operator-commanded exhaust filter regeneration (diesel engine)  
Operator-commanded exhaust filter regeneration with active regeneration inhibit (diesel engine)  
Push-down manual parking brake<sup>2</sup>  
Trailer brake controller (requires Heavy-Duty Trailer Tow Package)

**Driver-Assist Technology**

Lane-Keeping Alert with Driver Alert System  
Rain-sensing windshield wipers  
SYNC<sup>®</sup> Voice Recognition Communications and Entertainment System with 4" color LCD screen in center stack, 911 Assist<sup>®</sup>, AppLink<sup>®</sup> and 1 smart-charging USB port<sup>2</sup>  
SYNC 3 with 6.5" color LCD capacitive touchscreen in center stack, 911 Assist, AppLink, Apple CarPlay™ compatibility, Android Auto™ compatibility, and 2 smart-charging USB ports<sup>2</sup>

**Seating**

Vinyl, 4-way manual driver and front-passenger seats with inboard armrests  
Vinyl, 4-way manual driver and front-passenger seats with driver's inboard armrest (10,360-lb. GVWR only; deletes front-seat side airbags and side-curtain airbags)<sup>2</sup>  
Vinyl, 4-way manual driver and front-passenger seats with inboard armrests (10,360-lb. GVWR only; deletes front-seat side airbags and side-curtain airbags)<sup>2</sup>  
Cloth, 4-way manual driver and front-passenger seats with inboard armrests, and driver's manual lumbar  
Cloth, 4-way manual driver and front-passenger seats with inboard armrests, and driver's manual lumbar (10,360-lb. GVWR only; deletes front-seat side airbags and side-curtain airbags)<sup>2</sup>  
Cloth, 10-way power, heated driver and 4-way manual front-passenger seats with inboard armrests (n/a on LWB diesel 9,250-lb. configuration)  
Cloth, 10-way power, heated driver and front-passenger seats with inboard armrests (n/a on LWB diesel 9,250-lb. configuration)  
Leather-trimmed, 10-way power, heated driver and front-passenger seats with inboard armrests (n/a on LWB diesel 9,250-lb. configuration)  
Passenger seat delete (also deletes front-passenger seat side airbag and side-curtain airbag; 10,360-lb. GVWR only), vinyl, 4-way manual driver's seat only with manual lumbar and inboard armrest  
Passenger seat delete (also deletes front-passenger seat side airbag and side-curtain airbag), cloth, 10-way power, heated driver's seat only with manual lumbar and inboard armrest (n/a on LWB diesel 9,250-lb. configuration)

**Interior**

AM/FM stereo with audio input jack, Bluetooth<sup>®</sup> and USB port<sup>2</sup>

AM/FM stereo/single-CD player with audio input jack and 4" multifunction display  
AM/FM stereo/single-CD player with audio input jack, 4" multifunction display and HD Radio™  
AM/FM stereo/single-CD player with SYNC, message center, and leather-wrapped steering wheel with controls for audio and multifunction display  
AM/FM stereo/single-CD player with SYNC, message center, HD Radio, and leather-wrapped steering wheel with controls for audio and multifunction display  
AM/FM stereo with SYNC 3 including Navigation System with pinch-to-zoom capability, SiriusXM<sup>®</sup> Traffic and Travel Link<sup>®</sup> with 5-year subscription,<sup>3</sup> and HD Radio; leather-wrapped steering wheel with controls for audio and multifunction display; and Lane-Keeping Alert with Driver Alert System  
SiriusXM Radio with 6-month All Access trial subscription<sup>2,3</sup>  
110V/150W AC power outlet (requires dual heavy-duty batteries)<sup>2</sup>  
Assist/grab handles – At rear cargo door (n/a on LR)  
Auxiliary fuse panel (requires dual heavy-duty batteries and heavy-duty alternator; includes Modified Vehicle Wiring System; included with user-defined upfitter switches)  
Cruise control with message center including full trip computer and engine-hour meter  
Floor mats – All-weather front (requires carpeted flooring)  
Flooring – Front carpet  
Flooring – Heavy-duty rear (includes heavy-duty rear scuff plate)<sup>2</sup>  
Flooring – Vinyl front and rear (included in Interior Upgrade and Load Area Protection Packages; n/a with front/rear driver-controlled air conditioning)  
Ford Telematics™ powered by Telogis<sup>®4</sup> – Fleet tracking system (includes 1 year of subscription service)  
Front/rear, driver-controlled air conditioning;<sup>2</sup> (requires Reverse Sensing System on LR vans; includes heavy-duty alternator with gas engines)  
High-capacity upfitter switches (4; requires dual heavy-duty batteries and heavy-duty alternator; includes Modified Vehicle Wiring System, customer connection point and auxiliary fuse panel)  
Scuff plate – Heavy-duty rear (n/a with dual sliding side doors)  
Scuff plate – Rear (n/a with dual sliding side doors)  
Vinyl-trimmed sun visors with illuminated vanity mirrors<sup>2</sup>

**Exterior**

Front license plate bracket (standard in states requiring 2 license plates and optional in all others)  
Headlamps – Automatic with rain-sensing windshield wipers  
Mirrors – Short-arm, power-folding sideview with power, heated glass and integrated turn signal indicators  
Mirrors – Long-arm, power sideview  
Mirrors – Long-arm, power, heated sideview with integrated turn signal indicators  
Rear bumper – Black, molded-in-color with bumper step (LR)  
Remote Start System (n/a with diesel engine)  
Reverse Sensing System  
Running board – Fixed passenger-side (n/a with dual sliding side doors)  
Running board – Power passenger-side (n/a with dual sliding side doors)  
Running boards – Fixed extended-length passenger-side and fixed driver-side (n/a with dual sliding side doors)<sup>2</sup>

Side door – Sliding passenger-side (LR)  
Side doors – Dual sliding (MR and HR)  
Stainless steel wheel covers (DRW)<sup>2</sup>  
Wheel-well liners (front only)  
Windows – Fixed rear-door glass  
Windows – Fixed rear-door glass and fixed passenger-side door glass  
Windows – Fixed rear-door glass and fixed driver and passenger-side door glass (requires dual sliding side doors)  
Windows – Fixed, all-around (n/a with dual sliding side doors)  
Windows – All-around with 4th-row flip-open glass (n/a with dual sliding side doors; LWB EL only)  
Windows – Privacy glass (includes rear-window defroster)  
Windows – Rear defroster (requires fixed rear-door glass)

**Safety & Security**

2 spare keys  
Backup alarm<sup>4</sup>  
MyKey<sup>®</sup> technology to help encourage responsible driving<sup>2</sup> includes Level 2 instrument cluster (requires SecuriLock<sup>®</sup> Passive Anti-Theft System and cruise control)  
Perimeter alarm (requires SecuriLock Passive Anti-Theft System)  
SecuriCode™ keyless entry keypad  
SecuriLock Passive Anti-Theft System

**Optional Packages<sup>2,6</sup>**

**Ambulance Prep Package**  
**Auxiliary Heater/AC Prep Package**  
**Auxiliary Heater Prep Package**  
**CNG/Propane Gaseous Engine Prep Package**  
**Exterior Upgrade Package**  
**Heavy-Duty Trailer Tow Package**  
**Interior Upgrade Package**  
**Load Area Protection Package**  
**Modified Vehicle Wiring System**  
**Premium Package**  
**Radio Prep Package**  
**Smoker's Package**  
**Trailer Wiring Provisions Package**

**Available Fleet-Only Options**

Center console delete<sup>2</sup>  
Daytime running lamps  
Mirrors – Short-arm sideview delete  
Orange safety belts  
Speed limitation (65-, 70- or 75-mph governed top speed options)  
Wheels – 16" white steel with exposed lug nuts (DRW)  
Wheels – 16" white steel with mini-cap and lug nut covers (SRW)

<sup>1</sup>Always wear your safety belt and secure children in the rear seat, if equipped, and follow airbag warning label instructions. <sup>2</sup>Restrictions may apply. See your Ford Dealer for details. <sup>3</sup>After your trial period ends, SiriusXM audio and data services each require a subscription sold separately, or as a package, by Sirius XM Radio Inc. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. Trial subscriptions not available in AK and HI. <sup>4</sup>Ford Licensed Accessory. <sup>5</sup>Late availability with diesel engine. <sup>6</sup>Please see the Packages page for a detailed list of contents.



# V CARGO VAN SPECIFICATIONS

## DIMENSIONS

|                    | 150/250 SRW    |    | 150/250/350 SRW |    |    | 250/350 SRW<br>350 HD DRW |
|--------------------|----------------|----|-----------------|----|----|---------------------------|
|                    | Regular<br>130 |    | Long<br>148     |    |    | Long EL<br>148            |
| Wheelbase (in.)    |                |    |                 |    |    |                           |
| Roof height        | LR             | MR | LR              | MR | HR | HR                        |
| Passenger capacity | 2              | 2  | 2               | 2  | 2  | 2                         |
| Rows of seats      | 1              | 1  | 1               | 1  | 1  | 1                         |

## Exterior (in.)


|  |            |             |             |             |             |             |                            |
|--|------------|-------------|-------------|-------------|-------------|-------------|----------------------------|
| Wheelbase                                  |            | 129.9       | 129.9       | 147.6       | 147.6       | 147.6       | 147.6                      |
| Length                                     |            | 219.9       | 217.8       | 237.6       | 235.5       | 235.5       | 263.9                      |
| Height                                     |            | 83.6        | 100.8       | 83.2        | 100.7       | 110.1       | 109.4                      |
| Width - Excluding mirrors / mirrors folded | SRW<br>DRW | 81.3 / 83.2 | 81.3 / 83.2 | 81.3 / 83.2 | 81.3 / 83.2 | 81.3 / 83.2 | 81.3 / 83.2<br>83.7 / 83.7 |
| Width - Including short-arm mirrors        |            | 97.4        | 97.4        | 97.4        | 97.4        | 97.4        | 97.4                       |
| Front track / rear track                   | SRW<br>DRW | 68.2 / 68.6 | 68.2 / 68.6 | 68.2 / 68.6 | 68.2 / 68.6 | 68.2 / 68.6 | 68.2 / 68.6<br>68.5 / 65.7 |
| Front overhang / rear overhang             |            | 40.3 / 49.7 | 40.3 / 47.6 | 40.3 / 49.7 | 40.3 / 47.6 | 40.3 / 47.6 | 40.3 / 76.0                |
| Load height (curb)                         |            | 28.9        | 28.9        | 28.7        | 28.7        | 28.7        | 28.0                       |
| Side-door opening height                   |            | 49.6        | 63.0        | 49.6        | 63.0        | 63.0        | 63.0                       |
| Side-door opening width - 60/40 swing-out  |            | 51.2        | -           | 51.2        | -           | -           | -                          |
| Side-door opening width - Sliding          |            | 51.2        | 51.2        | 51.2        | 51.2        | 51.2        | 51.2                       |
| Rear cargo door opening height / width     |            | 49.5 / 61.7 | 64.9 / 61.7 | 49.5 / 61.7 | 64.9 / 61.7 | 74.3 / 61.7 | 74.3 / 61.7                |

## Interior (in.)


|   |            |               |               |               |               |               |               |
|---|------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Head room                               |            | 40.8          | 52.0          | 40.8          | 52.0          | 56.6          | 56.6          |
| Leg room (max.)                         |            | 41.3          | 41.3          | 41.3          | 41.3          | 41.3          | 41.3          |
| Hip room                                |            | 60.7          | 60.7          | 60.7          | 60.7          | 60.7          | 60.7          |
| Shoulder room                           |            | 67.9          | 67.9          | 67.9          | 67.9          | 67.9          | 67.9          |
| Passenger volume (cu. ft.)              |            | 63.7          | 81.1          | 63.7          | 81.1          | 88.3          | 88.3          |
| Cargo length front (at floor / at belt) |            | 126.0 / 115.9 | 126.0 / 115.9 | 143.7 / 133.6 | 143.7 / 133.6 | 143.7 / 133.6 | 172.2 / 162.0 |
| Cargo width between wheelhouses         | SRW<br>DRW | 54.8          | 54.8          | 54.8          | 54.8          | 54.8          | 54.8<br>45.4  |
| Cargo height maximum                    |            | 56.9          | 72.0          | 56.9          | 72.0          | 81.5          | 81.5          |

## Cargo capacity (cu. ft.)


|  |  |       |       |       |       |       |       |
|--|--|-------|-------|-------|-------|-------|-------|
| Cargo volume behind 1st row                            |  | 246.7 | 315.2 | 277.7 | 357.1 | 404.3 | 487.2 |
| Maximum cargo volume with front-passenger seat removed |  | 285.0 | 363.8 | 316.1 | 405.6 | 459.2 | 542.2 |



**180° or 237°**  
SWING-OUT REAR  
CARGO DOORS



**DUAL  
SLIDING**  
OR SINGLE SIDE DOORS



**60/40**  
SWING-OUT  
PASSENGER-SIDE DOORS

See lists on previous page for availability.



| CONFIGURATIONS  | 150 SRW     |    |          |    | 250 SRW     |    |          |    |    |             | 350 SRW     |    |          |    |    |             | 350 HD DRW  |    |
|-----------------|-------------|----|----------|----|-------------|----|----------|----|----|-------------|-------------|----|----------|----|----|-------------|-------------|----|
|                 | Regular 130 |    | Long 148 |    | Regular 130 |    | Long 148 |    |    | Long EL 148 | Regular 130 |    | Long 148 |    |    | Long EL 148 | Long EL 148 |    |
| Wheelbase (in.) | LR          | MR | LR       | MR | LR          | MR | LR       | MR | HR | HR          | LR          | MR | LR       | MR | HR | HR          | HR          | HR |

**Side Doors**

|                                |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|--------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 60/40 swing-out passenger-side | S |   | S |   | S |   | S |   |   |   | S |   | S |   |   |   |   |   |
| Sliding passenger-side         | 0 | S | 0 | S | 0 | S | 0 | S | S | S | 0 | S | 0 | S | S | S | S | S |
| Dual sliding                   |   | 0 |   | 0 |   | 0 |   | 0 | 0 | 0 |   |   |   | 0 | 0 | 0 | 0 | 0 |

**Engines**

|                                     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3.7L Ti-VCT V6                      | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S | S |
| 3.5L EcoBoost® V6                   | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 3.2L Power Stroke® I-5 Turbo Diesel | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |   |   |   |   |   | 0 | 0 | 0 |

**Max. Capabilities (lbs.)<sup>1</sup>**

|         |       |  |  |  |       |  |  |  |  |  |       |  |  |  |  |  |       |        |
|---------|-------|--|--|--|-------|--|--|--|--|--|-------|--|--|--|--|--|-------|--------|
| GVWR    | 8,600 |  |  |  | 9,000 |  |  |  |  |  | 9,500 |  |  |  |  |  | 9,950 | 10,360 |
| Payload | 3,680 |  |  |  | 4,080 |  |  |  |  |  | 4,580 |  |  |  |  |  | 4,240 | 4,650  |

**MAXIMUM LOADED TRAILER WEIGHT RATINGS (lbs.)<sup>1</sup>**

| Engines                            | Regular axle   |                |      | Limited-slip axle |                |      | GCWR                   | Roof height <sup>2</sup> | Wheelbase    |           |              |
|------------------------------------|----------------|----------------|------|-------------------|----------------|------|------------------------|--------------------------|--------------|-----------|--------------|
|                                    | 3.31           | 3.73           | 4.10 | 3.31              | 3.73           | 4.10 |                        |                          | Regular 130" | Long 148" | Long EL 148" |
| 3.7L Ti-VCT V6                     |                | S              |      |                   | 0              |      | 10,800                 | LR / MR                  | 5,400        | 5,200     | –            |
|                                    |                |                | 0    |                   | 0              |      | 12,000                 | LR / MR                  | 6,600        | 6,400     | –            |
|                                    |                |                | S    |                   |                | 0    | 12,000                 | HR                       | –            | 6,200     | 6,000        |
| 3.5L EcoBoost V6                   | S <sup>3</sup> |                |      | 0 <sup>3</sup>    |                |      | 11,200                 | LR / MR / HR             | 5,700        | 5,600     | 5,100        |
|                                    |                | 0 <sup>4</sup> |      |                   | 0 <sup>5</sup> |      | 12,600/<br>13,000 (EL) | LR / MR / HR             | 7,100        | 7,000     | 6,700        |
| 3.2L Power Stroke I-5 Turbo Diesel | S <sup>3</sup> |                |      | 0 <sup>3</sup>    |                |      | 10,600                 | LR / MR / HR             | 4,800        | 4,600     | 4,200        |
|                                    |                | 0              |      |                   | 0              |      | 13,500                 | LR / MR / HR             | –            | 7,500     | 7,100        |

<sup>1</sup>When properly configured. Passenger and cargo capacity limited by weight and weight distribution. <sup>2</sup>Maximum towing ratings achieved with lowest roof height available. <sup>3</sup>Not available on DRW. <sup>4</sup>Not available on HR SRW. <sup>5</sup>Not available on HR SRW, with the exception of the Ambulance Prep Package.



**STANDARD FEATURES**

*Includes all standard features, plus:*

**Mechanical**

Frame rail extension adapters  
Full-size spare wheel and tire delete  
Modified Vehicle Wiring System includes modified vehicle connections for customized wiring harness provisions; requires dual heavy-duty batteries and heavy-duty alternator

**Seating**

2-passenger  
4-way manual driver and front-passenger seats with driver's inboard armrest

**Interior**

AM/FM stereo with audio input jack and digital clock  
Cloth headliner  
Flooring - Front vinyl  
Front air conditioning  
Rearview mirror (Chassis Cab)

**Exterior**

Black grille with black surround  
Headlamps - Halogen with black trim  
Mirrors - Sideview delete  
Rear taillamp wiring - LED-capable  
Rear window (Chassis Cab)  
Roof marker lamps

**Safety & Security**

Passenger-side front airbag<sup>1</sup> deactivation switch

**AVAILABLE OPTIONS**

**Mechanical**

Alternator - Heavy-duty (210-amp on diesel, 250-amp on gas)  
Battery - Dual heavy-duty absorbed glass mat (AGM) (standard with diesel engine)  
Battery - Single absorbed glass mat (AGM) (gas engine)  
Battery guard - Programmable  
Engine block heater (recommended when minimum temperature is 10°F or below; standard on diesel; optional on gas engines)  
Full-size spare wheel and tire  
Operator-commanded exhaust filter regeneration (diesel engine)  
Operator-commanded exhaust filter regeneration with active regeneration inhibit (diesel engine)  
Push-down manual parking brake (Cutaway)  
Trailer brake controller (requires Trailer Wiring Provisions Package)

**Driver-Assist Technology**

Lane-Keeping Alert with Driver Alert System  
Rain-sensing windshield wipers  
SYNC<sup>®</sup> Voice Recognition Communications and Entertainment System with 4" color LCD screen in center stack, 911 Assist,<sup>®</sup> AppLink,<sup>®</sup> and 1 smart-charging USB port<sup>2</sup>  
SYNC 3 with 6.5" color LCD capacitive touchscreen in center stack, 911 Assist, AppLink, Apple CarPlay<sup>™</sup> compatibility, Android Auto<sup>™</sup> compatibility, and 2 smart-charging USB ports<sup>2</sup>

**Seating**

Vinyl, 4-way manual driver and front-passenger seats with inboard armrests  
Vinyl, 4-way manual driver and front-passenger seats with driver's inboard armrest (10,360-lb. GVWR only; deletes front-seat side airbags and side-curtain airbags)<sup>2</sup>  
Vinyl, 4-way manual driver and front-passenger seats with inboard armrests (10,360-lb. GVWR only; deletes front-seat side airbags and side-curtain airbags)<sup>2</sup>  
Cloth, 4-way manual driver and front-passenger seats, inboard armrests, and driver's manual lumbar  
Cloth, 4-way manual driver and front-passenger seats with inboard armrests, and driver's manual lumbar (10,360-lb. GVWR only; deletes front-seat side airbags and side-curtain airbags)<sup>2</sup>  
Cloth, 10-way power, heated driver and 4-way manual front-passenger seats with inboard armrests  
Cloth, 10-way power, heated driver and front-passenger seats with inboard armrests  
Leather-trimmed, 10-way power, heated driver and front-passenger seats with inboard armrests  
Passenger seat delete (also deletes front-passenger seat side airbag and side-curtain airbag; 10,360-lb. GVWR only), vinyl, 4-way manual driver's seat only with manual lumbar and inboard armrest (Cutaway)  
Passenger seat delete (also deletes front-passenger seat side airbag and side-curtain airbag), cloth, 10-way power, heated driver's seat only with manual lumbar and inboard armrest (Cutaway)

**Interior**

AM/FM stereo with audio input jack, Bluetooth<sup>®</sup> and USB port<sup>2</sup>  
AM/FM stereo/single-CD player with audio input jack and 4" multifunction display  
AM/FM stereo/single-CD player with audio input jack, 4" multifunction display and HD Radio<sup>™</sup>  
AM/FM stereo/single-CD player with SYNC, message center, and leather-wrapped steering wheel with controls for audio and multifunction display  
AM/FM stereo/single-CD player with SYNC, message center, HD Radio and leather-wrapped steering wheel with controls for audio and multifunction display  
AM/FM stereo with SYNC 3 including Navigation System with pinch-to-zoom capability, SiriusXM<sup>®</sup> Traffic and Travel Link<sup>®</sup> with 5-year subscription,<sup>3</sup> and HD Radio; leather-wrapped steering wheel with controls for audio and multifunction display; and Lane-Keeping Alert with Driver Alert System  
SiriusXM Radio with 6-month All Access trial subscription<sup>2,3</sup>  
2 rear speakers (shipped with vehicle [Cutaway])<sup>2</sup>  
4 rear speakers (shipped with vehicle [Cutaway])<sup>2</sup>  
110V/150W AC power outlet (requires dual heavy-duty batteries)<sup>2</sup>  
Auxiliary fuse panel (requires dual heavy-duty batteries and heavy-duty alternator; includes Modified Vehicle Wiring System; included with user-defined upfitter switches)  
Cruise control with message center including full trip computer and engine-hour meter  
Floor mats - All-weather front (requires carpeted flooring)  
Flooring - Carpeted  
Ford Telematics<sup>™</sup> powered by Telogis<sup>®4</sup> - Fleet tracking system (includes 1 year of subscription service)  
High-capacity upfitter switches (4; requires dual heavy-duty batteries and heavy-duty alternator; includes Modified Vehicle Wiring System, customer connection point and auxiliary fuse panel)  
Mirror - Rearview (Cutaway)  
Vinyl-trimmed sun visors with illuminated vanity mirrors (included with Interior Upgrade Package)<sup>2</sup>

**Exterior**

Front license plate bracket (standard in states requiring 2 license plates and optional in all others)  
Headlamps - Automatic with rain-sensing windshield wipers  
LED-enabled separate stop/turn taillamps (upfitter use)  
Mirrors - Short-arm, power sideview  
Mirrors - Short-arm, power-folding sideview with power, heated glass and integrated turn signal indicators  
Mirrors - Long-arm, power sideview  
Mirrors - Long-arm, power, heated sideview with integrated turn signal indicators  
Remote Start System (n/a with diesel engine)  
Roof marker lamps delete (Cutaway)

**Safety & Security**

2 spare keys  
Backup alarm<sup>4</sup>  
Camera - Rear view (shipped with vehicle and requires upfitter installation)  
MyKey<sup>®</sup> technology to help encourage responsible driving<sup>2</sup> includes Level 2 instrument cluster (requires SecuriLock<sup>®</sup> Passive Anti-Theft System and cruise control)  
SecuriCode<sup>™</sup> keyless entry keypad  
SecuriLock Passive Anti-Theft System

**Optional Packages<sup>2,5</sup> Cutaway+Chassis Cab**

Auxiliary Heater Prep Package  
CNG/Propane Gaseous Engine Prep Package  
Exterior Upgrade Package  
Interior Upgrade Package  
Premium Package  
Radio Prep Package  
Smoker's Package  
Trailer Wiring Provisions Package

**Optional Packages<sup>2,5</sup> Cutaway**

Ambulance Prep Package  
Auxiliary Heater/AC Prep Package  
Motorhome Prep Package  
Multifunctional School Activity Bus Prep Package  
Passenger-Side Door Delete Package  
School Bus Prep Package  
Shuttle Bus Prep Package

**Available Fleet-Only Options**

Center console delete<sup>2</sup>  
Daytime running lamps  
Mirrors - Short-arm, manual sideview  
Orange safety belts<sup>1</sup>  
Speed limitation (65-, 70- or 75-mph governed top speed options)  
Wheels - 16" white steel with mini-cap and lug nut covers (SRW)




<sup>1</sup>Always wear your safety belt and secure children in the rear seat, if equipped, and follow airbag warning label instructions. <sup>2</sup>Restrictions may apply. See your Ford Dealer for details. <sup>3</sup>After your trial period ends, SiriusXM audio and data services each require a subscription, sold separately, or as a package, by Sirius XM Radio Inc. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change. Trial subscriptions not available in AK and HI. <sup>4</sup>Ford Licensed Accessory. <sup>5</sup>Please see the Packages page for a detailed list of contents.



## C CUTAWAY+CHASSIS CAB SPECIFICATIONS

| DIMENSIONS  | 250 SRW     | 350 HD DRW  |      | 250 SRW     | 350 SRW | 350 HD DRW  |      | 350 HD DRW  |      |  |
|---|-------------|-------------|------|-------------|---------|-------------|------|-------------|------|--|
|   | Regular     | Regular     |      | Long        |         | Long        |      | Long EL     |      |  |
| <b>A</b> Wheelbase (in.)                            | 138         | 138         |      | 156         |         | 156         |      | 178         |      |  |
| Passenger capacity                                  | 2           | 2           |      | 2           |         | 2           |      | 2           |      |  |
| <b>Cutaway (in.)</b>                                |             |             |      |             |         |             |      |             |      |  |
| <b>B</b> Overall length                             | 223.3       | 223.3       |      | 241.1       |         | 241.1       |      | 263.4       |      |  |
| <b>C</b> Rear axle to end of frame or rear overhang | 45.1        | 45.1        |      | 45.1        |         | 45.1        |      | 45.1        |      |  |
| <b>D</b> Rear of cab to rear axle                   | 82.6        | 82.6        |      | 100.3       |         | 100.3       |      | 122.6       |      |  |
| <b>E</b> Front overhang                             | 40.3        | 40.3        |      | 40.3        |         | 40.3        |      | 40.3        |      |  |
| <b>F</b> Rear of cab to end of frame                | 127.7       | 127.7       |      | 145.4       |         | 145.4       |      | 167.7       |      |  |
| <b>G</b> Cab length                                 | 95.7        | 95.7        |      | 95.7        |         | 95.7        |      | 95.7        |      |  |
| <b>H</b> Overall cab height (curb)                  | 87.3        | 86.8        |      | 87.0        |         | 86.5        |      | 86.5        |      |  |
| <b>I</b> Top of frame to top of cab                 | 61.2        | 61.2        |      | 61.2        |         | 61.2        |      | 61.2        |      |  |
| <b>J</b> Load height (loaded)                       | 25.0        | 24.7        | 24.5 | 25.9        | 25.5    | 25.7        | 25.4 | 25.0        | 24.6 |  |
| <b>K</b> Width - Excluding mirrors                  | 80.8        | 83.1        |      | 80.8        |         | 83.1        |      | 83.1        |      |  |
| Width - Including short-arm mirrors                 | 97.4        | 97.4        |      | 97.4        |         | 97.4        |      | 97.4        |      |  |
| Width - Including long-arm mirrors                  | 108.1       | 108.1       |      | 108.1       |         | 108.1       |      | 108.1       |      |  |
| Front track / rear track                            | 68.2 / 68.6 | 68.5 / 65.7 |      | 68.2 / 68.6 |         | 68.5 / 65.7 |      | 68.5 / 65.7 |      |  |
| <b>Chassis Cab (in.)</b>                            |             |             |      |             |         |             |      |             |      |  |
| <b>B</b> Overall length                             | 223.3       | 223.3       |      | 241.1       |         | 241.1       |      | 263.4       |      |  |
| <b>C</b> Rear axle to end of frame or rear overhang | 45.1        | 45.1        |      | 45.1        |         | 45.1        |      | 45.1        |      |  |
| <b>D</b> Rear of cab to rear axle                   | 82.6        | 82.6        |      | 100.3       |         | 100.3       |      | 122.6       |      |  |
| <b>E</b> Front overhang                             | 40.3        | 40.3        |      | 40.3        |         | 40.3        |      | 40.3        |      |  |
| <b>F</b> Rear of cab to end of frame                | 127.7       | 127.7       |      | 145.4       |         | 145.4       |      | 167.7       |      |  |
| <b>G</b> Cab length                                 | 95.7        | 95.7        |      | 95.7        |         | 95.7        |      | 95.7        |      |  |
| <b>H</b> Overall cab height (curb)                  | 87.2        | 86.7        |      | 86.9        |         | 86.4        |      | 86.4        |      |  |
| <b>I</b> Top of frame to top of cab                 | 61.2        | 61.2        |      | 61.2        |         | 61.2        |      | 61.2        |      |  |
| <b>J</b> Load height (loaded)                       | 24.8        | 24.7        | 24.3 | 25.6        | 25.3    | 25.6        | 25.2 | 24.9        | 24.4 |  |
| <b>K</b> Width - Excluding mirrors                  | 80.8        | 83.1        |      | 80.8        |         | 83.1        |      | 83.1        |      |  |
| Width - Including short-arm mirrors                 | 97.4        | 97.4        |      | 97.4        |         | 97.4        |      | 97.4        |      |  |
| Width - Including long-arm mirrors                  | 108.1       | 108.1       |      | 108.1       |         | 108.1       |      | 108.1       |      |  |
| Front track / rear track                            | 68.2 / 68.6 | 68.5 / 65.7 |      | 68.2 / 68.6 |         | 68.5 / 65.7 |      | 68.5 / 65.7 |      |  |
| <b>Interior - Cutaway &amp; Chassis Cab (in.)</b>   |             |             |      |             |         |             |      |             |      |  |
| Head room   | 44.9        | 44.9        |      | 44.9        |         | 44.9        |      | 44.9        |      |  |
| Leg room (max.)                                     | 41.3        | 41.3        |      | 41.3        |         | 41.3        |      | 41.3        |      |  |
| Hip room  | 60.7        | 60.7        |      | 60.7        |         | 60.7        |      | 60.7        |      |  |
| Shoulder room                                       | 67.9        | 67.9        |      | 67.9        |         | 67.9        |      | 67.9        |      |  |



| CONFIGURATIONS  | 250 SRW |      | 350 SRW |      | 350 HD DRW |      |         | 350 HD DRW |      |         |
|-----------------|---------|------|---------|------|------------|------|---------|------------|------|---------|
|                 | Regular | Long | Regular | Long | Regular    | Long | Long EL | Regular    | Long | Long EL |
| Wheelbase (in.) | 138     | 156  | 138     | 156  | 138        | 156  | 178     | 138        | 156  | 178     |

| <b>Engines</b>                      |   |   |   |   |   |   |   |   |   |   |
|-------------------------------------|---|---|---|---|---|---|---|---|---|---|
| 3.7L Ti-VCT V6                      | S | S | S | S | S | S | S | S | S | S |
| 3.2L Power Stroke® I-5 Turbo Diesel | O | O | O | O | O | O | O | O | O | O |


| <b>Max. Capabilities (lbs.)<sup>1</sup></b> |       |  |       |  |       |  |  |        |  |  |
|---|-------|--|-------|--|-------|--|--|--------|--|--|
| GVWR  | 9,000 |  | 9,500 |  | 9,950 |  |  | 10,360 |  |  |
| Payload                                     | 4,850 |  | 5,350 |  | 5,610 |  |  | 6,020  |  |  |

| MAXIMUM LOADED TRAILER WEIGHT RATINGS (lbs.) <sup>1</sup> | Regular axle |      | Limited-slip axle |      | GCWR   | Wheelbase    |           |              |
|---|--------------|------|-------------------|------|--------|--------------|-----------|--------------|
|   | 3.73         | 4.10 | 3.73              | 4.10 |        | Regular 138" | Long 156" | Long EL 178" |
| <b>Engines</b>  |              |      |                   |      |        |              |           |              |
| 3.7L Ti-VCT V6  |              | S    |                   | O    | 12,000 | 6,800        | 6,600     | 6,200        |
| 3.2L Power Stroke I-5 Turbo Diesel                        | S            |      | O                 |      | 13,500 | 7,500        | 7,500     | 7,100        |

Android, Android Auto, Google, Google Maps, Waze and logos are trademarks of Google Inc. Apple, Apple CarPlay, Apple Music, iPhone and Siri are trademarks of Apple Inc., registered in the U.S. and other countries. "HD Radio" and the HD Radio logo are proprietary trademarks of iBiquity Digital Corporation. Masterack is a registered trademark of Leggett & Platt Commercial Vehicle Products Company. PANDORA, the PANDORA logo, and the Pandora trade dress are trademarks or registered trademarks of Pandora Media, Inc. Used with permission. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc. Spotify is a registered trademark of Spotify AB, Sweden. The Bluetooth word mark is a trademark of the Bluetooth SIG, Inc.

Comparisons based on competitive models excluding other Ford vehicles (class is Full-Size Vans based on Ford segmentation), publicly available information and Ford certification data at time of release. Vehicles may be shown with optional and aftermarket equipment. Features may be offered only in combination with other options or subject to additional ordering requirements/limitations. Dimensions and capacity ratings shown may vary due to optional features and/or production variability. Information is provided on an "as is" basis and could include technical, typographical or other errors. Ford makes no warranties, representations, or guarantees of any kind, express or implied, including but not limited to, accuracy, currency, or completeness, the operation of the information, materials, content, availability, and products. Ford reserves the right to change product specifications, pricing and equipment at any time without incurring obligations. Your Ford Dealer is the best source of the most up-to-date information on Ford vehicles. Body manufacturers are responsible for compliance certification of the completed vehicle. The Ford New Vehicle Limited Warranty and any government certification made by Ford shall cover only the vehicle as manufactured by Ford and shall not extend to any addition, modification or change of or to the vehicle by the Ford Authorized Pool Account.





## FORD ACCESSORIES

Transit 250 MR LWB Cargo Van in Blue Jeans accessorized with keyless entry keypad, roof rack system, heavy-duty splash guards with stainless steel inserts, hood protector by Lund<sup>®1</sup>, front wheel-well liners, side window deflectors by EGR<sup>‡</sup> and 16" Silver-styled wheel covers

[accessories.ford.com](http://accessories.ford.com)

### Exterior

- Hood protector<sup>1</sup>
- Roof racks
- Side window deflectors<sup>1</sup>
- Splash guards
- Step bars
- Trailer hitch (A)
- Trailer towing accessories

### Interior

- Ash cup/coin holders
- Cargo area illumination
- Cargo liner
- Cargo organizers and protectors
- Carpeted cargo mat (B)
- Carpeted floor mats
- First aid and roadside assistance kits<sup>1</sup>
- Floor liners (C)
- Heavy-duty rear scuff plate<sup>1</sup>
- Interior light kit
- Interior rear window grilles
- Protective seat covers<sup>1</sup>
- Tablet cradle<sup>1</sup>

### Electronics

- Ford Telematics<sup>TM1</sup>
- Keyless entry keypad
- Remote start systems (D)
- Vehicle Security System
- Warning sensor systems<sup>1</sup>

### Wheels

- 16" Silver-styled wheel covers
- Stainless steel wheel covers<sup>1</sup>
- Wheel lock kit
- Wheel well liners

**New Vehicle Limited Warranty.** We want your Ford Transit ownership experience to be the best it can be. Under this warranty, your new vehicle comes with 3-year/36,000-mile bumper-to-bumper coverage, 5-year/60,000-mile Powertrain Warranty coverage, 5-year/60,000-mile safety restraint coverage, and 5-year/unlimited-mile corrosion (perforation) coverage – all with no deductible. The Ford 3.2L PowerStroke® I-5 Turbo Diesel engine gets 5-year/100,000-mile warranty coverage. Please ask your Ford Dealer for a copy of this limited warranty.

**Roadside Assistance.** Covers your vehicle for 5 years or 60,000 miles, so you have the security of knowing that help may be only a phone call away should you run out of fuel, lock yourself out of the vehicle or need towing. Your Ford Dealer can provide complete details on all of these advantages.

**Ford Commercial Vehicle Center.** Each of the 678 dealerships in our Commercial Vehicle Center (CVC) network is committed to providing quality commercial-oriented products and service, as well as special financing and billing arrangements, to businesses that rely on Ford products. As a CVC customer, your business vehicles receive priority service at your CVC dealership to help get your vehicle back on the road quickly.

**Financial Services.** Our commercial purchase plans and lines of credit offer attractive rates, negotiable terms and business-friendly options. If you prefer to lease, our CommercialLease<sup>SM</sup> programs offer a wide variety of package options to meet your needs. For additional information, please visit our website at [fordcredit.com/comlend](http://fordcredit.com/comlend).

**Ford Credit.** Get the ride you want. Whether you plan to lease or finance, you'll find the choices that are right for you at Ford Credit. Ask your Ford Dealer for details or check us out at [fordcredit.com](http://fordcredit.com).

**Ford Protect Extended Service Plans.** Whether you purchase or lease your Ford vehicle, insist on genuine Ford Protect extended service plans. Ford Protect has a variety of plans to give you peace-of-mind protection whether you want vehicle component or maintenance coverage. Plus, they are fully backed by Ford and honored at all Ford dealerships in the U.S., Canada and Mexico. When you visit your dealer, insist on genuine Ford Protect extended service plans.

**Insurance Services.** Get Ford Motor Company quality in your auto insurance. Our program offers industry-leading benefits and competitive rates. Call 1-877-367-3847, or visit us at [fordvip.com](http://fordvip.com) for a no-obligation quote. Insurance offered by American Road Services Company (in CA, American Road Insurance Agency), a licensed agency and subsidiary of Ford Motor Company.

**Ford Original Accessories.** They're warranted for whichever provides you the greatest benefit: 24 months/unlimited mileage, or the remainder of your Bumper-to-Bumper 3-year/36,000-mile New Vehicle Limited Warranty. Ford Licensed Accessories (FLA) are warranted by the accessory manufacturer's warranty. FLA are designed and developed by the accessory manufacturer and have not been designed or tested to Ford Motor Company engineering requirements. Contact your Ford Dealer for details and/or a copy of all limited warranties.

<sup>1</sup>Ford Licensed Accessory.