



H2

2009





N 38°13.2 W 085°34.7 ▲ H208 ▲ 01

Every 2009 H2 will be E85 FlexFuel compatible yet still deliver unmatched HUMMER capability. E85 is 85% ethanol, 15% gasoline. To see the E85 stations nearest you, visit gm.com/E85



Welcome to the open.

You only need to step inside the 2009 HUMMER H2 to realize the outdoors are much closer than you imagine. The H2 is, simply put, the most capable off-road vehicle on the planet. With a 393 HP Vortec FlexFuel V8 engine offering 415 lb-ft of torque, the H2 can handle almost any off-road situation. Not only that, it boasts best-in-class approach and departure angles* and a 39.7:1 crawl ratio.

An optional 3rd row of seating means up to seven people can get to the Open in unmatched comfort. Also, new in 2009, the H2 has optional 2nd row captain's chairs adding comfort and ease of interior motion. A performance enhanced sound system, Bluetooth® technology† and an available DVD-based navigation‡ create a luxury experience that matches the H2's uncompromising capability.

*All claims based on 2008 GM Lux Utility segment. †Go to www.gm.com/bluetooth to find out which Bluetooth phones are compatible with the vehicle. ‡Navigation map covers only the 48 contiguous United States and portions of Canada, but does not cover Alaska, Hawaii, Puerto Rico or the Virgin Islands.





NEW VORTEC 6.2L FLEXFUEL V8

| | | | | |
|------------|------------|------------------|-----------------|---------------|
| 393 | E85 | 415 lb-ft | 8200 lb. | 39.7:1 |
| HORSEPOWER | ETHANOL | TORQUE | TOWING CAPACITY | CRAWL RATIO |

6-SPEED HYDRA-MATIC 6L80 AUTOMATIC TRANSMISSION



H2

Every HUMMER is designed to take you to remarkable places. Choose the one that is right for you and then make it your own through a variety of trim packages, color, and interior options.



Models, trims, colors and more.

H2 SUV: True to the HUMMER lineage, the SUV strikes the perfect balance between off-road capability and on-road comfort. Featuring a new Vortec 6.2L FlexFuel V8 engine, 6-speed Hydra-Matic 6L80 automatic transmission and a well-appointed interior with optional second-row captain's chairs.

H2 SUT: It's the H2, opened up. Featuring a foldable midgate that creates a pick-up length of six feet, extending the possibilities of what you can do with your H2.

2009 H2 TRIM LEVELS

H2 ADVENTURE

- Self-leveling rear air suspension system
- On-board air compressor
- Brush grille guard
- First-aid and tool kit


H2 LUXURY

- Chrome appearance package:
 - Chrome hood handles
 - Chrome hood latches
 - Bright door sill plates
- 20" chrome wheels*
- Full third-row seat for 2 passengers
(ONLY AVAIL. ON H2 SUV)
- Single disc CD/MP3/DVD player with auxiliary audio input jack and DVD-based navigation†
- Bose® Cabin Surround® sound system
- Rear vision camera system
- Carpeted floor mats
- LT305/60R20, All-Terrain blackwall tires
- Rear seat overhead DVD entertainment system with 8-in. screen


*Use only GM approved wheel/tire combinations. See dealer for details.

†Navigation map covers only the 48 contiguous United States and portions of Canada, but does not cover Alaska, Hawaii, Puerto Rico, or the Virgin Islands.

2009 H2 EXTERIOR COLORS



01




02




03

- 01. Black
- 02. All Terrain Blue
- 03. Birch White
- 04. Graystone Metallic
- 05. Solar Flare Metallic
(Premium charge)



04



05

2009 H2 INTERIOR OPTIONS



01



02

- 01. Ebony
- 02. Sedona

2009 H2 TECHNICAL SPECIFICATIONS

ENGINE

| | |
|--------------------------------|---|
| TYPE | Vortec 6.2L FlexFuel V8 with cast-aluminum block and cylinder heads |
| HORSEPOWER (@ 5700 rpm) | 393 hp (SAE) |
| TORQUE (@ 4300 rpm) | 415 lb-ft |
| FUEL INJECTION TYPE | Sequential fuel injection |
| DISPLACEMENT | 376 in. ³ |
| BORE & STROKE | 4.06 x 3.62 |
| COMPRESSION RATIO | 10.5:1 |
| CRAWL RATIO | 39.7:1 |

| | |
|--------------------------------------|---|
| TRANSMISSION | Hydra-Matic 6-speed automatic with Tow/Haul mode |
| DRIVETRAIN | Two-speed, electronically controlled, full-time 4WD |
| TRACTION CONTROL SYSTEM (TCS) | Brake-controlled, single-wheel control capability with rear axle electronic locking differential |
| STEERING | Variable ratio, integral power and recirculating ball |
| BRAKES | Four-wheel disc, 4-wheel/4-channel ABS and dual piston calipers with Dynamic Rear Proportioning and Panic Brake Assist |
| FRONT SUSPENSION | Independent with torsion bars, 46 mm monotube gas-charged shocks and 36 mm front stabilizer bar |
| REAR SUSPENSION | Standard 5-link variable-rate coil spring suspension, 46 mm monotube gas-charged shocks and 30 mm rear stabilizer bar Optional self-leveling air suspension, 46 mm monotube gas-charged shocks and 32 mm rear stabilizer bar |
| FRAME | Three-piece fully welded ladder-type Full undercarriage/rocker panel protection |
| WHEELS & TIRES | 17-in. painted aluminum wheels All-terrain LT315/70R17 tires with full-size spare |

WEIGHTS & CAPACITIES

| | |
|---|-------|
| GVWR (lb.) NOTE 1 | 8,600 |
| CURB WEIGHT, BASE (lb.) | 6,614 |
| PAYLOAD, MAXIMUM (lb.) NOTE 2 | 2,200 |
| TRAILERING, MAXIMUM (lb.) NOTE 3 | 8,200 |
| WINCH CAPACITY (lb.) | 9,000 |
| FUEL TANK CAPACITY (gal.) | 32 |
| GROSS AXLE WEIGHT RATING (lb.) | |
| FRONT | 4,000 |
| REAR | 5,000 |

PERFORMANCE

| | |
|--------------------------------|----------------|
| 0-60 MPH | 7.8 sec. |
| GRADE CAPABILITY | 60% |
| SIDE SLOPE CAPABILITY | 40% |
| WATER FORDING DEPTH | 24 in. @ 5 mph |
| VERTICAL SCALING HEIGHT | 16 in. |

EXTERIOR DIMENSIONS (in.)

| | |
|--|-------|
| OVERALL HEIGHT NOTE 4 | 79.2 |
| OVERALL WIDTH (EXCLUDING MIRRORS) | 81.2 |
| OVERALL LENGTH (WITH REAR TIRE CARRIER) | 203.5 |
| WHEELBASE | 122.8 |
| OVERHANG | |
| FRONT | 32.6 |
| REAR | 34.5 |
| TRACK WIDTH | 69.4 |

INTERIOR DIMENSIONS (FIRST-ROW MEASUREMENTS, in.)

| | |
|----------------------|------|
| HEAD ROOM | 40.5 |
| SHOULDER ROOM | 66.4 |
| HIP ROOM | 63.8 |
| LEGGROOM | 41.3 |

CARGO DIMENSIONS H2 NOTE 5

| | |
|--|------|
| LENGTH (BEHIND SECOND ROW, in.) | 37.3 |
| WIDTH (AT FLOOR, in.) | 67.6 |
| VOLUME (cu. ft.) | |
| BEHIND SECOND-ROW SEATS | 40.0 |
| SECOND-ROW SEATS FOLDED FLAT | 86.6 |

CARGO DIMENSIONS H2 SUT NOTE 5

| | |
|--------------------------------|------|
| BOX LENGTH (in.) | |
| MIDGATE CLOSED/TAILGATE CLOSED | 34.7 |
| MIDGATE OPEN/TAILGATE CLOSED | 72.8 |
| WIDTH (AT FLOOR, in.) | |
| BEHIND WHEELHOUSE | 47.3 |
| AT SHIP STEP | 47.9 |
| AT TOPCAP | 67.0 |
| VOLUME (cu. ft.) | |
| SECOND-ROW SEATS FOLDED FLAT | 30.7 |

OFF-ROAD CLEARANCES

| | |
|-------------------------------|-------|
| GROUND CLEARANCE (in.) | 9.7 |
| APPROACH ANGLE | |
| STANDARD SUSPENSION | 39.8° |
| AIR SUSPENSION (ENGAGED) | 42.8° |
| DEPARTURE ANGLE | |
| STANDARD SUSPENSION | 37.1° |
| AIR SUSPENSION (ENGAGED) | 40.0° |
| BREAKOVER ANGLE | |
| STANDARD SUSPENSION | 23.5° |
| AIR SUSPENSION (ENGAGED) | 27.5° |

NOTES: SEE PAGE 06

2009 H2 STANDARD AND OPTIONAL FEATURES

STANDARD INTERIOR EQUIPMENT

Bluetooth® for phone **NOTE 6**
 Seating for 5
 Auxiliary rear heating/cooling system (ONLY AVAIL. ON H2 SUV)
 Remote vehicle starter
 Leather-appointed seats with 8-way power adjustment for front passengers
 Fold-down 60/40 split second-row seat
 Driver Information Center
 Heated Steering wheel with Power Tilt (Interim availability)
 5 power points (2 front, 2 rear and 1 tailgate accessible)
 Dual-zone heating, ventilation and air conditioning
 Bose® sound system with in-dash 6-disc CD changer
 Rear-seat audio controls with headphone jacks (headphones not included)
 Leather-wrapped steering wheel with secondary audio controls
 Auto-dimming rearview mirror
 Rear compartment cargo and tailgate tie-downs
 Folding midgate with power drop glass (ONLY AVAIL. ON H2 SUT)
 Global “express down” feature on windows (Including midgate on H2 SUT)
 Driver’s seat with standard memory feature for 2 drivers
 Universal Remote
 Heated front and rear seats

STANDARD EXTERIOR EQUIPMENT

Front bumper with retrieval loops and hitch/winch receiver
 Rear bumper with tow loops and class 3 hitch receiver
 Full undercarriage/rocker panel protection
 Power-folding, heated outside rearview mirrors with curb assist feature
 Chrome exterior door handles
 Sunroof with “express open” and “express close”
 Bumper-mounted rear tire carrier with spare tire cap
 Chrome fuel filler door
 Silver painted bumpers


STANDARD SAFETY AND SECURITY FEATURES

Dual front air bags **NOTE 7**
 Head curtain side air bags with rollover sensing system **NOTE 7**
 Remote keyless entry with panic button
 Content alarm theft deterrent system
 PASSLock® theft deterrent vehicle security system
 Battery rundown protection
 TheftLock™ for RDS radio **NOTE 8**
 StabiliTrak Electronic Stability Control System
 Safety belt pretensioners (front-row seats)
 Traction Control System (TCS)
 Panic Brake Assist
 Rear door child security locks
 LATCH child seat anchors
 Daytime running lamps
 Tire pressure monitoring system (TPM) **NOTE 9**

OPTIONAL EQUIPMENT

Rear vision camera system
 Rear seat overhead DVD entertainment system with 8-in. screen
 Self-leveling rear air suspension with onboard air compressor
 Second row Captain’s Chairs with leather-appointed seating surface (ONLY AVAIL. ON H2 SUV)
 Full third-row seat for 2 passengers (ONLY AVAIL. ON H2 SUV)
 Brush grille guard (straight or wraparound)
 Chrome appearance package (includes chrome hood handles, chrome hood latches and bright door sill plates)
 First-aid and tool kit
 17-in. polished aluminum wheels
 Carpeted floor mats

Learn more at www.HUMMER.com



NOTE 1 When properly equipped, includes weight of vehicle, passengers, cargo, and equipment. **NOTE 2** Maximum payload capacity includes weight of driver, passengers, optional equipment, and cargo. **NOTE 3** Maximum trailer weight ratings are calculated assuming a base vehicle, except for any option(s) necessary to achieve the rating, plus driver. The weight of other optional equipment, passengers and cargo will reduce the maximum trailer weight your vehicle can tow. See your HUMMER dealer for additional details. **NOTE 4** Please review size limitations and exercise caution prior to entering certain garages. **NOTE 5** Cargo and load capacity are limited by weight and distribution. **NOTE 6** Go to www.gm.com/bluetooth to find out which Bluetooth phones are compatible with the vehicle. **NOTE 7** Always use safety belts and the correct child restraints for your child’s age and size. Even in vehicles equipped with air bags, children are safer when properly secured in the rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle Owner’s Manual and child safety seat instructions for more safety information. **NOTE 8** RDS functions only where stations broadcast RDS information. **NOTE 9** Does not monitor spare tire.

HUMMER®

PLEASE CALL 1.800.REAL.4WD OR VISIT OUR WEB SITE AT WWW.HUMMER.COM.

IMPORTANT WORDS ABOUT THIS CATALOG We have tried to make this catalog comprehensive and factual. We reserve the right, however, to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models and availability. Specifications, dimensions, measurements, ratings and other numbers in this catalog and other printed materials provided at the dealership or affixed to vehicles are approximates based upon design and engineering drawings, prototypes and laboratory tests. Your vehicle may differ due to variations in manufacture and equipment. Since some information may have been updated since the time of printing, please check with your HUMMER dealer for complete details. HUMMER reserves the right to lengthen or shorten the model year for any product for any reason or to start and end model years at different times.

ASSEMBLY HUMMER vehicles and their components are assembled or produced by different operating units of General Motors, its subsidiaries or suppliers to GM worldwide. We sometimes find it necessary to produce HUMMER vehicles with different or differently sourced components than originally scheduled. Since some options may be unavailable when your vehicle is assembled, we suggest that you verify that your vehicle includes the equipment you ordered or, if there are changes, that they are acceptable to you.

ENGINES HUMMER products are equipped with engines produced by GM Powertrain or other suppliers to GM worldwide. The engines in HUMMER products may also be used in other GM makes and models.

A NOTE ABOUT CHILD SAFETY Always use safety belts and the correct child restraints for your child's age and size. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the vehicle Owner's Manual and child safety seat instructions for more safety information.

ADDITIONAL NOTES Bose is a registered trademark of Bose Corporation. PASSLock is a registered trademark of General Motors Corporation. Pictured vehicles may vary from actual production models and may feature optional accessories or equipment. Details and specifications may vary according to local regulations and conditions. The photography in this brochure features the HUMMER in environmentally approved areas as for off-road use. H2, H2 SUT, Like Nothing Else and Vortec are trademarks of General Motors Corporation. HUMMER and the vehicle's grille design are registered trademarks of General Motors Corporation. © 2008 General Motors Corporation.