Option Packages	GLE 450 AMG	AMG GLE 63
Premium Package • Panorama roof • Blind Spot Assist ^o • Lane Keeping Assist ^s • KEYLESS-GO® • Rear center-armrest pass-through • Household-type 115-volt power outlet • harman/kardon LOGIC7® sound system	0	٠
Rear Climate Package • Heated rear seats • 3-zone climate control	0	0
Convenience Package	0	0

· Heated and cooled front cupholders


● Standard ○ Optional − Not available


	GLE 450 AMG	AMG GLE 63 S
Parking Assist Package • PARKTRONIC with Active Parking Assist • Surround View System ⁸	0	•
Driver Assistance Package GLE450 requires Premium Package • Active Blind Spot Assist ⁶ • Active Lane Keeping Assist ⁵ • DISTRONIC PLUS® with Steering Assist ⁷ • BAS® PLUS with Cross-Traffic Assist • PRE-SAFE® Brake with Pedestrian Recognition	0	0
Night Package • 22" AMG® cross-spoke wheels, Black³	-	0


Individual Options	GLE 450 AMG	AMG GLE 63 S
ACTIVE CURVE SYSTEM Required with 22" wheels	0	•
AMG Dynamic Performance Exhaust	_	0
Trailer hitch13 (Class III)	0	0
MAGIC VISION CONTROL	0	_
Carbon fiber engine cover	_	0
Illuminated brushed aluminum running boards	0	•
22" AMG multispoke wheels ³	0	_
22" AMG twin 5-spoke wheels³	0	_
21" AMG 10-spoke wheels ³ No charge	_	0
Heated steering wheel		
3-position memory system for front passenger seat	0	•
Ventilated front seats ¹⁴ GLE 450 requires leather	0	•
Multicontour front seats with massage feature and comfort-type head restraints ¹⁴ GLE 450 requires leather	0	0
Cabin-air purification system	0	0
Bang & Olufsen BeoSound® Premium Sound System	0	0
Poor Soot Entertainment quatem or quatem provising	_	


Specifications	GLE 450 AMG Coupe	AMG GLE 63 S Coupe
Engine type	AMG-enhanced 3.0-liter biturbo Direct Injection V-6	Handcrafted AMG 5.5-liter biturbo Direct Injection V-8
Power	362 hp @ 5,500-6,000 rpm	577 hp @ 5,500 rpm
Torque	384 lb-ft @ 2,000-4,200 rpm	561 lb-ft @ 1,750-5,250 rpm
Transmission	9-speed automatic with shift paddles	7-speed AMG SPEEDSHIFT® PLUS with shift paddles
Acceleration, 0-60 mph ¹	5.6 sec	4.2 sec
Drivetrain	Performance-oriented 4MATIC® all-wheel drive with 40:60 front/rear torque split	Performance-oriented 4MATIC all-wheel drive with 40:60 front/rear torque split

	GLE 450 AMG Coupe	AMG GLE 63 S Coupe
Wheels, front-rear ³	AMG twin 5-spoke, 10.0x21"—11.0x21"	AMG cross-spoke, 10.0x22"—11.5x22"
Tires, front-rear ³	275/45R21 – 315/40R21, all-season	285/40ZR22-325/35ZR22, high-performance
Suspension	AIRMATIC® with Adaptive Damping System (ADS Plus) and 4-wheel level control	AMG AIRMATIC with ADS Plus, 4-wheel level control and ACTIVE CURVE SYSTEM
Steering	Rack-and-pinion with electromechanical power assist and sport-tuned Direct-steer	Rack-and-pinion with electromechanical power assist and sport-tuned Direct-steer
Curb weight	4,894 lbs	5,180 lbs
Cargo capacity ¹¹	23.0 cu ft (behind rear seat) 60.7 cu ft (rear seats folded, floor-to-ceiling)	23.0 cu ft (behind rear seat) 60.7 cu ft (rear seats folded, floor-to-ceiling)









- No system, regardless of how advanced, can overcome the laws of physics or correct careless
- Lower aspect ratio tires and accompanying wheels provide substantially increased treadwear, increased tire noise and reduced ride comfort. Serious wheel and tire damage may occur if the vehicle is operated on rough or damaged road surfaces or upon encountering road debris or obstacles. These tires are not designed for use on snow and ice. Winter tires mounted on appropriately sized and approved wheels are recommended for driving in those conditions. In lieu of a spare tire, GLE Coupe models are provided with TIREFIT sealant and a portable air pump. All 22" wheels include high-performance tires, and require optional ACTIVE CURVE SYSTEM on GLE 450 AMG.
- SYSTEM on CLE 450 AMG.

 COLLISION PREVENTION ASSIST PLUS may not be sufficient to avoid an accident. It does not react to certain stationary objects, nor recognize or predict the curvature and/or lane layout of the road or every movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the system's alerts before braking, as that may not afford sufficient time and distance to brake safely. Autonomous braking is available at speeds between approximately 5 and 65 mph for moving vehicles, or 5 and 31 mph for stationary objects.
- 5 Driving while drowsy or distracted is dangerous and must be avoided. Lane Keeping Assist may be insufficient to alert a fatigued or distracted driver of lane drift and cannot be relied on to avoid an accident or serious injury. Lane Keeping Assist operates at speeds above approximately 37 mph.
- 6 Blind Spot Assist may not be sufficient to avoid all accidents involving vehicles in your blind spot and does not estimate the speed of approaching vehicles. It must not be used as a sole substitute

- for driver awareness and checking of surrounding traffic conditions. Blind Spot Assist operates at speeds above approximately 20 mph.

 DISTRONIC PLUS® adaptive cruise control is no substitute for active driving involvement. It does
- DIS INCINCE PLUS "adaptive cruise control is no substitute or active arriving involvement. It does not adapt cruising speed in response to stationary objects, nor does it predict the curvature and lane layout of the road ahead or the movement of vehicles ahead. It is the driver's responsibility at all times to be attentive to traffic and road conditions, and to provide the steering, braking and other driving inputs necessary to retain control of the vehicle. Drivers are cautioned not to wait for the DISTRONIC Proximity Warning System before braking, as that may not afford sufficient time and distance to brake safely. Braking effectiveness also depends on proper brake maintenance. and tire and road conditions.
- and the and road conditions.

 Rearview camera and Surround View System do not audibly notify driver of nearby objects and are not a substitute for actively checking around the vehicle for any obstacles or people. Images displayed may be limited by camera field of view, weather, lighting conditions and the presence of dirt, ice or snow on the cameras.
- dirt, lee or snow on the cameras.

 9 While the navigation system provides directional assistance, the driver must remain focused on safe driving behavior, including paying attention to traffic and street signs. The driver should utilize the system's audio cues while driving and should only consult the map or visual displays once the vehicle has been stopped in a safe place. Maps do not cover all areas or all routes within an area.

 10 All Mercedes-Benz mbrace* services operate only where cellular and Global Positioning System satellite signals are available, which are provided by third parties and not within the control of Mercedes-Benz USA, LLC. Five years of the mbrace Connect package are included with new-vehicle sales and leases at an authorized Mercedes-Benz dealer, Subscriber Agreement is required for service to be active. Some services may be limited or restricted in some areas. Apps may be introduced and updated at varying dates, and may also require a vehicle software update. Driver is responsible for complying with traffic and other laws. See your dealer or MBUSA.com/mbrace for details, including a list of compatible smartphones. Streaming Internet-based features
- require an active subscription to the mbrace Entertain Package. Connection may be limited by cellular signal.
- 11 Unsecured cargo can become hazardous in a collision. Always secure cargo using the floor-
- 13 Read Operator's Manual before towing. In some states, aftermarket trailer brakes are required.
- ventilated seat options. Please visit MBUSA.com/GLE or see your dealer

©2015 Mercedes-Benz USA, LLC

303 Perimeter Center North, Atlanta, GA 30346 • 1-800-FOR-MERCEDES • MBUSA.com Marketing Communications. All illustrations and specifications contained in this brochure are based on the latest product information available at the time of publication. Mercedes-Benz reserves the right to make changes at any time, without notice, to colors, materials, equipment, specifications and models. Any variations in colors shown are due to reproduction variations of the printing process. Illustrations may include test situations. Some vehicles may be shown with non-U.S. equipment. Some vehicles are shown with optional equipment. Bang & Olufsen and BeoSound are registered trademarks of Bang & Olufsen a/s. harman/kardon and LOGIC7 are registered trademarks of Harr International Industries, inc.













Power is a concept that's never taken lightly at Mercedes-AMG—whether creating it, wielding it, or reveling in it. Every horsepower unleashed from beneath the hood of an AMG vehicle is the result of decades spent intensifying the way fuel, air and pressure turn a spark into passionate fireworks.

Each pound-foot of torque must be dispatched to the pavement with efficient expertise. And every ounce of strength must be communicated to the driver with the clarity that breeds confidence and begets control. Racing is the blood coursing through every member of the AMG team, and every vehicle in the AMG stable. What they learn, test and advance on the track finds its way to the street.

It's why a new line of vehicles called AMG Sport is a natural extension of AMG's allure. And why the indomitable spirit of a sport utility vehicle is a perfect match for the irresistible style of a sport coupe in the new GLE Coupes. One should never take power—or the power of seduction—lightly.

Introducing the GLE 450 AMG and AMG GLE 63 S Coupes.



POWER PLAY





until you're tempted to say the new GLE 450 AMG Sport is half coupe/half SUV, wait until you've opened it up. A Mercedes-Benz coupe is not defined by the number of doors it has, but how many it can open: Like its Autobahn-blazing ancestors, it will introduce you to new realms of performance, and welcome you into a world of exquisitely crafted luxury. Likewise, what defines a Mercedes-Benz SUV is its pioneering spirit: Peerless innovation and the fearless capability to bring it to the world—more so, to your world. Once you drive the uniquely confident, versatile GLE 450 AMG, you'll know: It's 100% coupe, 100% SUV, and pure Mercedes-Benz.



Performance-enhancing. Beneath a twin power-dome hood and red-striped engine cover, an infusion of AMG wizardry swells the output of the GLE 450's biturbo V-6. fu Generating 362 hp from just 3.0 liters of drive displacement, its increased turbocharger the through the certain and rapid multispark ignition. Its even study are the formal transport of the control of the certain and rapid multispark ignition. Its even study are certain and rapid multispark ignition. Its

Injection and rapid multispark ignition. Its 384 lb-ft of torque achieves its peak from just 2,000 rpm, for a 5.6-second sprint to 60 mph.¹ A sport-tuned exhaust plays an dri enticing soundtrack via twin tailpipes.

Reneath a twin Mood-shifting. A new 9-speed automatic iped engine transmission changes gears more swiftly y swells and smoothly. It's also lighter and more 7-6. fuel-efficient. DYNAMIC SELECT lets the f driver choose any of five driving modes for the throttle, shifting, suspension and more time a via a twist knob on the console. You can the 4-wh even set up an Individual mode à la carte, enhance sta

m including 100% manual paddle-shifting.

Performance-oriented 4MATIC® all-wheel

drive splits torque 40:60 front/rear, for

nimble handling on any road, year-round.²

automatic Corner-carving. AIRMATIC® suspension swiftly employs electronically controlled air struts re for an ideal balance of handling and ride comfort. Its ADS Plus (Adaptive Damping System) selects one of four profiles each time a wheel moves up or down. At speed, by ch the 4-wheel level control lowers the GLE to wheel are

arte, enhance stability and efficiency. Multiple modes can also be engaged via DYNAMIC SELECT. And the optional ACTIVE CURVE SYSTEM can tighten the stabilizer bars for flatter cornering, or relax them for comfort.

ATIC® suspension on trolled air struts has no intention of keeping its enhanced prowess under wraps. AMG-design lower Damping bodywork aggressively sculpts the front air seach dam, side sills and rear valance, undercut beed, by chrome front and rear crossbars. Black wheel arches set off standard 21" AMG® wheels³-the largest in its class—whose gloss black inlays match the side mirrors and window surrounds. Staggered front to

rear in their superlative width, the wheels are also available in two 22" AMG designs.





At the very same time that the Mercedes-AMG GLE63 S Coupe blurs the line between a high-performance coupe and a pavement-trembling SUV, it brings them sharply—and rapidly—into focus. Wrapping an unparalleled performance lineage in a crisp sculpture of sheet metal, how it embodies style declares far more than a bodystyle. Its adaptive air suspension and 22" wheels³ can unwind corners and slice traffic with precision unexpected in an SUV, but unmistakably AMG. Its handcrafted biturbo V-8 turns a mountain of torque into a massive plateau. And in just 4.2 seconds,² it turns any landscape into a 60-mph blur.





Thoroughbred. Bearing the signature of by hand, the 577-hp 5.5-liter AMG biturbo V-8 is a high-tech tour de force. The twin turbos rapidly spool up to 185,000 rpm, to output the full 561 lb-ft of torque from 1,750 to 5,250 rpm. High-pressure Direct Injection and multispark ignition fine-tune it on the fly with millisecond speed and molecular precision. AMG Performance 4MATIC® all-wheel drive transmits torque to tarmac in a 40:60 front/rear split.2 of power with every rev and gear change.

Masterful. Combining seven speeds with multiple modes, the AMG SPEEDSHIFT PLUS transmission keeps power flowing seamlessly. Call up instant manual control anytime via the aluminum shift paddles and five driving modes of DYNAMIC SELECT. Another GLE 63 signature—its unmistakable $sound-is\ the\ work\ of\ its\ growling\ AMG$ sport exhaust. Computer-controlled vanes in the optional AMG Dynamic Performance exhaust unleash an audible celebration

Dexterous. Athleticism is more than pure an AMG hallmark. With AMG components and calibration, the AIRMATIC® suspension combines multi-mode adaptive damping, speed-based lowering, and 4-wheel leveling to optimize handling and ride across a wide variety of surfaces and situations. In corners, the ACTIVE CURVE SYSTEM's electrohydraulic stabilizers tighten to help minimize body roll. In straightaways, they relax to enhance comfort and composure.

Dominating. From the "A-wing "front air dam to its rear spoiler and four polished tailpipes, the visual presence of the GLE 63 unabashedly proclaims its power. Widened black fender flares and illuminated, brushed aluminum running boards barely contain the supersized 22" AMG® wheels and tires.3 Massive AMG brakes measure 15.4" front, 13.6" rear. Red calipers employ six pistons at each front wheel. In the optional Night Package, deep black wheels, mirrors and other details shroud the GLE 63 in mystery.















FINISH LINES

ANTHRACITE POPLAR WOOD TRIM

BLACK PIANO LACQUER WOOD TRIM

NATURAL GRAIN BROWN ASH WOOD TRIM

CARBON FIBER/BLACK PIANO LACQUER WOOD TRIM

BLACK MB-Tex, leather, or AMG Nappa leather with Grey stitching BLACK PEARL Nappa leather with Black or Red stitching

CRYSTAL GREY/BLACK MB-Tex or leather

GINGER BEIGE/BLACK MB-Tex or leather

SADDLE BROWN/BLACK

AMG Nappa leather

PORCELAIN/BLACK designo or AMG Nappa leather



Standard on GLE 450 AMG



NAPPA LEATHER Optional on GLE 450 AMG



EXCLUSIVE NAPPA LEATHER Standard on AMG GLE 63 S

AMG 21" TWIN 5-SPOKE

Standard on GLE 450 AMG



LEATHER Optional on GLE 450 AMG



designo EXCLUSIVE NAPPA LEATHER Optional on GLE 450 AMG



AMG 21" 10-SPOKE No-charge option on AMG GLE 63 S



AMG 22" MULTISPOKE Optional on GLE 450 AMG

