





## PROVEN GASOLINE ENGINES.

We know how hard your van works for you 24/7. You need power. Reliability. And efficiency. The 2 gasoline engines that power Transit have been designed, built and tested to our uncompromising Built Ford Tough® standards – already proving their hardworking ability in over 700,000 Ford F-Series trucks.


**Towing and hauling are made easy** by the standard 6-speed SelectShift® automatic transmission. It has selectable tow/haul mode¹ to compensate for grade and load, while also reducing gear hunting when towing or hauling heavy cargo.

#### 3.5L EcoBoost®

The 2016 Ford Transit 150 regular wheelbase Wagon equipped with the available 3.5L EcoBoost engine has 46% better EPA-estimated highway fuel economy rating than the 2014 Ford E-Series 350 Wagon equipped with the available 6.8L V10 engine. Instantaneous low-end torque and 310 hp are the result of direct injection, which delivers a precise amount of fuel to optimize efficiency and power. Twin intercooled turbochargers spool up far more quickly than a conventional single turbo.

EPA-estimated rating of 15 city/19 hwy/16 combined mpg (LR/MR RWB Wagon). Actual mileage will vary.

A best-in-class gas torque rating of 400 lb.-ft.<sup>2</sup> makes the 3.5L EcoBoost<sup>1</sup> the perfect choice if your work requires extra cargo-hauling capacity.



#### **3.7L Ti-VCT V6**

The 2016 Ford Transit 150 regular wheelbase Wagon equipped with the standard 3.7L Ti-VCT engine has 12% better EPA-estimated highway fuel economy rating than the 2014 Ford E-Series 150 Wagon equipped with the standard 4.6L V8 engine, with much of the credit due to twin independent variable camshaft timing (Ti-VCT) technology. Ti-VCT optimizes combustion at all engine speeds to increase low-speed torque and top-end power, while also boosting fuel efficiency and improving cold-start operation.

EPA-estimated rating of 14 city/18 hwy/16 combined mpg (LR/MR RWB Wagon). Actual mileage will vary.














#### 3.2L Power Stroke® I-5 Turbo Diesel




## DIESEL POWER ON DEMAND.


When the work demands that your engine must run for many hours a day under constant idling and stop-and-go conditions, then our 3.2L Power Stroke I-5 Turbo Diesel¹ delivers. It's the latest generation of an engine that has proven itself worldwide for years.

**For maximum flexibility**, 90% of the 3.2L's peak torque is available from 1,500 to 2,750 rpm. Quick-start glow plugs offer fast startups at temperatures as low as -10°F. A Variable Geometry Turbocharger helps deliver instantaneous power. A precise amount of fuel is injected directly into each cylinder to optimize efficiency. And when you're on the move, commonrail piezoelectric fuel injectors deliver multiple injections per combustion cycle for improved performance.

**Rigorous testing proved this engine** is ready for heavyduty assignments. This included more than 4,000 hours of dyno-testing. In one of these dyno tests, 750 hours were conducted at max. engine power – the equivalent of 14 non-stop round-trips from New York to Los Angeles. Testing simulated 10 years of service over 150,000 miles, including climbing tough grades, and testing in hot and cold ambient temperature conditions.











# STANDS HEAD AND SHOULDERS ABOVE THE COMPETITION.

Transit is always up to the task. Whatever trade you're in or job you do, you can configure a Transit that's perfect for how you work.

**Best-in-class cargo height**<sup>1</sup> in the HR Van lets you carry the biggest items. And 237° swing-out rear cargo doors<sup>1,2</sup> offer quick and easy access.

**Max. payload increases 500 lbs.** or more, across the board, in Transit Van versus comparable E-Series vans. At up to 4,560 lbs., this increase in hauling capacity helps Transit master even the toughest of challenges. And an impressive gross vehicle weight rating (GVWR) of up to 10,360 lbs. comes in handy when extra muscle is required.

**Built Ford Tough**® is built into the DNA of Transit. Every technological advance found in Transit must pass our exhaustive engineering standards.

Our obsession with durability is what drove us to punish Transit development vehicles for more than 7 million customer-equivalent miles. We started test vehicles at -40°F and at over 14,500 ft. We had them tow fully laden trailers up long inclines in 120°F heat. Transit underwent 250,000 door slam testing cycles. That's nearly 3 times as much testing as a traditional retail vehicle. This all adds up to a Transit that is designed to do its job all day, every day, and for many years to come.

## EASY ACCESS SAVES TIME. AND TIME IS MONEY.


Transit Van is designed to allow quick pickups and drop-offs. There's a built-in rear bumper step to help you hop in and hop out. The cargo box floor is flat, with near-vertical sides for maximum usable space.

Configure the cargo doors to suit your job with a single sliding passenger-side door, dual sliding side doors, or 60/40 swing-out passenger-side doors. The swing-out rear cargo

passenger-side doors! The swing-out rear cargo doors check at 90,° and can be opened to a full 180° with a Regular Wheelbase or 237° with a Long Wheelbase.<sup>2</sup>

**Secure when and how you need it.** The standard Remote Keyless Entry System is configurable to suit how and where you work. Your Ford Dealer can program the remote control in your Transit to lock and unlock a number of different combinations of doors to better suit your needs.

**Multiple tie-down hooks** help you secure your load in place quickly and easily. We've mounted them on the sidewalls to leave the cargo box floor free from obstructions.
















# TAKE YOUR WORKSHOP WITH YOU.

Transit Van is ideal for the custom storage and shelving systems available through your local Ford Dealer.

**16 upfit ship-thrus make it easy** — and 12 of these are located within 30 miles of the Kansas City Assembly Plant where Transit is built. Take your pick of the vocation-specific products available from some of the largest upfitters in the business — including Leggett & Platt CVP, Adrian Steel,® Sortimo by Knapheide, MobilityWorks,® and more — at transitupfits.com. You can also use the upfit configurator to see how easily you can adapt your Transit to suit your individual needs.

Choose from a wide range of products designed to suit different trades, such as cargo dividers, multi-racks, bulkheads and sliding platforms. Use your imagination by combining a generous cargo space with these innovative storage solutions to create one hard-working vehicle for yourself.

Power at the ready. Available absorbent glass mat (AGM) batteries use acid-infused fiberglass to provide improved cycling durability over standard flooded lead acid designs. These batteries allow for a greater number of discharge/recharge cycles during the battery lifetime. Available in single or dual, with the dual installation providing both increased capacity and increased cranking capability.












## CONFIGURABLE. FOR HOW YOU WORK.

Transit Wagon is available in Low Roof, Medium Roof and High Roof configurations. Best-in-class passenger compartment height¹ makes it easier to find a seat in the back of Transit High Roof Wagon without bumping your head — even if you're 6'4" tall. And available 237° swingout rear cargo doors offer easy access.

**You can choose** from 8-, 10-, 12- or 15-passenger versions to suit your specific requirements. When you need to carry extra luggage, 15-passenger versions of Transit Wagon Extended Length offer best-in-class factory-built cargo capacity – 100.5 cu. ft. – behind the last row of seats.

**Safety takes top priority** in Transit Wagon with standard front and front-seat side airbags for the driver and front passenger. Safety Canopy® System with side-curtain airbags for all seating rows. And the 15-passenger wagon features the industry's first 5-row side-curtain airbag.²










## PERSONALIZED. COMMAND IT WITH YOUR VOICE.

Voice-activated SYNC®1 technology helps you keep your eyes on the road and hands on the wheel. SYNC. Say the word®

- Hands-free calling lets you make a call with a simple push of a button along with the sound of your voice.
- Automatic phone book download transfers the names and numbers in your compatible phone automatically, once paired.
- Voice-activated music commands let you say what music you
  want to hear and listen to it easily with voice-activated search, or
  say "Bluetooth® audio" to stream content from your phone.
- SYNC AppLink™² lets you control some of your favorite compatible mobile apps with your voice.
- 911 Assist®3 is a convenient no-charge feature that allows you to connect your compatible cell phone to help call 911 in the event of an accident.

Upgrade to SYNC 3. Our next generation of voice-activated technology with an easy-to-use new design and features.

- New hardware meets new software on the easy-to-read color LCD touch screen that displays phone, audio and navigation<sup>4</sup> functions.
- **High-speed performance** means you'll experience quick responses to your commands. Plus, the capacitive touch screen includes a convenient swipe feature similar to your smartphone (as well as pinch-to-zoom capability within navigation<sup>4</sup>).
- Enhanced voice recognition lets you talk with simple, real-world voice commands and the system responds naturally to your voice.
- Easy destination entry feature within navigation<sup>4</sup> helps you locate your favorite restaurants, nearest ATM and more.
- Siri® seamless integration brings the power of Siri Eyes Free<sup>5</sup> and your iPhone®5 into your vehicle.
- **Automatic updates over Wi-Fi**®6 let you keep SYNC 3 up-to-date with the latest software as new updates become available.





Transit XLT Wagon. Pewter cloth trim. SYNC 3. Available equipment.

<sup>1</sup>Available feature. Driving while distracted can result in loss of vehicle control. Only use SYNC/other devices, even with voice commands, when it is safe to do so. Some features may be locked out while the vehicle is in gear. Not all features are compatible with all phones. <sup>2</sup>Available feature. SYNC AppLink is available on select models and compatible with select smartphone platforms. Commands may vary by phone and AppLink software. <sup>3</sup>The vehicle's electrical system (including the battery), the wireless service provider's signal and a connected mobile phone must all be available and operating for 911 Assist to function properly. These systems may become damaged in a crash. The paired mobile phone must be connected to SYNC, and the 911 Assist feature enabled, in order for 911 to be dialed. When the feature is ON, 911 Assist uses your paired and connected mobile phone oblie phone to assist occupants to compants to contact emergency services by dialing 911 your airbade gelploys or, on certain vehicles, if we emergency fuel pump shut-off is activated. Aftermarket on-board diagnostic devices may interfere with various vehicle systems including Vehicle Health Report and 911 Assist. To avoid the device or contact t













## **COMFORTABLE. HARD WORKING.**

The cab is extremely spacious, with ample head clearance and shoulder room. And it helps you find your preferred driving position with a tilt/telescoping steering column.

**Work at peak efficixency** wherever your work takes you with a 110V power outlet<sup>1</sup> that can help keep your laptop and electrical equipment charged.

**Reverse with confidence** using the rear view camera. When you select Reverse, the image from the camera is displayed automatically in the rearview mirror (or 4" multifunction display or 6.5" SYNC® 3 screen if equipped), with marker lines superimposed to show where you're heading. The rear view camera is standard on all Transit Vans and Wagons, and available on Cutaways and Chassis Cabs.

**Stay comfortable** on the road with standard front air conditioning, power windows and door locks, an AM/FM stereo with 2 front speakers, and an auxiliary audio input jack. The front bucket seats include adjustable head restraints, and the driver's seat has an inboard armrest. Extra convenience is available at the touch of a button with 10-way power driver and front-passenger seats, as well as long-arm, power, heated sideview mirrors with turn signal indicators.

**SiriusXM® Satellite Radio**<sup>1</sup> welcomes you to the World of SiriusXM.<sup>2</sup> Enjoy more than 150 channels including commercial-free music, plus live sports, news and exclusive entertainment, with a 6-month trial subscription to the All Access package included with your new vehicle. You'll hear every channel available, plus you can listen online and on the SiriusXM app.<sup>2</sup>

Navigation¹ with SiriusXM Traffic and Travel Link®¹ includes a 5-year complimentary SiriusXM Traffic and Travel Link² trial subscription. Global Positioning System (GPS) technology is combined with 3-D mapping and provides voice-guided turn-by-turn directions. With SiriusXM Traffic and Travel Link, you'll get detailed traffic information, plus current and forecasted weather, gas station locations and prices, sports scores and schedules, and movie theater locations with show listings and times.

(((SiriusXM\*)))

Transit XLT Wagon. Charcoal cloth trim. Available equipment.



#### TRANSIT CUTAWAY & CHASSIS CAB



## **BACKBONE OF YOUR BUSINESS.**

Whether you need a shuttle bus, flatbed or cube truck, Transit Cutaway or Chassis Cab provides the perfect base on which to build a tough work vehicle customized to your needs.


**Cutaway** has an open passenger compartment so it can be paired with specialty body modules, such as shuttle bus or school bus bodies.

**Chassis Cab** has an enclosed passenger compartment and bare frame ready to accept aftermarket body modules, ranging from custom cargo delivery to utility body.

A fully welded platform underpins the entire cab area. Frame rails are reinforced with boron steel to add strength and save weight. And there's a completely clean box section. Frame rail extension adapters enable an 18' frame upfit, providing even more opportunities to build exactly the Transit you want.

**Expert care for your Transit** is available from over 3,000 Ford Dealers nationwide – and 647 of these are Ford Business Preferred Network (BPN) Dealers, offering additional dedicated commercial vehicle support.

| Transit Cutaway & Chassis Cab         | 250            | SRW         | 350 SRW     | 350 HD DRW     |                 |                |  |  |
|---------------------------------------|----------------|-------------|-------------|----------------|-----------------|----------------|--|--|
| Wheelbase (in.)                       | Regular<br>138 | Long<br>156 | Long<br>156 | Regular<br>138 | Long<br>156     | Long EL<br>178 |  |  |
| Max. Capabilities (lbs.) <sup>1</sup> | 130            | 150         | 150         | 150            | 150             | 170            |  |  |
| GVWR                                  | 9,0            | 000         | 9,500       |                | 9,950 and 10,36 | 0              |  |  |





## TRANSIT SPECIFICATIONS



**Kansas City Assembly Plant.** Transit is built right here in the USA, rolling off our state-of-the-art production line. Made – with pride – by hardworking people just like you.

#### **POWERTRAINS**

|  | 3.7LTi-VCT V6                               | 3.5L EcoBoost® V6                           | 3.2L Power Stroke® I-5 Turbo Diesel                                  |
|--|---|---|--|
| Configuration  | DOHC  | DOHC  | DOHC   |
| Fuel injection   | Sequential electronic                       | Direct-injection                            | Direct-injection   |
| Induction system                                       | Naturally aspirated                         | Twin-turbocharger;<br>intercooled           | Single-sequential turbocharger; intercooled                          |
| Cylinders  | 6   | 6   | 5  |
| Cylinder heads   | Aluminum                                    | Aluminum                                    | Aluminum   |
| Block material   | Aluminum                                    | Aluminum                                    | Cast iron  |
| Bore/stroke  | 3.76"/3.41"                                 | 3.64"/3.41"                                 | 3.54"/3.96"  |
| Compression ratio                                      | 10.5:1                                      | 10.0:1                                      | 15.8:1   |
| Transmission   | 6-speed SelectShift® automatic              | 6-speed SelectShift automatic               | 6-speed SelectShift automatic  |
| Horsepower @ rpm                                       | 275 @ 6,000                                 | 310 @ 5,500                                 | 185 @ 3,000  |
| Torque lbft. @ rpm                                     | 260 @ 4,000                                 | 400 @ 2,500                                 | 350 @ 1,500–2,500  |
| Recommended fuel                                       | Regular unleaded or E851                    | Regular unleaded                            | Ultra-low-sulfur diesel or B20<br>(containing 20% or less biodiesel) |
| Fuel economy – EPA-estimated ratings (LR/MR RWB Wagon) | 14 city/18 hwy/16 combined mpg <sup>2</sup> | 15 city/19 hwy/16 combined mpg <sup>2</sup> | Not EPA rated  |

#### STANDARD FEATURES

#### Mechanical

3.7L Ti-VCT V6 engine (SRW Van and Wagon; standard on Cutaway/Chassis Cab)

3.5L EcoBoost V6 engine (DRW Van and Wagon)

6-speed SelectShift automatic transmission

Alternator – 150-amp

Auxiliary fuel port

Battery – Single, 70-amp-hr (gas only)

Fuel tank - 25-gallon

Hill start assist

Horn – Dual-note electric

Steering – Power-assisted rack-and-pinion

Suspension – Front: independent MacPhersonstrut and stabilizer bar; rear: leaf springs and heavy-duty gas shock absorbers

Tires – 235/65R16 BSW all-season (SRW)

Tires – 195/75R16 BSW all-season (DRW)

#### Interior

12V powerpoints – 1 in instrument panel; 1 in center console

Auxiliary audio input jack

Center stack console with integrated gear shifter

Driver/front-passenger sun visors – Vinyl-trimmed

Front dome lamp with map lights and theater-

dimming feature

Front overhead console (n/a on Low Roof models)
Glove compartment

Grab handle on passenger-side A-pillar

Instrumentation – Speedometer (mph/kph) with tachometer, coolant temperature and fuel level

Lighting – Accessory delay (10-minute) and configurable with 30-minute auto shut-off

Power windows and door locks

(includes autolocking-on-drive feature)

Remote Keyless Entry System with 2 key fobs

Seating – Front bucket seats with adjustable head restraints (includes driver's side inboard armrest)

Steering wheel – 4-spoke polyurethane

Tilt/telescoping steering column

#### Exterior

Antenna - Front fender-mounted

Bumper – Black-molded front with lower valance

Easy Fuel® capless fuel filler

Tinted glass

(optional with RV Prep Package on Wagon XLT)

Wipers - Variable-intermittent

#### **Safety & Security**

AdvanceTrac<sup>®</sup> with RSC<sup>®</sup> (Roll Stability Control<sup>™</sup>)

Airbags<sup>3</sup> – Driver and front-passenger front

Airbags<sup>3</sup> – Front-seat side

Airbags<sup>3</sup> – Safety Canopy<sup>®</sup> System with side-curtains for 1st row (Van and Cutaway/Chassis Cab)

Airbags<sup>3</sup> – Safety Canopy System with side-curtains for all rows (Wagon)

Brakes – Power 4-wheel disc with Anti-Lock Brake System (ABS)

Safety belts – 3-point, all positions

SOS Post-Crash Alert System™

Tire Pressure Monitoring System (excludes spare; SRW only)



#### **TRANSIT VAN**

#### **Standard Features**

Includes all standard features, plus:

#### Mechanical

16" silver steel wheels with black hubcaps (silver front hubcaps on DRW)

Full-size spare wheel and tire

#### Seating

2-passenger

2-way manual driver and passenger seats with driver's armrest

Pewter vinyl seats

#### Interior

AM/FM stereo with 2 front speakers and digital clock
Air conditioning – Front only

Cargo area tie-down hooks

Flooring - Vinyl front

Headliner – Cloth, front only

Rear compartment lighting

Rear view camera with trailer hitch assist

Rearview mirror (when equipped with rear-door glass)
Step well pads – Black plastic

Windows – No cargo area windows

#### **Exterior**

Bodyside moldings – Black

Bumper – Black-molded rear with integrated step Cargo doors – Rear, 180° swing-out (RWB)

Cargo doors – Rear, 237° swing-out (LWB and LWB EL)

Center high-mounted stop lamp (CHMSL)

Grille – Black with black surround

Headlamps – Halogen with black trim

Side door – 60/40 swing-out passenger-side (LR) Side door – Sliding passenger-side (MR and HR)

Roof and side marker lamps (DRW)

Mirrors – Black, power sideview, short-arm

#### Safety & Security

Passenger-side airbag' deactivation switch (n/a with passenger seat delete or passenger-side door delete options)

#### **Available Options**

#### Mechanical

3.5L EcoBoost® V6 engine

3.2L Power Stroke® I-5 Turbo Diesel engine (restrictions apply; includes cruise control with message center, dual batteries and PTC heater)

Alternator – Heavy-duty (included with Ambulance Prep Package)

Battery – Dual heavy-duty absorbent glass mat (AGM) (standard with diesel engine and included with Ambulance Prep Package)

Battery – Single absorbent glass mat (AGM) (requires gas engine)

Engine block heater (recommended when minimum temperature is 10°F or below; optional on all engines)

Manual Regenerative Initiation (requires diesel engine)
Manual Regenerative Initiation with Active
Regenerative Inhibitor (requires diesel engine)

Trailer brake controller

(requires Heavy-Duty Trailer Tow Package)

16" black steel wheels with silver-styled covers (SRW only; included with Exterior Upgrade Package) 16" aluminum wheels (n/a with 9,500 lbs. GVWR or greater; includes locking lug nuts)

Full-size spare wheel and tire delete (DRW only)

#### Seating

Pewter cloth, 2-way manual driver and passenger seats with manual recline, inboard armrests, and driver's manual lumbar

Pewter cloth, 2-way manual driver and passenger seats with manual recline, inboard armrests, and driver's manual lumbar (restrictions apply; 10,360 GVWR only; deletes side-curtain airbags; late availabiity) Pewter vinyl, 2-way manual driver and passenger seats with manual recline and driver's armrest (restrictions apply; 10,360 GVWR only; deletes side-curtain airbags; late availabiity)

Charcoal cloth, 2-way manual driver and passenger seats with manual recline, inboard armrests, and driver's manual lumbar

Charcoal cloth, 2-way manual driver and passenger seats with manual recline, inboard armrests, and driver's manual lumbar (restrictions apply; 10,360 GVWR only; deletes side-curtain airbags; late availability)

Pewter cloth, 10-way power driver and 2-way manual passenger seats with inboard armrests (n/a on LWB Diesel 9,250-lb. configuration)

Charcoal cloth, 10-way power driver and 2-way manual passenger seats with inboard armrests (n/a on LWB Diesel 9,250-lb. configuration)

Pewter leather trim, 10-way power driver and passenger seats with inboard armrests (n/a on LWB Diesel 9,250-lb. configuration)

Passenger seat delete (also deletes passenger-side front airbag; 10,360 GVWR only), Pewter vinyl, 2-way manual driver's seat only with manual lumbar and inboard armrest

Passenger seat delete (also deletes passenger-side front airbag), Pewter cloth, 10-way power driver's seat only with manual lumbar and inboard armrest (n/a on LWB Diesel 9,250-lb. configuration)

#### Interior

AM/FM stereo with single-CD player, 4" multifunction display and 4 speakers (2 front and 2 rear)

AM/FM stereo with single-CD player, 4" multifunction display, HD Radio, "SiriusXM® Satellite Radio with 6-month All Access trial subscription and 4 speakers (2 front and 2 rear)

AM/FM stereo with single-CD player, 4" multifunction display, message center, SYNC® with MyFord® and 6 speakers (4 front and 2 rear); leather-wrapped steering wheel with controls for audio and multifunction display; includes illuminated driver and passenger sun visors on LR vans (requires cruise control)

AM/FM stereo with single-CD player, 4" multifunction display, message center, SYNC with MyFord, HD Radio, Sirius XM Satellite Radio with 6-month All Access trial subscription and 6 speakers (4 front and 2 rear); leather-wrapped steering wheel with controls for audio and multifunction display; includes illuminated driver and passenger sun visors on LR vans (requires cruise control)

AM/FM stereo with SYNC 3, 6.5" color LCD touch screen and Navigation including SiriusXM Traffic and Travel Link® with 5-year subscription, HD Radio, SiriusXM Satellite Radio with 6-month All Access trial subscription and 6 speakers (4 front and 2 rear); leather-wrapped steering wheel with controls for audio and multifunction display; lane-keeping alert with driver alert; includes illuminated driver and passenger sun visors on LR vans (requires cruise control)

6 speakers (4 front and 2 rear; only available as an upgradeable option to Radio Prep Package)

Air conditioning (restrictions apply) – Front/rear, driver-controlled (requires Reverse Sensing System on LR vans; includes heavy-duty alternator with gas engines; n/a with Auxiliary Heater/AC Prep Package without rear controls; includes polypropylene panels)

All-weather front floor mats (only available with carpeted floor covering)

Auxiliary fuse panel (requires heavy-duty alternator and dual heavy-duty batteries; includes Modified Vehicle Wiring System; included with user-defined upfitter switches)

Carpeted cargo floor mat

Complete headliner (restrictions apply; LR van only; requires Reverse Sensing System)

Cruise control with message center (full trip computer and engine-hour meter)

Flooring – Front carpeting

Flooring – Vinyl front and rear (included in Interior Upgrade and Load Area Protection Packages; n/a with front/rear driver-controlled air conditioning)

Ford Telematics  $^{\text{TM}}$  powered by Telogis  $^{\text{82}}$ 

Power inverter (restrictions apply) – 12V to 110V (requires dual heavy-duty batteries)

Powerpoint – 12V rear

#### Radio delete

(deletes radio, speakers, grilles, wiring and antenna) Reverse Sensing System

Spray-in cargo floor liner (restrictions apply; requires front carpeted floor covering)

User-defined upfitter switches (4; requires heavy-duty alternator and dual batteries; includes Modified Vehicle Wiring System, customer connection point and auxiliary fuse panel)

Vinyl sun visors with illuminated vanity mirrors (driver and passenger; restrictions apply; included in Interior Upgrade Package)

#### Exterior

Autolamp with rain-sensing wipers

Sliding passsenger-side door (LR)

Dual sliding side doors (MR and HR)

Front license plate bracket (standard in states requiring 2 license plates and optional in all others)

Mirrors – Short-arm, power, heated sideview with turn signal indicators

Mirrors - Long-arm, power sideview

Mirrors – Long-arm, power, heated sideview with turn signal indicators

Privacy glass (includes rear-window defroster)

Rear-window defroster (requires fixed rear-door glass)

Remote Start System

(n/a with manual windows and door locks)

Running board (n/a with dual sliding side doors)

Windows – Fixed rear-door glass

Windows – Fixed rear-door glass with fixed passenger-side door glass

Windows – Fixed rear-door glass with flip-open passenger-side door glass (requires sliding passenger-side door and privacy glass)

Windows – Fixed rear-door glass with fixed driver and passenger-side door glass (requires dual sliding side doors)

Windows – Fixed rear-door glass with flip-open driver and passenger-side door glass (requires dual sliding side doors and privacy glass)

Windows – Fixed, all-around (n/a with dual sliding side doors; RWB and LWB only)

Windows – All-around with 4th-row flip-open glass (n/a with dual sliding side doors; LWB EL only)
Windows – All-around with 2nd-row driver's side flip-open glass and fixed 60/40 swing-out passenger-side door glass (optional with LR only;

requires privacy glass)
Windows — All-around with 2nd-row driver and passenger-side flip-open glass; and 4th-row flip-open glass (LWB EL only: requires privacy glass; n/a

Windows – All-around with 2nd-row driver and passenger-side flip-open glass (SRW LWB with sliding passenger-side door only; requires privacy glass)

with dual sliding side doors)

#### Safety & Security

Backup alarm<sup>2</sup>

Keys – 2 additional (4 total; manual keys with manual door locks; remote keyless entry key fobs included if equipped with power door locks)

MyKey® (restrictions apply; requires SecuriLock® Passive Anti-Theft System; includes level 2 instrument cluster; n/a with speed-limiting options, radio delete, Radio Prep Package or Ford Customer Service Division remote start)

Perimeter anti-theft alarm (requires SecuriLock Passive Anti-Theft System; n/a with manual windows and door locks)

SecuriCode™ keyless entry keypad (n/a with manual windows and door locks)

SecuriLock Passive Anti-Theft System

#### Optional Packages3

**Ambulance Prep Package** 

Auxiliary Heater/AC Prep Package without rear controls

Cargo Area LED Load Compartment Lighting Package (n/a with complete headliner)

CNG/Propane Gaseous Engine Prep Package
Exterior Upgrade Package

Heavy-Duty Trailer Tow Package

Interior Upgrade Package

Load Area Protection Package

**Modified Vehicle Wiring System** 

Premium Package

Radio Prep Package

Smoker's Package

Trailer Wiring Provisions Package

16" White Steel Wheel Package (DRW)

#### **Available Fleet-Only Options**

Daytime running lamps

Manual windows and door locks (restrictions apply; deletes power windows and door locks; does not include remote keyless entry fobs)

Mirrors – Short-arm, manual, sideview (requires manual windows and door locks)

Mirrors – Short-arm sideview delete (available on Ambulance Prep Package; requires manual windows and door locks)

Mirrors – Long-arm, manual sideview (requires manual windows and door locks)

Speed limitation (65-, 70- and 75-mph governed top speed options)

16" white steel wheels with mini-cap and lug nut covers (SRW only)







<sup>&</sup>lt;sup>1</sup>Always wear your safety belt and secure children in the rear seat. <sup>2</sup>Ford Licensed Accessory. <sup>3</sup>Explanation of package contents follows specifications sections.

#### TRANSIT WAGON

#### **XL Standard Features**

Includes all standard features, plus:

#### Mechanical

16" silver steel wheels with black hubcaps (silver front hubcaps on DRW)

Full-size spare wheel and tire

#### Seating

2-way manual driver and front-passenger seats with manual recline and driver's armrest

8-passenger (standard with RWB)

12-passenger (standard with LWB)

15-passenger (standard with LWB EL)

Pewter vinvl seats

#### Interior

AM/FM stereo with 6 speakers (2 front and 4 rear) and digital clock

12V powerpoint – Located in rear of vehicle

Air conditioning – Front only (LR RWB)

Air conditioning – Front and rear (n/a on LR RWB)

Flooring - Vinyl front and rear

Headliner – Cloth, full-length

Rear compartment lighting Rear view camera with trailer hitch assist

Rearview mirror

Step well pads - Black plastic

Windows – All-around with 4th-row flip-open glass (LWB EL only)

Windows – Fixed, all-around (n/a with dual sliding side doors; RWB and LWB only)

#### Exterior

Bodyside moldings – Black

Bumper – Molded-in-black rear with integrated step Cargo doors - Rear, 180° swing-out (RWB)

Cargo doors - Rear, 2370 swing-out (LWB and LWB EL)

Center high-mounted stop lamp (CHMSL)

Grille - Black with black surround

Headlamps – Halogen with black trim

Mirrors - Black, power sideview, short-arm

Roof and side marker lamps (DRW)

Side door - 60/40 swing-out passenger side (LR)

Side door – Sliding passenger side (MR and HR)

#### XL Available Options

#### Mechanical

16" black steel wheels with silver-styled covers (SRW only)

#### Seating

Pewter cloth, 2-way manual driver and frontpassenger seats with manual recline, inboard armrests and driver's manual lumbar

#### Interior

Air conditioning – Front and rear

AM/FM stereo with single-CD player, 4" multifunction display and 6 speakers (2 front and 4 rear)

Cruise control with message center (full trip computer and engine-hour meter)

Flooring – Carpeted front and rear

Vinyl sun visors with illuminated vanity mirrors (driver and front passenger; restrictions apply)

#### Exterior

Autolamp with rain-sensing wipers

#### XLT Standard Features

Includes select XL features, plus:

#### Seating

2-way manual driver and front-passenger seats with manual recline, manual driver's lumbar, inboard armrests, and manual rear seats recline with inboard armrest (recline n/a in last row)

Pewter cloth seating surfaces

#### Interior

Air conditioning – Front and rear

AM/FM stereo with single-CD player, 4" multifunction display and 8 speakers (4 front and 4 rear)

Cruise control with message center (full trip computer and engine-hour meter)

Flooring – Carpeted front and rear

Rear dome light with map lights and theater-dimming feature

Vinyl sun visors with illuminated vanity mirrors (driver and front-passenger)

#### **Exterior**

**Exterior Upgrade Package** includes chrome headlamp trim, grille and grille surround, and 16" black steel wheels with silver-styled covers (SRW only)

Headlamps – Autolamp

Wipers - Rain-sensing

#### **XLT Available Options**

#### Seating

Pewter leather, 10-way power driver and frontpassenger seats with inboard armrests

#### Interior

All-weather front floor mats (only available on models with carpeted floor covering

Floor covering – Carpeted front (included in Builder's and RV Prep Packages)

Floor covering – Vinvl front and rear

#### XL and XLT Available Options

#### Mechanical

3.5L EcoBoost® V6 engine

3.2L Power Stroke® I-5 Turbo Diesel engine (restrictions apply; includes cruise control with message center, dual batteries and PTC heater)

Alternator – Heavy-duty

Battery - Dual heavy-duty absorbent glass mat (AGM) (standard with diesel engine)

Battery - Single absorbent glass mat (AGM) (requires gas engine)

Engine block heater (recommended when minimum temperature is 10°F or below; optional on all engines) Manual Regenerative Initiation (requires diesel engine)

Manual Regenerative Initiation with Active Regenerative Inhibitor (requires diesel engine)

Trailer brake controller (requires Heavy-Duty Trailer Tow Package)

16" aluminum wheels (n/a with 9,500 lbs. GVWR or greater; includes locking lug nuts)

#### Seating

Charcoal cloth, 2-way manual driver and frontpassenger seats with manual recline, inboard armrests and driver's manual lumbar

Charcoal cloth, 10-way power driver and 2-way manual front-passenger seats with inboard armrests Pewter cloth, 10-way power driver and 2-way manual front-passenger seats with inboard armrests

10-passenger (optional on RWB)

15-passenger (optional on LWB)

#### Interior

AM/FM stereo with single-CD player, 4" multifunction display, HD Radio,™ SiriusXM® Satellite Radio with 6-month All Access trial subscription and 6 speakers (2 front and 4 rear) on XL; 8 speakers (4 front and 4 rear) on XLT

AM/FM stereo with single-CD player, 4" multifunction display, message center, SYNC® with MyFord® and 8 speakers (4 front and 4 rear); leather-wrapped steering wheel with controls for audio and multifunction display (requires cruise control)

AM/FM stereo with single-CD player, 4" multifunction Safety & Security display, message center, SYNC with MyFord, HD Radio, SiriusXM Satellite Radio with 6-month All Access trial subscription and 8 speakers (4 front and 4 rear): leather-wrapped steering wheel with controls for audio and multifunction display (requires cruise control)

AM/FM stereo with SYNC 3, 6.5" color LCD touch screen and Navigation including SiriusXM Traffic and Travel Link® with 5-year trial subscription, HD Radio, SiriusXM Satellite Radio with 6-month All Access trial subscription and 8 speakers (4 front and 4 rear); leather-wrapped steering wheel with controls for audio and multifunction display; and lane-keeping alert with driver alert (requires cruise control)

Auxiliary fuse panel (requires heavy-duty alternator and dual heavy-duty batteries; includes Modified Vehicle Wiring System: included with user-defined upfitter switches)

Ford Telematics™ powered by Telogis®1

Power inverter (restrictions apply) – 12V to 110V (requires dual heavy-duty batteries)

Reverse Sensing System

User-defined upfitter switches (4; requires heavyduty alternator and dual batteries: includes Modified Vehicle Wiring System, customer connection point and auxiliary fuse panel)

#### Exterior

Front license plate bracket (standard in states requiring 2 license plates and optional in all others)

Mirrors – Short-arm, power, heated sideview with turn signal indicators

Mirrors – Long-arm, power sideview

Mirrors - Long-arm, power, heated sideview with turn signal indicators

Privacy glass (includes rear-window defroster) Rear-window defroster (requires fixed rear-door glass)

Remote Start System (n/a with manual windows and door locks)

Running board

Sliding passenger-side door (LR)

Windows – All-around with 2nd-row driver's side flip-open glass and fixed 60/40 swing-out passenger-side door glass (optional with LR only; requires privacy glass)

Windows – All-around with 2nd-row flip-open glass and 4th-row flip-open glass (optional on LWB EL: requires privacy glass)

Windows – All-around with 2nd-row flip-open glass (LWB SRW with sliding passenger-side door only; requires privacy glass; n/a on LR model)

Windows - Fixed, all-around (n/a with dual sliding side doors; standard with RWB and LWB)

Backup alarm<sup>1</sup>

Kevs – 2 additional (4 total: manual kevs with manual door locks; remote keyless entry key fobs included if equipped with power door locks)

MyKey® (restrictions apply; requires SecuriLock® Passive Anti-Theft System: includes level 2 instrument cluster; n/a with speed-limiting options, radio delete, Ford Telematics or Ford Customer Service Division remote start)

Perimeter anti-theft alarm (requires SecuriLock Passive Anti-Theft System; n/a with manual windows and door locks)

SecuriCode<sup>™</sup> keyless entry keypad (n/a with manual windows and door locks)

SecuriLock Passive Anti-Theft System

#### XL and XLT Optional Packages<sup>2</sup>

Auxiliary Heater/AC Prep Package without rear controls

**Builder's Prep Package** 

**CNG/Propane Gaseous Engine Prep Package** 

**Heavy-Duty Trailer Tow Package** 

**Modified Vehicle Wiring System** 

**RV Prep Package** (XLT)

Smoker's Package

**Trailer Wiring Provisions Package** 

16" White Steel Wheel Package (DRW)

#### Available Fleet-Only Options

Daytime running lamps

covers (XL SRW only)

Kevs – Keved-alike (Fleet only)

Manual windows and door locks (restrictions apply; deletes power windows and door locks; does not include remote keyless entry fobs)

Mirrors - Short-arm, manual sideview (requires manual windows and door locks)

Mirrors - Long-arm, manual sideview (requires manual windows and door locks)

Speed limitation (65-, 70- and 75-mph governed top speed options) 16" white steel wheels with mini-cap and lug nut







#### TRANSIT CUTAWAY & CHASSIS CAB

#### **Standard Features**

Includes all standard features, plus:

#### Mechanical

Frame rail extension adapters

Modified Vehicle Wiring System modified vehicle connections for customized wiring harness provisions; requires heavy-duty alternator and dual heavy-duty batteries

16" silver steel wheels with black hubcaps (silver front on DRW)

Full-size spare wheel and tire delete

#### Seating

2-passenger

2-way manual driver and passenger seats with driver's armrest

Pewter vinyl seats

#### Interior

AM/FM stereo with 2 speakers and digital clock

Air conditioning

Flooring – Vinyl

Headliner – Cloth

Rearview mirror delete (Cutaway)

Rearview mirror (Chassis Cab)

Window – Rear (Chassis Cab)

#### Exterior

Grille - Black with black surround

Headlamps – Halogen with black trim

Sideview mirrors delete

Rear taillamp wiring - LED-capable

Roof marker lamps

#### Safety & Security

Passenger-side airbag deactivation switch (n/a with passenger seat delete or passenger-side door delete options)

#### **Available Options**

#### Mechanical

3.2L Power Stroke® I-5 Turbo Diesel engine (includes cruise control with message center, dual batteries and PTC heater)

Alternator – Heavy-duty (included with Ambulance [Cutaway], Motorhome [Cutaway], Shuttle Bus [Cutaway], School Bus [Cutaway] and Multifunctional School Activity Bus [Cutaway] Prep Packages)

Battery – Dual heavy-duty absorbent glass mat (AGM) (standard with diesel engine and included with Ambulance Prep Package [Cutaway])

Battery – Single absorbent glass mat (AGM) (requires gas engine)

Engine block heater (recommended when minimum temperature is 10°F or below; optional on all engines; included with Shuttle Bus Prep Package [Cutaway])

Manual Regenerative Initiation (requires diesel engine)
Manual Regenerative Initiation with Active

Manual Regenerative Initiation with Active Regenerative Inhibitor (requires diesel engine)

Trailer brake controller (requires Trailer Wiring Provisions Package)

16" black steel wheel with silver-styled covers (SRW only; included with Exterior Upgrade Package)

16" aluminum wheels (n/a with 9,500 lbs. GVWR or greater; includes locking lug nuts)

Spare wheel and tire

#### Seating

Pewter cloth, 2-way manual driver and passenger seats with manual recline, inboard armrests, and driver's manual lumbar

Pewter cloth, 2-way manual driver and passenger seats with manual recline, inboard armrests, and driver's manual lumbar (restrictions apply; deletes side-curtain airbags; late availability)

Pewter vinyl, 2-way manual driver and passenger seats with manual recline and driver's armrest (restrictions apply; deletes side-curtain airbags; late availability)

Charcoal cloth, 2-way manual driver and passenger seats with manual recline, inboard armrests, and driver's manual lumbar

Charcoal cloth, 2-way manual driver and passenger seats with manual recline, inboard armrests, and driver's manual lumbar (restrictions apply; deletes side-curtain airbags; late availability)

Pewter cloth, 10-way power driver and 2-way manual passenger seats with inboard armrests

Charcoal cloth, 10-way power driver and 2-way manual passenger seats with inboard armrests

Pewter leather trim, 10-way power driver and passenger seats with inboard armrests

Passenger seat delete (also deletes passengerside front airbag), Pewter vinyl, 2-way manual driver's seat only with manual lumbar and inboard armrest (Cutaway only)

Passenger seat delete (also deletes passengerside front airbag), Pewter cloth, 10-way power driver's seat only with manual lumbar and inboard armrest (Cutaway only)

#### Interior

AM/FM stereo with single-CD player, 4" multifunction display and 2 front speakers

AM/FM stereo with single-CD player, 4" multifunction display, HD Radio,™ SiriusXM® Satellite Radio with 6-month All Access trial subscription and 2 front speakers

AM/FM stereo with single-CD player, 4" multifunction display, message center, SYNC® with MyFord® and 4 front speakers; leather-wrapped steering wheel with controls for audio and multifunction display (requires cruise control)

AM/FM stereo with single-CD player, 4" multifunction display, message center, SYNC with MyFord, HD Radio, Sirius XM Satellite Radio with 6-month All Access trial subscription and 4 front speakers; leatherwrapped steering wheel with controls for audio and multifunction display (requires cruise control)

AM/FM stereo with SYNC 3, 6.5" color LCD touch screen and Navigation including SiriusXM Traffic and Travel Link® with 5-year trial subscription, HD Radio, SiriusXM Satellite Radio with 6-month All Access trial subscription and 4 front speakers; leather-wrapped steering wheel with controls for audio and multifunction display; and lane-keeping alert with driver alert (requires cruise control)

4 front speakers (restrictions apply; only available as an upgradeable option to the Radio Prep Package [Cutaway])

2 rear speakers (shipped in dunnage box [Cutaway]) 4 rear speakers (shipped in dunnage box [Cutaway])

All-weather front floor mats (only available with carpeted floor covering)

Auxiliary fuse panel (requires heavy-duty alternator and dual heavy-duty batteries; includes Modified Vehicle Wiring System; included with user-defined upfitter switches)

Cruise control with message center (full trip computer and engine-hour meter)

Flooring – Carpeting

Ford Telematics™ powered by Telogis®1

Power inverter (restrictions apply) – 12V to 110V (requires dual heavy-duty batteries)

Radio delete

 $\underline{\text{(deletes radio, speakers, grilles, wiring and antenna)}}$ 

Rear view camera with trailer hitch assist
User-defined upfitter switches (4; requires heavy-

User-defined upfitter switches (4; requires heavyduty alternator and dual batteries; includes Modified Vehicle Wiring System, customer connection point and auxiliary fuse panel)

Vinyl sun visors with illuminated vanity mirrors (driver and passenger; restrictions apply; included in Interior Upgrade Package)

#### **Exterior**

Autolamp with rain-sensing wipers

Front license plate bracket (standard in states requiring 2 license plates and optional in all others)

Mirrors – Short-arm, power sideview

Mirrors – Short-arm, power, heated sideview with turn signal indicators

Mirrors – Long-arm, power sideview

Mirrors – Long-arm, power, heated sideview with turn signal indicators

Remote start

(n/a with manual windows and door locks)

#### Safety & Security

Backup alarm<sup>1</sup>

Keys – 2 additional (4 total; manual keys with manual door locks; remote keyless entry key fobs included if equipped with power door locks)

MyKey® (restrictions apply; requires SecuriLock® Passive Anti-Theft System; includes level 2 instrument cluster; n/a with speed-limiting options, radio delete, Radio Prep Package or Ford Customer Service Division remote start)

SecuriCode™ keyless entry keypad (n/a with manual windows and door locks)

SecuriLock Passive Anti-Theft System

#### Optional Packages<sup>2</sup>

Ambulance Prep Package (Cutaway)

Auxiliary Heater/AC Prep Package without rear controls

CNG/Propane Gaseous Engine Prep Package

Exterior Upgrade Package

Interior Upgrade Package

Motorhome Prep Package (Cutaway)

Multifunctional School Activity Bus Prep Package (Cutaway)

Passenger-Side Door Delete Package (Cutaway)

Premium Package

Radio Prep Package

School Bus Prep Package (Cutaway)

Shuttle Bus Prep Package (Cutaway)

Smoker's Package

Trailer Wiring Provisions Package

16" White Steel Wheel Package (DRW)

#### **Available Fleet-Only Options**

Daytime running lamps

Manual windows and door locks (restrictions apply; deletes power windows and door locks; does not include remote keyless entry fobs)

Mirrors – Short-arm, manual sideview (requires manual windows and door locks)

Mirrors – Long-arm, manual sideview (requires manual windows and door locks)

Speed limitation (65-, 70- and 75-mph governed top speed options)

16" white steel wheels with mini-caps and lug nut covers (SRW only)







#### OPTIONAL PACKAGES CONTENT

Ambulance Prep Package (Van/Cutaway) includes dual heavy-duty batteries and heavy-duty alternator; Auxiliary Heater/AC Prep Package without rear controls, fixed side- and rear-door tinted glass (Van), 3.73 limited-slip axle ratio on 3.2L Diesel (Van/Cutaway), 3.73 limited-slip axle ratio on 3.5L EcoBoost® (Van) and 4.10 axle ratio on 3.7L V6 (standard on Cutaway; standard on HR Van and optional on MR Van); spare wheel and tire (Cutaway), manual short-arm sideview mirrors, manual windows and locks (Cutaway), Modified Vehicle Wiring System (Van), front license plate bracket, auxiliary fuse panel (Van); Van requires MR or HR with sliding passenger-side door; n/a with Premium Package, passenger seat delete or Interior Upgrade Package on Cutaway

**Auxiliary Heater/AC Prep Package without rear controls** (Van/Wagon/Cutaway) included with Ambulance (Van/Cutaway), Shuttle Bus (Cutaway), School Bus (Cutaway) and RV (Wagon) Prep Packages; available with Builder's (Wagon) and Motorhome (Cutaway) Prep Packages; requires aftermarket upfit of a climate control system; n/a with front/rear driver-controlled air conditioning

**Builder's Prep Package** (Wagon) includes front license plate bracket; Modified Vehicle Wiring System; vinyl front floor covering with XL and carpeted with XLT; AM/FM stereo with single-CD player, 4" multifunction display and 6 speakers (2 front and 4 rear) on XL Wagon; Package deletes rear floor covering, rear seat rails, fixings, seats and restraints; requires dual heavy-duty batteries and heavy-duty alternator: n/a with RV Prep Package; side/rear scuff plates are not included

**CNG/Propane Gaseous Engine Prep Package** (Van/Wagon/Cutaway/Chassis Cab) includes hardened intake/exhaust valves and valve seats (3.7L V6 only; n/a on RWB Wagon)

**Exterior Upgrade Package** (Van/Wagon/Cutaway/Chassis Cab) includes chrome headlamp trim, grille and grille surround; and 16" black steel wheels with silver-styled covers (SRW only) (n/a on XL Wagon)

**Heavy-Duty Trailer Tow Package** (Van and Wagon) includes trailer wiring provisions, 4-/7-pin connector, electric brake controller tap-in capability, relay system for backup/B+/running lights, frame-mounted hitch receiver, and tow/haul mode

Interior Upgrade Package (Van/Cutaway/Chassis Cab) includes cruise control, full-height polypropylene panels on side walls and doors (Van), leather-wrapped steering wheel with controls for audio and multifunction display, Pewter or Charcoal cloth 2-way manual driver and passenger seats with manual recline, AM/FM stereo with single-CD player, 4" multifunction display, message center, SYNC® with MyFord® 4 speakers (6 speakers on Van), I/P console mats, and driver/passenger vinyl sun visors with illuminated vanity mirrors (n/a with passenger-side door delete, Ambulance, Motorhome, Multifunctional School Activity Bus, School Bus and Shuttle Bus Prep Packages on Cutaway/Chassis Cab)

**Load Area Protection Package** (Van) restrictions apply; includes complete rear polypropylene panels on side walls and doors, and vinyl front and rear floor cover

**Modified Vehicle Wiring System** (Van/Wagon) includes modified vehicle connections for customized wiring harness provisions; requires heavy-duty alternator and dual heavy-duty batteries; included with Ambulance, Builder's and RV Prep Packages, auxiliary fuse panel, and user-defined upfitter switches; standard on Cutaway and Chassis Cab

**Motorhome Prep Package** (Cutaway) includes cruise control; driver/passenger sun visors; AM/FM stereo with 2 front speakers and digital clock; modified vehicle wiring; Trailer Wiring Provisions Package; front license plate bracket; heavy-duty alternator; dual heavy-duty batteries; and auxiliary fuse panel; Pewter or Charcoal cloth 2-way manual driver and passenger seats with manual recline; inboard armrests and manual driver's lumbar; Exterior Upgrade Package; and front vinyl floor covering; n/a with Interior Upgrade Package, Premium Package or passenger-side door delete

Multifunctional School Activity Bus Prep Package (Cutaway) includes manual windows and locks, banded front-door glass, dual heavy-duty batteries, heavy-duty alternator, front license plate bracket, auxiliary fuse panel, Auxiliary Heater/AC Prep Package without rear controls and with passenger door delete; n/a with Premium and Interior Upgrade Packages, 178" WB and School Bus Yellow exterior paint

**Passenger-Side Door Delete Package** (Cutaway) includes Radio Prep Package and manual windows and door locks; requires Pewter vinyl, 2-way manual driver's seat only with manual lumbar (passenger seat delete; includes inboard armrest; n/a with Interior Upgrade Package, or Ambulance or Motorhome Prep Packages)

**Premium Package** (Van/Cutaway/Chassis Cab) includes Interior and Exterior Upgrade Packages; Pewter leather trim, 10-way power driver and passenger seats with inboard armrests; and vinyl front and rear floor covering (Van); n/a with Ambulance, Motorhome and School Bus Prep Packages

**Radio Prep Package** (Van/Cutaway/Chassis Cab) includes front speaker grilles, antenna, cover plate in place of radio, wiring for single-CD audio packages and speakers (no radio chassis provided)

**RV Prep Package** (XLT Wagon only; restrictions apply) includes Modified Vehicle Wiring System, Trailer Wiring Provisions Package, front license plate bracket, privacy glass and partial floor covering (carpet); requires dual heavy-duty batteries and heavy-duty alternator; package deletes all wagon content behind the B-pillar including floor covering (front and rear), rear seating, rear seat rails, fixings and restraints, rear headliner, rear side-curtain airbags and rear climate control: n/a with Builder's Prep Package

**School Bus Prep Package** (Cutaway) includes banded front-door glass, dual heavy-duty batteries, heavy-duty alternator, front license plate bracket, auxiliary fuse panel, manual front windows and locks, and passenger-side door delete; n/a with Premium or Interior Upgrade Packages or 178" WB

**Shuttle Bus Prep Package** (Cutaway) includes Exterior Upgrade Package, heavy-duty alternator, dual heavy-duty batteries, front license plate bracket, engine block heater, trailer wiring provisions, and auxiliary fuse panel; n/a with Premium or Interior Upgrade Packages

**Smoker's Package** includes cigarette lighter and ash cup

**Trailer Wiring Provisions Package** (Van/Wagon/Cutaway/Chassis Cab) includes trailer wiring harness, blunt-cut trailer/upfit wiring to rear of vehicle, trailer sway control, and tow/haul mode; included with Motorhome and Shuttle Bus Prep Packages

**16" White Steel Wheel Package** (DRW; Fleet only; Van/Wagon/Cutaway/Chassis Cab) includes white steel wheels and front hubcaps, and dual rear wheel covers; Tire Pressure Monitoring System is deleted



### **EXTERIORS**



Oxford White



Ingot Silver\*



**School Bus Yellow** 



1 Pewter Vinyl

**INTERIORS** 



2 Pewter Cloth



Race Red



Blue Jeans\*



Caribou\*



3 Pewter Leather



4 Charcoal Cloth



Lunar Sky\*



Magnetic\*



Green Gem\*



**Shadow Black** 

|                                |   | Interiors |     |   |   |       |   |   |   |     |     |             |             |
|--------------------------------|---|-----------|-----|---|---|-------|---|---|---|-----|-----|-------------|-------------|
| Exteriors                      |   | ١         | /an |   |   | Wagon |   |   |   |     | tav | <i>l</i> ay | Chassis Cab |
| Oxford White                   | 1 | 2         | 3   | 4 | 1 |       | 2 | 3 | 4 | 1 2 | 2 3 | 3 4         | 1 2 3 4     |
| Ingot Silver                   | 1 | 2         | 3   | 4 | 1 | Г     | 2 | 3 | 4 | 1 2 | 2 : | 3 4         | 1 2 3 4     |
| School Bus Yellow <sup>1</sup> | 1 | 2         | 3   | 4 | 1 | 1     | 2 | 3 | 4 | 1 2 | 2 : | 3 4         | 1 2 3 4     |
| Race Red                       | 1 | 2         | 3   | 4 | 1 |       | 2 | 3 | 4 | 1 2 | 2 : | 3 4         | 1 2 3 4     |
| Blue Jeans                     | 1 | 2         | 3   | 4 | 1 | Г     | 2 | 3 | 4 | 1 2 | 2 3 | 3 4         | 1 2 3 4     |
| Caribou                        | 1 | 2         | 3   | 4 | 1 |       | 2 | 3 | 4 | 1 2 | 2 : | 3 4         | 1 2 3 4     |
| Lunar Sky                      | 1 | 2         | 3   | 4 | 1 | 1     | 2 | 3 | 4 | 1 2 | 2 3 | 3 4         | 1 2 3 4     |
| Magnetic                       | 1 | 2         | 3   | 4 | 1 | ı     | 2 | 3 | 4 | 1 2 | 2 : | 3 4         | 1 2 3 4     |
| Green Gem                      | 1 | 2         | 3   | 4 | 1 | ı     | 2 | 3 | 4 | 1 2 | 2 3 | 3 4         | 1 2 3 4     |
| Shadow Black                   | 1 | 2         | 3   | 4 | 1 | 1     | 2 | 3 | 4 | 1 2 | 2 3 | 3 4         | 1 2 3 4     |

1 Not available on XLT Wagon 2 Standard on XLT Wagon 3 Not available on XL Wagon or XLT LWB/LWB EL



<sup>\*</sup>Metallic.

TRANSIT VAN TECHNICAL SPECIFICATIONS

#### **DIMENSIONS**

|  |       | /250<br>RW |       | 150/250/350<br>SRW | 1     | 250/350 SRW<br>350 HD DRW |
|--|-------|------------|-------|--------------------|-------|---------------------------|
| Wheelbase (in.)  | Re    | gular      |       | Long               |       | Long<br>EL                |
|  | 1     | 30         |       | 148                |       | 148                       |
| Roof height  | LR    | MR         | LR    | MR                 | HR    | HR                        |
| Passenger capacity                                     | 2     | 2          | 2     | 2                  | 2     | 2                         |
| Rows of seats  | 1     | 1          | 1     | 1                  | 1     | 1                         |
| Exterior (in.)   |       |            |       |                    |       |                           |
| Wheelbase  | 129.9 | 129.9      | 147.6 | 147.6              | 147.6 | 147.6                     |
| Length   | 219.9 | 217.8      | 237.6 | 235.5              | 235.5 | 263.9                     |
| Height   | 83.6  | 100.8      | 83.2  | 100.7              | 110.1 | 109.4                     |
| Width – Excluding mirrors                              | 81.3  | 81.3       | 81.3  | 81.3               | 81.3  | 83.7                      |
| Width – Including mirrors                              | 97.4  | 97.4       | 97.4  | 97.4               | 97.4  | 97.4                      |
| Width – Mirrors folded                                 | 83.2  | 83.2       | 83.2  | 83.2               | 83.2  | 83.2                      |
| Front track  | 68.2  | 68.2       | 68.2  | 68.2               | 68.2  | 68.5                      |
| Rear track   | 68.6  | 68.6       | 68.6  | 68.6               | 68.6  | 65.7                      |
| Front overhang   | 40.3  | 40.3       | 40.3  | 40.3               | 40.3  | 40.3                      |
| Rear overhang  | 49.7  | 47.6       | 49.7  | 47.6               | 47.6  | 76.0                      |
| Load height (curb)                                     | 28.9  | 28.9       | 28.7  | 28.7               | 28.7  | 28.0                      |
| Side-door opening height                               | 49.6  | 63.0       | 49.6  | 63.0               | 63.0  | 63.0                      |
| Side-door opening width – 60/40 swing-out              | 51.2  | _          | 51.2  | _                  | _     | _                         |
| Side-door opening width – Sliding                      | 51.2  | 51.2       | 51.2  | 51.2               | 51.2  | 51.2                      |
| Rear cargo door opening height                         | 49.5  | 64.9       | 49.5  | 64.9               | 74.3  | 74.3                      |
| Rear cargo door opening width                          | 61.7  | 61.7       | 61.7  | 61.7               | 61.7  | 61.7                      |
| Interior (in.)   |       |            |       |                    |       |                           |
| Head room  | 40.8  | 52.0       | 40.8  | 52.0               | 56.6  | 56.6                      |
| Shoulder room  | 67.9  | 67.9       | 67.9  | 67.9               | 67.9  | 67.9                      |
| Hip room   | 67.5  | 67.5       | 67.5  | 67.5               | 67.5  | 67.5                      |
| Leg room (max.)  | 41.3  | 41.3       | 41.3  | 41.3               | 41.3  | 41.3                      |
| Passenger volume (cu. ft.)                             | 63.7  | 81.1       | 63.7  | 81.1               | 88.3  | 88.3                      |
| Cargo length front (at floor)                          | 126.0 | 126.0      | 143.7 | 143.7              | 143.7 | 172.2                     |
| Cargo length front (at belt)                           | 115.9 | 115.9      | 133.6 | 133.6              | 133.6 | 162.0                     |
| Cargo width between wheelhouses                        | 54.8  | 54.8       | 54.8  | 54.8               | 54.8  | 45.4                      |
| Cargo height maximum                                   | 56.9  | 72.0       | 56.9  | 72.0               | 81.5  | 81.5                      |
| Cargo capacity (cu. ft.)                               |       |            |       |                    |       |                           |
| Cargo volume behind 1st row                            | 246.7 | 315.2      | 277.7 | 357.1              | 404.3 | 487.3                     |
| Maximum cargo volume with front-passenger seat removed | 285.0 | 363.8      | 316.1 | 405.6              | 459.2 | 542.2                     |



TRANSIT VAN TECHNICAL SPECIFICATIONS

#### **CONFIGURATIONS**

|                                     |     |       | 50<br>RW |    | 250<br>SRW |         |    |      |    | 350<br>SRW |       |      |    | 350 HD<br>DRW |       |           |
|-------------------------------------|-----|-------|----------|----|------------|---------|----|------|----|------------|-------|------|----|---------------|-------|-----------|
| Wheelbase (in.)                     | Reg | gular | Lo       | ng | Reg        | Regular |    | Long |    | Long<br>EL |       | Long |    | Long<br>EL    |       | ong<br>EL |
|                                     | 13  | 30    | ]4       | 48 | 13         | 130     |    | 148  |    | 148        |       | 148  |    | 148           | ]4    | 48        |
| Roof height                         | LR  | MR    | LR       | MR | LR         | MR      | LR | MR   | HR | HR         | LR    | MR   | HR | HR            | HR    | HR        |
| Side Doors                          |     |       |          |    |            |         |    |      |    |            |       |      |    |               |       |           |
| 60/40 swing-out passenger-side      |     | -     |          | -  |            | -       |    | _    | _  | _          |       | _    | _  | _             | _     | _         |
| Sliding passenger-side              |     |       |          |    |            |         |    |      |    |            |       |      |    |               |       |           |
| Dual sliding                        | _   |       | _        |    | _          |         | _  |      |    |            | _     |      |    |               |       |           |
| Engines                             |     |       |          |    |            |         |    |      |    |            |       |      |    |               |       |           |
| 3.7L Ti-VCT V6                      |     |       |          |    |            |         |    |      |    |            |       |      |    |               | _     | _         |
| 3.5L EcoBoost® V6                   |     |       |          |    |            |         |    |      |    |            |       |      |    |               |       |           |
| 3.2L Power Stroke® I-5 Turbo Diesel |     |       |          |    |            |         |    |      |    |            | _     | _    | _  |               |       |           |
| Max. Capabilities (lbs.)1           |     |       |          |    |            |         |    |      |    |            |       |      |    |               |       |           |
| GVWR                                |     | 8,6   | 500      |    | 9,000      |         |    |      |    |            | 9,500 |      |    |               | 9,950 | 10,360    |
| Payload                             |     | 3,6   | 680      |    | 4,080      |         |    |      |    | 4,450      |       |      |    | 4,150         | 4,560 |           |



|                                    | Re   | gular a | xle  | Limi | ted-slip | axle | GCWR                   | Roof                |                 | Wheelbase    |                 |
|------------------------------------|------|---------|------|------|----------|------|------------------------|---------------------|-----------------|--------------|-----------------|
| Engine                             | 3.31 | 3.73    | 4.10 | 3.31 | 3.73     | 4.10 |                        | height <sup>2</sup> | Regular<br>130" | Long<br>148" | Long EL<br>148" |
| 3.7L Ti-VCT V6                     | _    |         | _    | _    |          | _    | 10,800                 | LR/MR               | 5,400           | 5,200        | _               |
|                                    | _    | _       |      | _    | _        |      | 12,000                 | LR/MR               | 6,600           | 6,400        | _               |
|                                    | _    | _       |      | _    | _        |      | 12,000                 | HR                  | _               | 6,200        | 6,000           |
| 3.5L EcoBoost V6                   | ■3   | _       | _    | □3   | _        | _    | 11,200                 | LR/MR/HR            | 5,700           | 5,600        | 5,100           |
|                                    | _    | □4      | _    | _    | □5       | _    | 12,600/<br>13,000 (EL) | LR/MR/HR            | 7,100           | 7,000        | 6,700           |
| 3.2L Power Stroke I-5 Turbo Diesel | ■3   | -       | _    | □3   | _        | _    | 10,600                 | LR/MR/HR            | 4,800           | 4,600        | 4,200           |
|                                    | _    |         | _    | _    |          | _    | 13,500                 | LR/MR/HR            | _               | 7,500        | 7,100           |



Van. Pewter vinyl trim.



Rear view camera with trailer hitch assist.



<sup>■</sup> Standard  $\Box$  Optional, at extra cost - Not applicable

TRANSIT WAGON TECHNICAL SPECIFICATIONS

#### **DIMENSIONS**

|  |       |            | 50<br>RW    |       |       |       | 350 HD<br>DRW |            |             |        |            |
|--|-------|------------|-------------|-------|-------|-------|---------------|------------|-------------|--------|------------|
| Wheelbase (in.)  |       | Reg        | gular       |       |       |       | Lo            | ong        |             |        | Long<br>EL |
|  |       | 1          | 30          |       |       |       | 1             | 48         |             |        | 148        |
| Roof height  | L     | R          | I           | R     | L     | R     | l N           | ЛR         | Н           | R      | HR         |
| Passenger capacity   | 8     | 10         | 8           | 10    | 12    | 15    | 12            | 15         | 12          | 15     | 15         |
| Rows of seats  | 3     | 4          | 3           | 4     | 4     | 5     | 4             | 5          | 4           | 5      | 5          |
| Exterior (in.)   |       |            |             |       |       |       |               |            |             |        |            |
| Wheelbase  | 12'   | 9.9        | 129         | 9.9   | 147   | 7.6   | 1/            | 7.6        | 147         | 7.6    | 147.6      |
| Length   | 21    | 219.9      |             |       | 23    | 7.6   | 23            | 35.5       | 23!         | 5.5    | 263.9      |
| Height   | 82    | 82.2       |             |       | 82    | 2.4   | 9             | 9.2        | 108         | 3.6    | 107.7      |
| Width – Excluding mirrors  | 8     | 81.3       |             |       | 81    | 1.3   | 8             | 11.3       | 81          | .3     | 81.3       |
| Width – Including mirrors  | 9     | 97.4       |             |       | 97    | 7.4   | 9             | 7.4        | 97          | .4     | 97.4       |
| Width – Mirrors folded   | 83    | 83.2       |             |       | 83    | 3.2   | 8             | 3.2        | 83          | 1.2    | 83.2       |
| Front track  | 68    | 3.2        | 68          | 3.2   | 68    | 3.2   | б             | 8.2        | 68          | 3.2    | 68.2       |
| Rear track   | 68    | 3.6        | 68          | 3.6   | 68    | 3.6   | 6             | 8.6        | 68          | 3.6    | 68.6       |
| Front overhang   | 4(    | 0.3        | 40          | ).3   | 40    | ).3   | 4             | 0.3        | 40          | ).3    | 40.3       |
| Rear overhang  | 49    | 9.7        | 47          | '.6   | 49    | 9.7   | 4             | 7.6        | 47          | .6     | 76.0       |
| Load height (curb)   | 28    | 28         | 3.2         | 28    | 3.8   | 2     | 8.8           | 28         | .8          | 27.8   |            |
| Side door opening height   | 49    | 63         | .0          | 49    | 9.6   | 63.0  |               | 63.0       |             | 63.0   |            |
| Side door opening width – 60/40 swing-out                                  | 5     | -          | -           | 51    | .2    | _     |               | _          |             | _      |            |
| Side door opening width – Sliding  | 5     | 51.2       |             |       | 51    | .2    | 5             | 1.2        | 51          | .2     | 51.2       |
| Rear cargo door opening height   | 46    | 46.9       |             |       | 46    | 5.9   | б             | 2.8        | 72          | .2     | 72.2       |
| Rear cargo door opening width  | 59    | 9.8        | 59          | 1.8   | 59    | 0.8   | 5             | 9.8        | 59          | 1.8    | 59.8       |
| Interior (in.)   |       |            |             |       |       |       |               |            |             |        |            |
| Head room: 1st row   | 4(    | 0.8        | 52.0        |       | 40.8  |       | 52.0          |            | 56.6        |        | 56.6       |
| 2nd row  | 4     | 1.1        | 55          | .8    | 41.1  |       | 55.8          |            | 65.2        |        | 65.2       |
| 3rd row  | 4(    | ).6        | 55          | .8    | 40    | 40.6  |               | 5.8        | 65          | i.2    | 65.2       |
| 4th row  |       | 38.7       | -           | 55.8  | 38.7  |       | 5             | 5.8        | 65          | i.2    | 65.2       |
| 5th row  | -     | _          | -           | -     | -     | 34.2  | _             | 47.2       | _           | 55.0   | 55.0       |
| Shoulder room: 1st row / 2nd / 3rd / 4th <sup>1</sup> / 5th <sup>1</sup>   | 67.9  | /71.4/0    | 57.0 / 67.8 | 3/—   |       |       | 67.9 /        | 71.4 / 67. | 0 / 67.8 /  | 60.8   |            |
| Hip room: 1st row / 2nd / 3rd / 4th <sup>1</sup> / 5th <sup>1</sup>        | 67.5  | / 69.6 /   | 67.3 / 68.  | )/—   |       |       | 67.5 /        | 69.6 / 67  | 7.3 / 68.0  | / 61.0 |            |
| Leg room: 1st row (max.) / 2nd / 3rd / 4th <sup>1</sup> / 5th <sup>1</sup> | 41.3  | / 33.7 / 3 | 35.6 / 35.6 | 5/-   |       |       | 41.3 /        | 33.7 / 35  | .6 / 35.6 / | ′ 35.6 |            |
| Passenger volume (cu. ft.)   | 177.0 | 230.9      | 235.6       | 313.4 | 264.9 | 318.1 | 313.4         | 386.8      | 359.9       | 445.4  | 445.4      |
| Cargo length front (at floor)  | 124   | 4.0        | 124         | i.0   | 14    | 1.7   | ]4            | 41.7       | 14          | 1.7    | 170.2      |
| Cargo length front (at belt)   | 11    | 5.1        | 11!         | 5.1   | 132   | 2.8   | 13            | 2.8        | 132         | 2.8    | 161.3      |
| Cargo width between wheelhouses  | 5.    | 53.7       |             |       | 53    | 3.7   | 5             | 3.7        | 53          | 3.7    | 53.7       |
| Cargo height maximum   | 52.8  | 67         | .6          | 52    | 2.8   | 6     | 7.6           | 77         | .0          | 77.0   |            |
| Cargo capacity (cu. ft.)   |       |            |             |       |       |       |               |            |             |        |            |
| Cargo volume behind: 1st row   | 22    | 29         | 2.7         | 25    | б.4   | 33    | 36.1          | 382        | 2.6         | 461.9  |            |
| 2nd row  | 15    | 19         | 7.9         | 183   | 3.0   | 23    | 39.8          | 273        | 3.0         | 349.6  |            |
| 3rd row  | 94    | 125        |             | 124   | 4.5   | 16    | 6.9           | 190        | 0.0         | 266.6  |            |
| 4th row  | _     | 39.1       | _           | 51.8  | 70    | ).1   | 9             | 3.9        | 107         | 7.0    | 184.0      |
| 5th row  | -     | _          | -           | -     | -     |       |               | _          | -           |        | 100.5      |



TRANSIT WAGON TECHNICAL SPECIFICATIONS

#### **CONFIGURATIONS**

|                                       |     | 50<br>RW |  | 350 HD<br>DRW |   |            |
|---------------------------------------|-----|----------|--|---------------|---|------------|
| Wheelbase (in.)                       | Reş | gular    |  | Long          |   | Long<br>EL |
|                                       | 1   | 30       |  | 148           |   | 148        |
| Roof height                           | LR  | LR MR    |  | LR MR         |   | HR         |
| Passenger capacity                    | 8.  | /10      |  | 12/15         |   | 15         |
| Side Doors                            |     |          |  |               |   |            |
| 60/40 swing-out passenger-side        |     | _        |  | _             | _ | _          |
| Sliding passenger-side                |     |          |  |               |   |            |
| Engines                               |     |          |  |               |   |            |
| 3.7L Ti-VCT V6                        |     |          |  |               |   | _          |
| 3.5L EcoBoost® V6                     |     |          |  |               |   |            |
| 3.2L Power Stroke® I-5 Turbo Diesel   | _   | _        |  |               |   |            |
| Max. Capabilities (lbs.) <sup>1</sup> |     |          |  |               |   |            |
| GVWR                                  | 8,  | 550      |  | 9,400         |   | 10,360     |
| Payload                               | 3,0 | 000      |  | 3,480         |   |            |



XLT Wagon. Pewter cloth trim.

#### MAXIMUM LOADED TRAILER WEIGHT RATINGS (lbs.)1

|                                    | Re   | gular a | xle  | Limi | ted-slip | axle | GCWR   | Roof                |                 | Wheelbase    |                 |
|------------------------------------|------|---------|------|------|----------|------|--------|---------------------|-----------------|--------------|-----------------|
| Engine                             | 3.31 | 3.73    | 4.10 | 3.31 | 3.73     | 4.10 |        | height <sup>2</sup> | Regular<br>130" | Long<br>148" | Long EL<br>148" |
| 3.7L Ti-VCT V6                     | _    |         | _    | _    |          | _    | 10,800 | LR/MR               | 4,700           | 4,200        | _               |
|                                    | _    | _       | □5   | _    | _        | □5   | 11,200 | LR/MR               | 5,100           | 4,600        | _               |
|                                    | _    | _       |      | _    | _        |      | 11,200 | HR                  | _               | 4,400        | _               |
| 3.5L EcoBoost V6                   | ■3   | _       | _    | □3   | _        | _    | 11,200 | LR/MR/HR            | 5,100           | 4,600        | _               |
|                                    | _    | □4      | _    | _    | □4       | _    | 11,200 | HR                  | _               | _            | 3,800           |
| 3.2L Power Stroke I-5 Turbo Diesel | ■3   | _       | _    | □3   | _        | _    | 10,600 | LR/MR/HR            | _               | 3,700        | _               |
|                                    | _    |         | _    | _    |          | _    | 11,200 | LR/MR/HR            | _               | 4,300        | 3,500           |





<sup>■</sup> Standard  $\Box$  Optional, at extra cost - Not applicable

TRANSIT CUTAWAY & CHASSIS CAB TECHNICAL SPECIFICATIONS

#### **DIMENSIONS**

|   |  | 250<br>SRW | 350<br>DF    | HD   | 250<br>SRW | 350<br>SRW |      | ) HD      | 350<br>DR         |      |
|---|--|------------|--------------|------|------------|------------|------|-----------|-------------------|------|
| Α | Wheelbase (in.)                            | Regular    | Reg          | ular | Lo         | ng         | Lo   | ing       | Lo<br>E           | 0    |
|   |  | 138        | 13           | 18   | 15         | 6          | 15   | 56        | 17                | 8    |
|   | Passenger capacity                         | 2          | 4            | 2    | 2          | )          |      | 2         | 2                 | )    |
|   | Cutaway (in.)                              |            |              |      |            |            |      |           |                   |      |
| В | Overall length                             | 223.3      | 22           | 3.3  | 24         | 1.1        | 24   | ¥1.1      | 263.4             |      |
| C | Rear axle to end of frame or rear overhang | 45.1       | 4.           | 5.1  | 45         | 5.1        | 4.   | 5.1       | 45                | 5.1  |
| D | Rear of cab to rear axle                   | 82.6       | 82           | 2.6  | 100        | 0.3        | 10   | 0.3       | 122               | 2.6  |
| Е | Front overhang                             | 40.3       |              |      | 40         | ).3        | 4(   | 0.3       | 40                | ).3  |
| F | Rear of cab to end of frame                | 127.7      | 27.7 127.7   |      | 145        | 5.4        | 14:  | 5.4       | 16                | 7.7  |
| G | Cablength                                  | 95.7       | 7 95.7       |      | 95         | 5.7        | 9!   | 5.7       | 95.7              |      |
| Н | Overall cab height (curb)                  | 87.3       | 86.8         |      | 87         | .0         | 86.5 |           | 86.5              |      |
|   | Top of frame to top of cab                 | 61.2       | 61.2         |      | 61         | .2         | 6    | 1.2       | 61                | .2   |
| J | Load height (loaded)                       | 25.0       | .0 24.7 24.5 |      | 25.9       | 25.9 25.5  |      | 25.7 25.4 |                   | 24.6 |
| K | Overall width                              | 80.8       | 83.1         |      | 80.8       |            | 83.1 |           | 25.0 24.6<br>83.1 |      |
|   | Front track                                | 68.2       | 68.5         |      | 68.2       |            | 68.5 |           | 68                | 3.5  |
|   | Rear track                                 | 68.6       | 68.6 65.7    |      | 68         | 3.6        | 6!   | 5.7       | 65                | 5.7  |
| _ | Chassis Cab (in.)                          |            |              |      |            |            | T    |           |                   |      |
| _ | Overall length                             | 223.3      | 22           |      | 24         |            |      | 11.1      | 263               |      |
| _ | Rear axle to end of frame or rear overhang | 45.1       | 4.           |      | 45.1       |            | 45.1 |           | 45.1              |      |
| _ | Rear of cab to rear axle                   | 82.6       | 82           |      | 100        |            |      | 0.3       | 122.6             |      |
| _ | Front overhang                             | 40.3       | 40           |      | 40         |            |      | 0.3       | 40                |      |
| _ | Rear of cab to end of frame                | 127.7      | 12           |      | 145        |            |      | 5.4       | 16                |      |
|   | Cab length                                 | 95.7       |              | 5.7  | 95         | 5.7        |      | 5.7       | 95                | 5.7  |
| _ | Overall cab height (curb)                  | 87.2       | 86           |      | 86         |            |      | 5.4       | 86                |      |
| 1 | Top of frame to top of cab                 | 61.2       |              | .2   | 61         |            |      | 1.2       | 61                | .2   |
| _ | Load height (loaded)                       | 24.8       | 24.7         | 24.3 | 25.6       | 25.3       | 25.6 | 25.2      | 24.9              | 24.4 |
| K | Overall width                              | 80.8       | 83           | 3.1  | 80         |            | 8:   | 3.1       | 83                | 3.1  |
|   | Front track                                | 68.2       | 68           | 3.5  | 68         | 3.2        | 68   | 3.5       | 68                | 3.5  |
|   | Rear track                                 | 68.6       | 3.6 65.7     |      | 68         | 1.6        | 6!   | 5.7       | 65                | 5.7  |
|   | Interior – Cutaway & Chassis Cab (in.)     |            |              |      |            |            |      |           | 03.7              |      |
|   | Head room                                  | 44.9       | 44           | .9   | 44         | .9         | 44   | 4.9       | 44                | .9   |
|   | Shoulder room                              | 67.9       | 67           | 7.9  | 67         | '.9        | 67   | 7.9       | 67                | '.9  |
|   | Hip room                                   | 67.5       | 67           | 7.5  | 67         | '.5        | 67   | 7.5       | 67                | '.5  |
| _ | Leg room (max.)                            | 41.3       | 41           | .3   | 41         | .3         | 4    | 41.3      |                   |      |







TRANSIT CUTAWAY & CHASSIS CAB TECHNICAL SPECIFICATIONS

#### **CONFIGURATIONS**

|                                       | 25<br>SR | 50<br>RW     | 350<br>SRW |         | 350 HD<br>DRW |            | 350 HD<br>DRW |      |            |  |
|---------------------------------------|----------|--------------|------------|---------|---------------|------------|---------------|------|------------|--|
| Wheelbase (in.)                       | Regular  | Regular Long |            | Regular | Long          | Long<br>EL | Regular       | Long | Long<br>EL |  |
|                                       | 138      | 156          | 156        | 138     | 156           | 178        | 138           | 156  | 178        |  |
| Engine                                |          |              |            |         |               |            |               |      |            |  |
| 3.7L Ti-VCT V6                        |          |              |            |         |               |            |               |      |            |  |
| 3.2L Power Stroke® I-5 Turbo Diesel   |          |              |            |         |               |            |               |      |            |  |
| Max. Capabilities (lbs.) <sup>1</sup> |          |              |            |         |               |            |               |      |            |  |
| GVWR                                  | 9,0      | 00           | 9,500      |         | 9,950         |            | 10,360        |      |            |  |
| Payload                               | 4,8      | 350          | 5,290      | 5,610   |               |            | 6,020         |      |            |  |



Cutaway. Pewter cloth trim.

#### MAXIMUM LOADED TRAILER WEIGHT RATINGS (lbs.)1

|                                    | Re   | gular a | xle  | Limi | ted-slip | axle | GCWR   | Wheelbase (in.) |            |               |  |
|------------------------------------|------|---------|------|------|----------|------|--------|-----------------|------------|---------------|--|
| Engine                             | 3.31 | 3.73    | 4.10 | 3.31 | 3.73     | 4.10 |        | Regular – 138   | Long – 156 | Long EL – 178 |  |
| 3.7L Ti-VCT V6                     | -    | _       |      | _    | _        |      | 12,000 | 6,800           | 6,600      | 6,200         |  |
| 3.2L Power Stroke I-5 Turbo Diesel | _    |         | _    | _    |          | _    | 13,500 | 7,500           | 7,500      | 7,100         |  |

### **TRANSIT WHEELS**

|   |   | Van |     | Wagon |     |     |     | Cutaway &<br>Chassis Cab |     |
|---|---|-----|-----|-------|-----|-----|-----|--------------------------|-----|
|   |   |     |     | XL    |     | XLT |     |                          |     |
|   | Wheel configuration                           | SRW | DRW | SRW   | DRW | SRW | DRW | SRW                      | DRW |
| 1 | 16" Silver Steel w/Black Hubcap               |     | _   |       | _   | _   | _   |                          | _   |
| 2 | 16" White Steel w/Mini-cap and Lug Nut Covers |     | _   |       | _   | _   | _   |                          | _   |
| 3 | 16" Black Steel w/Silver-Styled Cover         |     | _   |       | _   |     | _   |                          | _   |
| 4 | 16" Aluminum w/Locking Lug Nuts               |     | _   |       | _   |     | _   |                          | _   |
| 5 | 16" Silver Steel w/Silver Front Hubcap        | _   |     | _     |     | _   |     | _                        |     |
| 6 | 16" White Steel w/White Front Hubcap          | _   |     | _     |     | _   |     | _                        |     |













6

<sup>■</sup> Standard  $\square$  Optional, at extra cost - Not applicable











Transit 250 MR LWB Van in Lunar Sky accessorized with keyless entry keypad, Ford Commercial Graphics by 3M Original Wraps, roof rack system, heavy-duty splash guards with stainless steel inserts, side window deflectors, and 16" 10-spoke alloy-aluminum wheels

Remote start systems

All-weather floor mats

Trailer hitch assembly

Back-up alarm by ECCO®1

#### Exterior

Ford Commercial Graphics<sup>1</sup> Hood protector<sup>1</sup> Roof racks Side window deflectors Splash guards Trailer towing accessories

#### Wheels

16" 10-spoke alloy aluminum wheel Stainless steel wheel covers Wheel lock kit

#### Interior

All-weather and premium carpeted floor mats
Ash cup/coin holders
Cargo area illumination
Cargo mats and liners
Cargo organizers and protectors
Interior light kit
Interior rear window grilles
Protective seat covers¹
Tablet cradle¹

#### **Electronics**

Ford Telematics<sup>TM</sup> powered by Telogis<sup>®1</sup> Keyless entry keypad Remote start systems Warning sensor systems<sup>1</sup> Vehicle Security System

<sup>1</sup>Ford Licensed Accessory.



ford.com/transit

Follow Ford:









**New Vehicle Limited Warranty.** We want your Ford Transit ownership experience to be the best it can be. Under this warranty, your new vehicle comes with 3-year/36,000-mile bumper-to-bumper coverage, 5-year/60,000-mile Powertrain Warranty coverage, 5-year/60,000-mile safety restraint coverage, and 5-year/unlimited-mile corrosion (perforation) coverage – all with no deductible. The Ford 3.2L Power Stroke® I-5 Turbo Diesel engine gets 5-year/100,000-mile warranty coverage. Please ask your Ford Dealer for a copy of this limited warranty.

**Roadside Assistance.** Covers your vehicle for 5 years or 60,000 miles, so you have the security of knowing that help may be only a phone call away should you run out of fuel, lock yourself out of the vehicle or need towing. Your Ford Dealer can provide complete details on all of these advantages.

**Business Preferred Network.** Each of the select dealerships in our Business Preferred Network (BPN) is committed to providing quality commercial-oriented products and service, as well as special financing and billing arrangements, to businesses that rely on Ford products. As a BPN customer, your business vehicles receive priority service at your BPN dealership to help get your vehicle back on the road quickly.

**Financial Services.** Our commercial purchase plans and lines of credit offer attractive rates, negotiable terms and business-friendly options. If you prefer to lease, our CommerciaLease<sup>SM</sup> programs offer a wide variety of package options to meet your needs. For additional information, please visit our website at fordcredit.com/comlend.

**Ford Credit.** Get the ride you want. Whether you plan to lease or finance, you'll find the choices that are right for you at Ford Credit. Ask your Ford Dealer for details or check us out at fordcredit.com.

**Ford Extended Service Plan.** For a purchase or lease, the Ford Extended Service Plan (ESP) gives you peace-of-mind protection designed to cover key vehicle components and protect you from the cost of unexpected repairs. Ask your dealer for a Ford ESP, the only service contract backed exclusively by Ford and honored at all Ford dealerships.

**Insurance Services.** Get Ford Motor Company quality in your auto insurance. Our program offers industry-leading benefits and competitive rates. Call 1-877-367-3847, or visit us at fordvip.com for a no-obligation quote. Insurance offered by American Road Services Company (in CA, American Road Insurance Agency), a licensed agency and subsidiary of Ford Motor Company.

**Ford Original Accessories** will be warranted for whichever provides you the greatest benefit: 24 months/unlimited mileage, or the remainder of your Bumper-to-Bumper 3-year/36,000-mile New Vehicle Limited Warranty. Ford Licensed Accessories (FLA) are warranted by the accessory manufacturer's warranty. FLA are designed and developed by the accessory manufacturer and have not been designed or tested to Ford Motor Company engineering requirements. Contact your Ford Dealer for details and/or a copy of all limited warranties.

Comparisons based on competitive models (class is Full-Size Vans based on Ford segmentation), publicly available information and Ford certification data at time of release. Vehicles may be shown with optional and aftermarket equipment. Features may be offered only in combination with other options or subject to additional ordering requirements/limitations. Dimensions and capacity ratings shown may vary due to optional features and/or production variability. Information is provided on an "as is" basis and could include technical, typographical or other errors. Ford makes no warranties, representations, or guarantees of any kind, express or implied, including but not limited to, accuracy, currency, or completeness, the operation of the information, materials, content, availability, and products. Ford reserves the right to change product specifications, pricing and equipment at any time without incurring obligations. Your Ford Dealer is the best source of the most up-to-date information on Ford vehicles. Body manufacturers are responsible for compliance certification of the completed vehicle. The Ford New Vehicle Limited Warranty and any government certification made by Ford shall cover only the vehicle as manufactured by Ford and shall not extend to any addition, modification or change of or to the vehicle by the Ford Authorized Pool Account.

HD Radio is a proprietary trademark of iBiquity Digital Corp. iPhone and Siri are trademarks of Apple Inc., registered in the U.S. and other countries. MobilityWorks is a registered trademark of WMK, Inc. SiriusXM services require a subscription, sold separately by SiriusXM after trial period. Fees and taxes apply. All fees and programming subject to change. Sirius satellite service is available only to those in the 48 contiguous USA, D.C. and PR (with coverage limitations). Our Internet radio service is available throughout our satellite service area and in AK and HI. Some channels not available in all lineups. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc. The Bluetooth word mark is a trademark of the Bluetooth SIG, Inc. Wi-Fi® is a registered trademark of the Wi-Fi Alliance.®

