

THE TRIUMPHANT 1958 | M P E R I A L





1958 IMPERIAL INTERIORS ... THE WORLD'S MOST LUXURIOUS

This year's Importal instructure are the room boundful in the binary of this truly distinguished automobile. The magnificent jewell-be appearance of the "Diamond Clow" distinguished automobile. The magnificent jewell-be appearance of the "Diamond Clow" in the photograph as the left, the whole instructure numer-braneaite effect is one of great elegence and substity. A write election of smart new instruction of such affects is at your command in the 1908 Importal . . . , the Beaufill two-tone-begin is shown. THERE'S A NEW LOOK OF ELEGANCE
TO THE FINEST EXPRESSION OF

THE FORWARD LOOK... 1958 IMPERIAL

Introducing... Imperial for 1958. Sleek, low, glittering. A car of matchless good looks.

good taste and quality. Of silent, surging, magnificent power. Of silken handling.

Of floating velvet ride. Here it is — in all its splendor. Here is the fine car that has emerged as the foremost preference of knowing people among all fine cars. The beautiful, dramatic

new leader. The finest product of the Chrysler Corporation. The triumphant Imperial.







IMPERIAL CROWN





IMPERIAL LE BARON






AND EVER SO GRACEFULLY GUIDED

Here at the wheel of this magnificent automobile, you feel as if you own the world. No other fine car can touch Imperial for distinction, splendor and performance. The jewel-like instrument panel, for example . . . with its massive sun-shading brow . . . clusters the neatly arranged instruments directly in front of the driver for easy and instant readability. Covering both top and bottom of the panel is harmonizing leather-covered foam padding that softly cushions any contact and greatly reduces sunlight glare. But the elegant yet practical styling of the Imperial is just one of the things that makes it America's new fine ear leader. For when you touch the automatic drive pushbutton and summon Imperial's quiet power, you can feel the true greatness of this remarkable car come alive by the way it surely and confidently moves out front.



The instant you step into the Imperial Crown, you are softly lapped in luxury. You sink into burgant from rubber cushions. Underfoot, there is heavy, magnifectat sylon. carneting. And all around you are elegant, heautiful colors ... migty role blue (chosen bereit ... or smoky beige ... or soft gray ... or gentle green ... in superb broadcloths, with matching supple metallic leathers, marvelous heavy silks and wools designed by Imperial and executed by America's top fabric houses. The soft blending of colors brings a stacious and fashionable look to Imperial ... an effect of complete unity and restful harmony.





1958

IMPERIAL

LE BARON INTERIORS

Imperial LeBaron interiors trium phantly lead the return to elegance. And in the Imperial LeBaron-"flagship" of the triumphant Imperial fleet-you will find the ultimate in luxury and eraftsmanship. Quiet, exquisite colors . . . gentle shades of blue, beige, gray or green (shown here). Soft, smooth wool broadcloths with the faint sheen of silk. Impercable tailoring, Beautiful silvery door panel trim specially designed in our exclusive Imperial styling studies. Interiors, with their smart monochromatic look, accentuate the Imperial body design, surround you with a wonderful sense of space. light and luxury.



1958 IMPERIAL SPECIFICATIONS

BODY STYLES: Imperial—Solan; 2-Door Southampton; 4-Door South-myton. Imperial Cowen-Solan; 2-Door South-myton; 4-Door South-ampton; Convertible Coupe. Le Baron—Sedan; 4-Door South-ampton. ENGIRE—High compression 90° Imperial V-8, airplane-type, with Hemispherical Combastion

airplane-type, with Hemispherical Combustion Chambers and overbrook, laterally inclined valve arrangement, Bore 4.0 in, Stroke 2.9 in, Pitton displacement 329 cm, in, Compession Ratio 10 to 1. Brake horsepower, 345 at 6000 r.p.m. Shiper-type cam ground, per seed hand administration alloy pistons. The rings per piston. Full pressure lubrication. Waterproof ignition, Silicon chemisma steel intake and calaust valves. Paper element air cleaner, New spool-type singinmountings, Eull'Spot oil filter. Twin calaust system

FUEL SYSTEM—Four-burrel carburctor with vacuumcontrolled accondury draft system. Integral automatic choke. Plastic fuel filter in gas tank, ceramic fuel filter at engine. Tank cupacity, 23 gallons.

with two mufflers and two resonators.

chooker results then there in gas tanks, ceramic that miner at engine. Tank expacitly, 25 gallons. COOLING SYSTEM—Thermostatic by-pass control. Six-Moded fan. Fin and tube radiator core. Full-length water jackets around eyilinders. Capacity, 25 quarts ELECTRICAL SYSTEM—I-Zwoh hattery, Tayloar, Ny may, hr. 20 amp, capity generates, I ham Tang Rendr Besidestper, PowerTrip quid, slags, Sodel Seme Seal Heading Sealey, Sealey December Service and Sealey Sealey Sealey Sealey Window Life and 6 Way Power Sext, Imperial Gresson and LeBran quasilises on Imperial, December Sext Massley Life Life, two lighters in care comparisons, Imperial Crosson and LeBranes, Bestin Washey); Gur Life, two lighters in care comparisons, Imperial Crosson and LeBranes, Bestin and Legger Geometrican Life's Perking Robin and Legger Geometrican Life's Perking Robin

TRANSMISSION—Torque-Flite—fully automatic torque converter, with 3-speed planetary gear set. Torque converter ratio 2.3 to 1. Transmission gear ratios —First gear 2.45 to 1; Second gear 1.45 to 1; Third gear 1 to 1. Pushbutton Control located on dash panel to left of steering wheel. Neutral pushbutton starting.

Warning Signal.

DRIVE-Hotehkiss Drive through rear springs.

Hypoid rear axle. Axle ratio 2.93 to 1. SUSPENSION—Independent front wheel suspension with tersion bar sorings, Orillow Shock Absorbers in both front and rear. Tapered-leaf outboard rear springs with interliners and rear axle strut. STEERING—Full-Time Constant-Control Power Steering, with symmetrical idler-arm steering linkage.

From full right to full left, only 3.3 turns of steering wheel. BRAKES—"Total-Contact" hydraulic braking system, with Power Brakes and independent Parking Brake.

Brake diameter 12 in. Two cylinders on each front wheel leake, Cycle-bounded brake Iniaips, Parking Brake actuated by foot pedal—released by control on dash panel. Red warning signal on panel. WHEEL AND TRES—14-incl., box pressure, Rayon Super-Soft-Consiston Turkeless Tires, 9,50 x 13. Safety Rim Wheels. Statiliess Steel Wheel Covers, Rayon

white Sidewall (standard on Le Barou), Nylon white Sidewall or Captive-Air Tires available. DIMENSIONS—Wheelbass 129 inches, Front tread 61.8 inches, rear 62.4. Overall length 225.7 inches, Width 81.2 inches, Height (badel) 56.7 inches, All Colors, Succifications, Equipment and Prices subject

to change without notice and without any obligation on cars already built.

CHRYSLER DIVISION - DETROIT

(with heater).