KING DODGE, INC. 3300 SO. KINGSHISHWAY ST. LOUIS, MISSOURI VE 2-7500

1964 DODGE 880



In 1964, Dodge will mark a half century of building automobiles. From the beginning, the greatness of the Dodge trademark centered on dependability. Dodge motorcars were well-built—carefully-built. It was this kind of dependability that carried General Pershing along the Mexican border in a 1915 Dodge staff car, and established a tradition that has been identified with Dodge through the years.

Today Dodge vehicles are being assembled in several different locations across the country, to meet expanding demands. But no matter where Dodge automobiles are built, the half-century heritage of dependability is evident in careful design, solid construction, and in the individual skills of thousands of proud craftsmen. To each of the men of Dodge, dependability is still as much a challenge as it is a legacy.

This brochure describes the largest and most luxurious of Dodge automobiles—the elegant Dodge 880.



Elegant, Impressive. These are words that describe your first impression of the 1964 Dodge 880 and Custom 880. Styling and finish throughout are impeccable. To drive an 880 is a rewarding experience, the handling and ride are superb. Simply said: The 1964 Dodge 880 is the most elegant automobile ever fashioned by Dodge.

1964 DODGE 880



CUSTOM 880: THE CONVERTIBLE

Here is a car with a definite sports flair that, frankly, makes no apologies about being hig! It is designed for the man who like everything in his motoring hig. The 880's ride is big. Its room is big. So is its luxury, — The 880 offers solid construction, outstanding workmanship and lasting beauty at a traditional Dodge price. Look over the Custom 880's exquisite upholstery. Note how careful hand-fitting gives it a sung, wrinkle-free fit. The entire trim is of a very supple 'unyl—highly resistant to scute cracking or peeling. This permium grade material offers the appearance and luxury of genuine leather, without the major drawbacks. — The power of the 880 is impressive. A choice of two smooth, powerful V8 engines is offered—561 V8 as W8. Either engine may be coupled with standard 3-speed floor-mounted sport shift or the optional push-button automatic transmission. In addition, the more powerful 883 V8 is available with an optional 4-speed manual transmission, all forwards proceeds fully-synchronized. — The Custom 880 is available in a choice of black, white or blue.



STANDARD EQUIPMENT Custom 880 Convertible: Glove hox lockelectric windshied wipers-foun-padded visors [2—ieşar lightermap and courtesy light-pocket panel lamps, rear-parking brake warning light-oil pressure gauge-foll horn ring-turn signalsair foam seat pads, front and rear-rust-protected unitized hordy-stainless steel exterior trim-self-adjusting brakes-seadle classis lubrication 32,000 miles between major grease jobs)—high-output electric alternator-safety-Rin w heels-arifoil windshield wiper blades.







CUSTOM 880: THE HARDTOPS

Luxury surrounds you in the Custom 880... in the way it looks, in the way it's built. The extraordinary ride virtually frees you from the annoyance of lean and sway when turning corners. Moreover, you feel none of the squad on fast starts, not do you experience front-end dip when stopping this car. \square \square the object to the squad of the property of the control of the squad of the



dard 361 V8 engine, despite its high performance characteristics, is still smooth, quiet and satisfyingly economical. It uses regular gasoline, If you choose the optional 383 V8—you're asking for more action. More power to you! Vet, you will discover that the 880 handles such big power with the smooth, effortless grace you deserve in a big automobile. —ji—Gustom 880 hardtops come in two models—2-door and 4-door, Interiors on both hardtop models (all-viny) on the 4-door, yolo and viny) on the 2-door) display the same sporting flair and clean design seen in the Gustom 880 convertible.

STANDARD EQUIPMENT Gustom 880 2-loor & 4-door Hardtops: Glove box lock—elective sindabiled spires—sun visors, right & 161—clarge lighter—map and courtesy light—center dome lamp—parking brake warning light—oil pressure gauge—full horn ring—turn signals foam front seat and—bright metal front seat side shields—armersk, front and rear—tinted glass rear window—runs-protected untitude lody stainless steel exterior trim—ele-flatjusting brakes—seated classis lubrication (32,000 miles between major grease jobs)—high-output electric atterantor—Safet-Nim wheels—airfoil vindebild wiper blades;





CUSTOM 880: THE SEDAN



The Custom 880 for 1964 offers the comfort and sense of well-being that only a large car can give you. The Custom 880's laxury is everywhere about you—from the deluxe noise-absorbing headlining to the deep, thick wall-to-wall loop carpeting on the floor. Lavish use of rich, heavy-grade vinyls and custom all-uplon fabrics typify the superh quality that is yours in the 1964 Custom 880. ||—| Inspect the 880's spacious interior. The remarkable case of entry and exit. Comfortable chair-high seats let you sit up or stretch out and relax. All seats are deeplypadded. The Custom 880's interior is impeccable. Its design, color, and comfort reflect an enduring good tasts.

STANDARD EQUIPMENT Cantom 880 4-foor sedam; Glore how lock—electric wisholished wipers—sun visors, right and GH—cipar ighter—map and courtesy light—center done lump—parking brake varning light—oil pressure sauge—full how ring—turn signals—sir-foam front seat pad—bright metal front seat side shields—armrests, front and rest—ruited glass raw vindow—rust—protected unitized object—stainless select exterior trim—sel-sulgisting brakes—scaled classis indirection (22,000—Safety—Him where a sirrol with the protection of the control of





CUSTOM 880: THE HARDTOP WAGON

Here is a station wagon design that is at once distinctive and highly practical—the Custom 880 hardrop wagon. It provides a cargo deck more than toe freet deep from the back of the front seat to the end of the open taiglach; Custom 880 hardrop wagons have a cargo opening more than 49 inches wide—room enough for just about any kind of load. In addition, the open area created between the side doors, due to the elimination of the center roof pillar, makes the handling of bulky items essier and safer. ——Despite all of its luxury and great size, the Gustom 880 hardrop wagon can go where the going's rough and take a backbreaking load along. Its total cargo capacity: 91.9 cubic feet. Largef It's manmoth! ——Gustom 880 hardrop wagons are offered in two glamorous models: a 2-seat, six-passenger model, and a 3-seat inhee passenger model (with rear fating 3rd seats). So also also seats fold flat quickly and easily, converting your Gustom 880 wagon into a cavernous cargo carrier! ——— The interior of the Gastom 880 hardrop wagon is all-vinyl. The same premium-grade, supple vinjly you will find used throughout the Custom 880 series.



STANARD EQUIPMENT Castons 880 lizadup Wagons; gluve lox beel-becking lugupge compartant il. Sean model—bectiv highly at vindor delt models—destric vindohidd wipers—foun-pudded vines (2)—days lighter—map and courtexy light—two centre done lights, rare ione, in Jeant-model—proxing brieks variant lught—supers of the property of the property of the variant property







DODGE 880: THE SEDAN



The Dodge 880 is second in elegance only to the Gustom 880! In size and mechanical equipment, you will find they are practically identical. It offers you the splendid room, ride, and power of the Custom 880 series, yet is priced lower. The Dodge 880 is one of the finest visible values you will find anywhere. In every respect, the Dodge 880 is a large automobile with a strong sense of value representing a wise and enduring investment.

— [— For the "big car man" looking for a durable, comfortable luxurious automobile—the Dodge 880 sedan has every answer. Big room. Big power. Big in everything but its traditional Dodge price, It's one of the finest family automobile syou could own.

STANDARD EQUIPMENT Dodge 880 4-door sedan; Giove box look -electric windshield wipers-sun visors, fight and left-eiger lighter-center dome lamp-oil pressure gauge-turn signals foam front seat pad-armeress, front and rear-tinted glass rear united glass rear timed glass rear timed glass rear window-rust-protected unitized body-stainless steel exterior time-self-adjusting brakes-scaled chassis lubrication (32,000 miles between major grease jobs)—high-output electric alterna-tor-Safety-Him wheels-airfoil windshield wiper blades.





DODGE 880: THE SEDAN WAGON

By every measure of comparison, the 1944 Dodge 889 station wagon may well be the greatest wagon-buy in Americal This mammodule station wagon accepts zour loads like a bottomies pit. And, it has a reserve of power, the handling ease, and it heavy-duty suspension to take your backbreaking loads almost anywhere. There is suxury and room for people, to—sure the client power of seven time power is suspension to take the properties of the power of t



STANDARD EQUIPMENT Dodge 880 Sedan Wagons: glove box look—looking luggage compartment (2-seat model)—electric aliquet window (3-seat model)—electric windsheld wipers—sun visors, right and left—eigar lighten—two center dome lamps, rear done, in 2-seat model)—oll pressure gauge—turn signals—form front seat pad —armrests, front and rear—rust-protected unitized body—stainless stell exterior time—self-adjusting brakes—sealed classis ludireation (32,000 miles between major gresse jobs)—high-output electric alternator—Safety-Rim wheels—airful windsheld wiper blades.





CUSTOM 880

CONVERTIBLE · 2-DOOR HARDTOP · 4-DOOR HARDTOP · 4-DOOR SEDAN · 4-DOOR HARDTOP STATION WAGONS

DODGE 880

4-DOOR SEDAN · 4-DOOR SEDAN WAGONS

OPTIONS & ACCESSORIES

Standard equipment listings have been included on the reverse side of each 880 model picture. You will note that many "extra" items have already been included at no extra cost. However, the 880 is a highly individual car. You are invited to tailing it to your exact needs with the following optional equipment and accessories.

PUSHBUTTON TORQUEFLITE AUTOMATIC TRANSMISSION. Optional at extra cost on all 880 models. Many automative appears consider this to be the linest automatic transmission in the industry today. Il provides smooth, live action—and enables the engine to deliver a maximum of gasoline economy. Famous Dodge pushbuttons give you safe, positive and convenient operation. Positive-lock transmission sprag, keeper the car from rolling when parked. Special heavy duty components, designed expressly for use with the 880's, insure long, trouble-free operation.

383 POWER-PACK V8. Optional at extra cost on all 880 models. This is one of the hottest production V8's ever built. Naturally, this 383 cubic-inch V8 engine delivers more power than the standard 361 cubic-inch V8. It takes remium fuel. It gives premium performance.

4-SPEED FLOOR STICK, Optional at extra cost on all 880's powered by the 383 V8 engine. Four forward speeds, all fully-synchronized. (Standard manual transmission has 3-torward speeds, only Znd and 3rd speeds are synchronized.) This specially built Dodge transmission adds an exiting sports flair, sepcially to hardrops and convertibles. It provides an extra measure of performance in 880 wegons. Its operation is Societies of the special special power of the special spe

HEATER, DEFROSTER, VENTILATOR. Pushbutton-operated for convenience. Full-flow ventilation of heated or outside air is equivalent of travelling at 30 mph, even when waiting at a light. Dodge-built high-speed axial turbine blower is as quiet as it is powerful.

CUSTOM AIR-CONDITIONING. Optional at extra cost only on Dodge 880's which are equipped with automatic transmission and power steering, Not only cools—but filters air free of dust and pollen, dehumidifies. Degree of cooling and direction of air are fully adjustable. This unit also provides heating and defrosting. As a further option, dual air-conditioning units are available on 880 wagons.

RADIOS. Dodge offers a choice of two exceptionally fine transistor radios for 1964. Both feature pushbutton tuning; (1) A 5½-watt IAM radio with plenty of power to bring in distant stations loud and clear. (2) A new Dodge AM-FM radio, that adds the fidelity and richness of FM to your motoring pleasure. In addition, an loud power is a wall-ble with the contract of the contract

POWER ASSISTS. Power-operated components have come to be regarded as modern conveniences rather than mere luxuries. You can equity your 880 with a full selection of optional power assists. () Power Brakes. The power brakes are presented to the power brakes. The power brakes are presented to the power brakes are presented to the power without a recommendation of the power without a recommendation of the power without and the power brakes are presented to the power brakes are presented to the power brakes and the power brakes are presented to the

CONVENIENCE LIGHTS. Additional lights add safety as well as convenience to your 880. These include (1) automatic backup lights, (2) parking brake, map and courtesy lights (standard on Custom 880), (3) glove box light, (4) trunk compartment light, (5) 2nd rear dome light (standard on all 880 3-seat wagons), optional on all 2-seat wagons.

TO FURTHER PERSONALIZE VOUR NEW 880 the following options are also available—undercoating and fiberglass hook padding—two tone paint (except convertibles)—front bumper guards and rear bumper guards (except wagons)—super spinner wheel covers—safety padded instrument panel—electric clotch—front and rear seat from pad—prismatic rearvise mirror (inside)—outside mirror (regular or remote-controlled)—thinted glass, all around or windsheld only, (Tinted rear windows is standard on 4-door sedans and transmissions)—white sidewall tries—oversize, 85.0 x 16* fires—variable speed electric windsheld wipers.

SPECIFICATIONS

EXTERIOR DIMENSIONS . . . Wheelbase 122". Overall length 214.8" (wagon 216.3"). Overall width 79.0" (wagon 80.0"). Overall height 55.2" (convertible 55.5"; wagon 55.8"). Tread, front 61.0"; rear 59.7".

INTERIOR DIMENSIONS . . . (4-door sedan). Headroom, front 38.0"; rear 37.9". Legroom, front 41.9"; rear 39.3". Hiproom, front 63.8"; rear 62.8". Seat height, front 9.0"; rear 10.9".

ENGINES . . . 361 V8. Standard on all 880 models. Overhead valve, 90° V-type, 8 cylinders. Displacement 361 cubic inches. Bore 4.12°. Stroke 3.38°. Compression ratio 9.0 to 1. Horsepower 265 at 4400 rpm. Torque 380 ff..lbs. at 2400 rpm. Single exhaust. 2-barret carburetor. Uses regular grade asoline,

... 383 V8. Optional at extra cost on all 880 models. Overhead valve, 90° V-type, 8 cylinders. Displacement 383 cubic inches. Böre 4.25°, Stroke 3.38°, Compression ratio 10.0 to 1. Horsepower 305 at 4600 rym. Torque 4101: 1.bs. at 24'00 rym. Single exhaust. 2-barrel carburetor. Uses premium grade gasoline.

TRANSMISSIONS... 3-speed manual. Standard on all 880 models. Gear ratios 3.02 to 1, 1.49 to 1, 1.00 to 1, and 3.34 to 1, reverse. Shifting lever is floor mounted. Axie ratio (including optional Sure-Grip differential) 3.23 to 1. Manual clutch: dry plate, semi-centrifugal. 10.5* in diameter.

. . . 3-speed automatic Torqueflite. Optional at extra cost on all 880 models. Pushbutton operated. Water cooled. Lever actuated parking sprag. Gear ratios 2,45 to 1, 1,45 to 1, 1,00 to 1, and 2,20 to 1, reverse. Axie ratio (including optional Surie-Grip differential) 2,76 to 1, 3,23 to 1 optional with 383 V8.

... 4-speed manual. Optional at extra cost only on 880 models with 383 V8 engine. All 4 forward speeds fully synchronized. Gear ratios 2.66 to 1, 1.91 to 1, 1.39 to 1, 1.00 to 1, and 2.58 to 1, reverse. Shifting lever is floor mounted. Alle ratio (including onlineal Sure-Grid differential) 3.23 to 1.

BRAKES Hydraulic, self adjusting. Bonded brake linings. Effective brake lining area 263.4 sq. in. (287.3 sq. in. in all 880 wagnes).

TIRES . . . $8.00 \times 14^{\circ}$ blackwall rayon tubeless tires standard on all 880 models. $8.00 \times 14^{\circ}$ white sidewall optional on all 880 sedans, hardtops and convertible. $8.50 \times 14^{\circ}$ black-or-white sidewall optional on all 880 wagons.

(6 leaves, 7 in 880 wagons).

ELECTRICAL . . . 12-volt, 6-cell battery, 59 amp/hr rating (70 amp/hr with 383 V8), 35 amp, alternator standard (40 amp with air-conditioning).

CAPACITIES . . . Crankcase 5 quarts. Cooling system 16 quarts (17 quarts with heater). Fuel 23 gallons (22 gallons in 880 wagons).

The policy of Dodge Division of Chrysler Corporation is one of continual improvement in design and manufacture wherever possible to assure a still finer car. Hence, specifications, equipment, and prices are subject to change without notice.

YOUR DODGE DEALER ALSO OFFERS YOU THE STANDARD-SIZE '64 DODGE AND THE COMPACT DODGE DART. PLEASE ASK HIM FOR SEPARATE CATALOGS FEATURING THESE AUTOMOBILES.

