

## Your next car is as much of tomorrow as it is of today.

Your next car can surround you with a fuselage and the concept of the outward curve.
Your next car can have a cockpit, instead of just a seat and a dashboard.
Your next car can create a controlled environment that blots away the murmur of road and wind, leaving an enclosure of quiet luxury.
A place where miniature memory systems complement your every driving habit. Your next car can be any of 15 choices.
But only one shape.
And your next car is one you can comfortably afford. Your next car: one of the great new Chryslers.





Town & Country: pages 10-13



Three Hundred: pages 14-19



Newport Custom: pages 20-25



Newport: pages 26-33



### The New Yorker.



## Your next car can be a member of the most elegant Chrysler series.

elegant Chrysler series.

Whether your next car is the New Yorker
4-door hardtop above, or one of 14 other
Chryslers, it will have the concept of the
fuselage. A body and frame that are one:
molded into a smooth, continuous line that
curves up around you. Just close the curved
side windows and the arc is complete. From
under the entry sill to overhead.
Inside each New Yorker, you can expect
certain appointments as a matter of course.
Up to 14 miniature lighting devices are
positioned throughout the cockpit. Including

Up to 14 miniature lighting devices are positioned throughout the cockpit. Including an ignition switch light activated by simply opening either front door.

The perimeter of the cockpit is fitted with simulated deep-rubbed walnul-grained trim to complement interior upholstery materials of Jacquard-weave nylon, Coachman-grain vinyl, or optional natural-toned leather.

#### The controlled environment in your next car.

Your next car can isolate you from road shock heat wind water and noise Its curved soundproofed cocknit brushes away the strains of outside elements. Carneting underfoot

and along the door panels muffles sound A torsion-bar front suspension system and nearly 1000 feet of spring wire deep inside New Yorker seats transform the humpiest road into a tranquil experience.

Optional automatically controlled air conditioning assures a constant flow of cool filtered air at the same temperature - mile upon mile.

A unique entional system of "stereo heat" envelops each passenger with a precisely measured quantity of filtered warm air through a network of outlets in both front and rear passenger areas And your next car can have an optional Driver Awareness Package that monitors your driving habits. reminds you: "FASTEN BELTS." "LOCK DOORS." "HEADLIGHTS ON."

Your next car: a quiet constant place where machine relates to man — never vice versa.











From this vantage point, you direct the operation of your next car. Under you. New Yorker's Juxuriant 5-foot-wide seat, sheathed in fine-weave upholstery and vinyl, and padded with two layers of thick foam. To your right, the support of a 9-inch-wide center armrest. To your left, the outward curve of the fuselage completes the radius of the cockpit and gives you more freedom of movement: extra inches of body width inside the curve. At eye level, the instantly-read gauges. A trip odometer. The quadrant of the New Yorker's standard TorqueFlite automatic transmission. And through it, the pulse of a 440 cubic inch V-8. The reflex of improved power steering, made smoother, more effortless, by the use of sintered metallic components. And the security of power brakes.



New Yorker Buyer's Guide / Standard Equipment - Control & Performance: 440 cu. in. V-8 with 4-barrel carburetor, 450 hp, silenced air Cleandr, single exhaust remission control - Torquefile 3-speed automatic transmission - 70 amp/hr. battery - Power steering - Power brakes - Torsion-Aire suspension - Self-adjusting brakes - \$55 x 15 trees

Safety: See complete list on page 34
Lighting: Door-actuated interior lights

Dome light • Time-delay ignition switch
light • Glove box light • Map and courtesy
light • Trunk light • Twin ashtray lights

(front)
Instrumentation: Speedometer Odometer - Tripometer - Fuel gauge Alternator gauge - Oil pressure indicator
light - Coolant temperature lights - Highbeam indicator light

Seam indicator light: Tesh air healer with defresers (4 blower speeds) - Glove box - Electric clock - Instrument panel appliqual with the lock of walnut - Pleasted cidth-and-vinyl bench seats with folding models; front ameries only in 2-door models - Foam-padded seat cushions, front and rear - Door-la-door carepting - Carpeted lover door thin panels - Two Carpeted lover door thin panels - Two models; front and rear - Door-la-door carepting - Carpeted lover door thin panels - Two models; front and rear - Door-la-door carepting - Carpeted lover door thin panels - Two models; front and rear - Door-la-door carepting - Carpeted lover door thin panels - Two models; front and panels; front - Two models; front and panels; front - Two models; front -

Exterior features: Fender-mounted turn signal indicators - Weather-protected door locks - Body accent paint stripes - Wraparound bumpers with integrated styling - Undercoating and hood insulator pad - Fully carpeted trunk - Wheel cowers

Optional Equipment - Control & Performance: 440 cubic inch TNT V-8 with 4-barrel carburetor, high-performance camshaft, twin exhausts, and twin-snorkel air cleaner - 46 amp, alternator (std. with air cond.) - Sure-Grip differential - Automatic Speed Control - Power front dis-

Trailer-towing package: For towing loads from 2500 pounds up to 5500 pounds · See page 34 for complete list Safety: Rear seat shoulder belts · Front seat head restraints

Lighting: Cornering lights - Safeguard Sentinel Lighting and automatic headlight dimmer - "Fasten belts" reminder light - "Lock doors" reminder light - "Headlights-on" warning signal

Interior features: Airtemp air conditioning with heater . Auto-Temp automatic control • All-vinyl contoured bucket seats with passenger recliner & folding center cushion armrest (2-dr. models) Cloth-and-vinyl, all-vinyl, or leather 3-in-1 divided front seat with passenger recliner and individual armrests (4-door models only) . Center console with simulated walnut paneling and lockable storage compartment . 6-way power front seat adjusters - Power window lifts - Power vent windows - AM pushbutton radio - AM/FM Touch Tuner Radio with foot button control - AM/FM Stereo Multiplex Radio with remote speakers and 8-track stereo tape unit - AM radio with 8-track stereo tape unit complete with remote speakers • Front power-operated antenna • Rear seat speaker • 7-position Tilt-A-Scope steering wheel • Electric door locks • Rear window defogger • Rear seat heater with defroster system

Exterior features: Tinted glass Romote trunk release - WSW tires - Deepdish wheel covers - Right-hand outside
rear-view mirror - Two-tone paint - Vinyl
roof covering - Front bumper guards
- License plate frames - Spare tire cover
- Door edge protectors

For a complete options list, consult your Chrysler dealer.





## **Town & Country.**



#### Your next car: it can be the world's best equipped station wagon.

Extend the concept of the curved fuselage-frame over the greater length of a station wagon body.
Then, stretch beautiful, scuff-resistant, Cherrywood vinyl applique

paneling from integral front bumper to the new double-action tail gate.

Add 3-speed concealed windshield wipers. Broaden the track 3 inches to increase the width of the carpeted cargo area. Install larger 8.85 x 15 tires.

And, at the rear of the roof, design an airfoil vane that accelerates the air over the electrically-operated rear window, keeping dust and dirt from collecting on it when it's up, or exhaust fumes from entering the rear passenger area when it's down.

Offer a 2-seat model with more than 102 cubic feet of cargo capacity, including an under-floor storage compartment. Or a 3-seater with rear-facing third seat for extra passengers. Either has easy access via the new doubleaction tail gate that opens out—or swings down.

Make power steering standard. And power brakes. And a 3-speed TorqueFlite automatic transmission. And a 383-cubic inch V-8

that delivers 290 horsepower from regular fuel.

How could you improve on this long list of standard Town & Country features? Just turn the page.



Town & Country Buyer's Guide/Standard Equipment - Control & Performance: 33 on in. 1-8 with 2-barrel carbureted by public of the control of t

Safety: See complete list on page 34
Lighting: Door-actuated interior lights

• Time-delay ignition switch light • Map
and courtesy light • Glove box light •
Front and rear dome lights

Instrumentation: Speedometer Odometer - Tripometer - Fuel gauge Alternator gauge - Oil pressure indicator
light - Coolant temperature lights - High-

Interior features: Power tall gate window - Heater with defroster (4 blower speeds) - Glove box - Instrument appeads) - Glove box - Instrument All-winy bench seats with front seat center armest - Foam-padded seat cushlons; front and rear - Door-to-door carpeting cargo deck - Stalniess steel cargo skid strips - Lockabe 10 cubic foot hidden storage compartment (2-seat models controlled to the controlled of the controlled controlled to the controlled of the controlled circular home ring and padded "delta-

shaped" hub
Exterior features: Aerodynamic rear
roof wind deflector - Simulated wood
body-side and rear ornamentation (may
be deleted) - Stainless steel wheel covers
- Double-action tall gate - Weather protected door locks - Fender-mounted turn
signal indicators - Wraparound bumpers

Optional Equipment - Control & Performance: 383 cubic inch V-8 with 4-barrel carburetor, twin exhausts - 440 cubic inch "Special Wagon" V-8 with 4-barrel carburetor, 350 h, twin exhausts - Sure-Grip differential - 70 amp/hr. battery (std. with 440 engine) - 46 amp, alternator (std. with air cond.) - Automatic Speed Control - Power front disc brakes

Trailer-Towing Package: For towing loads from 2500 pounds up to 5500 pounds. For a complete list of components, see page 34 Safety: Rear shoulder belts • Front

seat head restraints
Lighting: Cornering lights - Safeguard Sentinel Lighting and automatic
headlight dimmer - "Fasten belts"
reminder light - "Lock doors" reminder
light - "Lock doors" reminder
light - "Lock doors" reminder
light - "Lock doors" reminder
light - "Italiant grand light some varning signal
lastrumentation: Electric clock
Interior features: Airtemp air condi-

Instrumentation: Electric clock
Instrumentation: Electric clock
Inding with healter (single or dual until Auto-famp automatic control - ClothCloth and the control - Clothseat with passenger recliner and individual armests - 6-way power front seat
with passenger recliner and individual armests - 6-way power front seat
with control of the control of the control

AM/FM Touch Tourner Radio with 6-fact

More and passenger and district

Steme Lago unit - AM radio with 6-fact

Steme Lago unit - AM radio with 5-fact

Steme Lago unit with mende speakers and

Steme Lago unit with mende speakers

Lion Till-ACope steering wheel - Delates

certing wheel with full from ring - Elec
steme Lago unit with full from ring - Elec
steme Lago unit with full from ring - Elec-

tric door locks - Carpet protection masts
Exterior Features: Rear window
Tinted glass - White sidewall tires - Dooredge protectors - Deep-clish wheel covers - Remote control outside mirror (left side) - Root
loggage rack with adjustable tie-down bar
side) - Outside mirror (right side) - Root
loggage rack with adjustable tie-down bar
guards - Rear step pads - Lionese piate
frames - Undercoating and hood insulator
ad - Tail gate south plate/step pad (std.)

For a complete options list, consult your Chrysler dealer.





#### The difference between hardtop and convertible: little.

The canopy gone. The cockpit remains. A rocker switch touched, the nylon top retracts, The rails slide silently behind the rear seat-not alongside it. The result: a rear passenger area stretching nearly a foot wider.

The front seat gives way to individual pleated-and-pillowed bucket seats with center cushion and armrest.

An optional floor console can divide them.

A power system can be added to adjust them six ways. Then, a passenger recliner. On the exterior of the hardtop or convertible, a curved, stressed skin.

Smooth, unencumbered lines. A minimum of chrome.







The hardtops: more than one cockpit to choose from. Choose either the 2-door hardtop or the more spacious 4-door below. In either, those convertible vinyl bucket seats are standard fare. Together with outward curving sideglass, soundproofed ceiling, and curved instrument control board, they comprise Cockpit One. Cockpit Two-your choice of the optional foam padded, deep pleated seats shown above. A fold-down center armrest is part of the arrangement, whether you select cloth-and-vinyl, or all-vinyl. Specify either and they stretch more than 5 feet between the outward curves of the cockpit. Across the instrument cluster, a battery of rocker and thumbwheel

switches in a panel ornamented with brushed aluminum. Surrounding each passenger, 1, 2, or 5 optional music speakers. For the longer distance, an optional padded steering wheel that telescopes -and tilts to 7 angles.



Chrysler 300 Buyer's Guide/Standard cu in V-8 with 4-harrel carburator 350 cu. in. V-8 with 4-barrel carburetor, 350 system • Cleaner Air System • Torque-Flite 3-speed automatic transmission • 70 amp/hr. battery . Torsion-Aire suspension • Self-adjusting brakes • 8.55 x 15 tiron

Safety: See complete list on page 34 Lighting: Door-actuated overhead courtesy light (except convertible) - Time-delay ignition switch light - Turn signal indicator lights

indicator lights
Instrumentation: Speedometer •
Odometer • Tripometer • Fuel gauge •
Alternator gauge • Oil pressure indicator light • Coolant temperature lights • Highbeam indicator light

Interior features: Heater with defroster (4 blower speeds) • Glove box • All-vinyl contoured bucket seats with center cushion armrest . Foam-padded seat cushions, front and rear . Door-todoor carpeting • Two rear seat ashtrays
• Crank-type yent windows • 3-snoke steering wheel with semicircular horn

Exterior features: Power - operated concealed headlights - Weather-protected door locks - Full-length triple body accent paint stripes - Wraparound humo ers with integrated styling . Wheel

Optional Equipment - Control & Per-formance: 440 cubic inch TNT V-8 with 4-barrel carburetor, high-performance camshaft, twin exhausts, and twin-snorkel air cleaner • 46 amp, alternator (std. with air cleaner • 46 amp, alternator (std. with air cond.) • Front power disc brakes • Power steering • Power brakes • Trailer-Power steering - Power brakes - Trailer-towing package (see page 34) - Sure-Grip differential - Heavy-duty suspension and brakes - Automatic Speed Control Safety: Rear shoulder belts (except

convertibles) • Front seat head restraints Front seat shoulder belts (convert, only)
 3-speed electric windshield wipers \* Recessed-center steering wheel with padded hub

padded hub
Lighling: "Fasten belts" reminder
light - "Lock doors" reminder light "Headlights-on" warning signal - Cornering lights - Safeguard Sentinel Lighting
and automatic headlight dimmer - Glove box light • Trunk compartment light • Map

and courtesy light
Instrumentation: Electric clock
Interior features: Airtemp air conditioning with heater - Auto-Temp automatic control . Cloth-and-vinyl bucket seats, passenger recliner, and center cushion armrest (except convertibles) All-vinyl or cloth-and-vinyl bench front seats with pull-down center armrest (except convertibles) . Center console with lockable storage compartment . 6-way power front seat adjusters . Power windows - Power vent windows - AM push-button radio - AM/FM Touch Tuner Radio with foot button control . AM/EM Stores Multiplex Radio with remote speakers and 8-track stereo tape unit · AM radio with 8-track stereo tape unit with remote speakers • Front power antenna • Rear seat speaker • 7-position Tilt-A-Scope steering wheel • Deluxe steering wheel with full horn ring • Electric door locks • Rear window defogger (except convert.) Carpet protection mats - Rear seat heater with defroster system (except convertible)

Exterior features: Vinyl roof covering (except convertible) - Tinted glass - Remote trunk release - White sidewall tires . Deep-dish wheel covers . Righthand outside rearview mirror . Remote control outside rearview mirror (left) . Fender-mounted turn signal indicators • Front bumper guards . License plate frames . Trunk carpeting with spare tire cover . Undercoating and hood insulator

For a complete options list, consult your Chrysler dealer.





#### Your next car: it can take on the feel of a library or den.

It can have a quiet, do-not-disturb atmosphere throughout.

The door that closes almost inaudibly on new safety latches. The sounds of a standard 383 cubic inch V-8 muffled by more than 50 pounds of soundproofing surrounding the cockpit. An ashtray at hand for each passenger. An armrest at the center of each richly appointed front seat. Obtional funted class to darken the sun.

FM stereo music through five hidden speakers. A rear seat heater. Air conditioning. Silent

In short, there's almost no limit to the way you can personalize your next car.



# A closer look at the cockpit. Because of the fuselage's outward curve, there's more space to stretch out in. 4 inches more shoulder room. 6 inches more hip room. A foam-padded front seat of deep-pleated cloth-and-vinyl For driver and single passenger, a wide center armrest folds down to create the effect of individual seats. The driver commands a line of sweeping visibility. And controls the Newport Custom with the flick of a switch. The touch of a lever. Power-assisted brakes are optional. Power steering may be specified. A 440 cubic inch V-8 with 480 foot-pounds of torque can replace the standard "383": a TorqueFlite automatic transmission in lieu of a 3-speed manual transmission.



Newport Custom Buyer's Guide/Stand-ard Equipment - Control & Performance: 383 cu. in. V-8 with 2-barrel carburetor, 290 hp. silenced air cleaner, single exhaust system • Cleaner Air System • 3speed manual transmission • 59 amp/hr. battery . Torsion-Aire suspension . Selfadjusting brakes • 8.55 x 15 tires

Safety: Dual braking system . Energy-absorbing front seat backs . Energy-absorbing front seat backs -Energy-absorbing steering column - Pad-ded instrument panel and sun visors -Roadside Warning flashers - Parking and brake system warning light - Side mark-ers - Inside Day/Nite mirror with Salety-Action arm • Outside mirror (left side) • Lap belts, front and rear . Front seat shoulder belts . Front seat back-latches (2-door models) • Front seat belt retrac-tors • See complete list on page 34

Lighting: Door-actuated overhead Instrumentation: Speedometer .

Odometer • Tripometer • Fuel gauge •
Alternator gauge • Oil pressure indicator light . Coolant temperature lights . High-

beam indicator light Interior features: Heater with defroster (4 blower speeds) • Glove box • Cloth-and-vinyl bench seats with pulldown front center armrest . Foampadded seat cushions front and rear . Door-to-door carpeting • Crank-type vent windows . 3-spoke steering wheel with semicircular horn ring

Exterior features: Weather-protected door locks • Full-length body accent paint stripes . Wheel covers

Optional Equipment - Control & Per-formance: 383 cubic inch V-8 with 4-barrel carburetor, twin-snorkel air cleaner. twin exhaust system • 440 cubic inch TNT V-8 with 4-barrel carburetor, high-performance camshaft, twin exhausts, and twin-snorkel air cleaner . TorqueFlite 3-speed automatic transmission • 70 amp/hr. battery (std. with 440 engine) . 46 amp. alternator (std. with air cond.) . Touch-and-Turn lane changer • Power disc brakes up front • Power steering • Power brakes • Trailer-towing package (see page 34) • Sure-Grip differential • Heavy-duty brakes and suspension • Safety: Front seat head restraints .

Rear seat shoulder belts . 3-speed electric windshield wipers - Recessed-center steering wheel with padded hub

Lighting: Cornering lights - Safe-guard Sentinel Lighting and automatic headlight dimmer - Glove box light -Trunk compartment light - Map and courtesy light

Instrumentation: Electric clock Interior features: Airtemp air condi-tioning with heater - Auto-Temp auto-matic control - Cloth-and-vinyl or all-vinyl 3-in-1 divided front seat with passenger recliner, individual armrests (4door models) . All-vinyl bench front seat ador models - All-Vinyl bench front seat with pull-down center armest - 6-way power front seat adjuster - Power window lifts - Power vent windows - AM push-button radio - AM/FM Touch Tuner Radio with foot button control - AM/FM Stereo Multiplex Radio with remote speakers and 8-track stereo tape unit • AM Radio with 8-track stereo tape unit with remote speakers • Front power antenna • Rear speakers - Front power antenna - Rear seat speaker - 7-position Tilt-4-Scope steering wheel - Deluxe steering wheel with full horn ring - Electric door locks -Rear window defogger - Rear seat heater with defroster system - Carpet protection

Exterior features: Vinyl roof covering · Tinted glass · Remote trunk release · White sidewall tires . Deep-dish wheel covers . Fender-mounted turn signal indicators • Remote control outside rear-view mirror (left-hand) • Right-hand outside rearview mirror • Front and rear custod rearriew mirror - Front and rear bumper guards - License plate frames -Trunk carpeting with spare tire cover -Undercoating and hood insulator pad Door edge protectors - Two-tone paint For a complete options list, consult



your Chrysler dealer.



#### Your next car: sometimes, the improvements are best measured in extra inches.

The 1969 Newport. Like all the great new Chryslers, 5 inches longer.

The trunk is now large enough to hold 8 suitcases. Instead of 7. The engine, more accessible.

The front passenger area: 3 inches wider. And because there's a new seat track for our optional 6way power seats, you can have an added inch of head room.

The wheelbase: at 124 inches, as much as 6 inches longer than the smaller cars'. And those extra inches translate into a smoother ride, surer footing, and more positive handling.

translate into a smoother ride, surer footing, and more positive handling.

The optional Till-A-Scope steering wheel. It adjusts in and out 2½ inches.

Up or down to 7 different driving angles, each 5 degrees apart.

Extra inches.

A very quick way to measure how much more your next car can be.







#### Newport's seat: a good example for some other cars to follow.

To make its steel support frame comfortable for passengers to sit on, the standard Newport seat goes to quite some lengths.

Tiny, intermeshed steel spring elements wind across all 5 feet of seat-frame.

Then, once the seat shape has been formed by this web of wire, a layer of thick foam padding is added.
Then, you can specify another layer.
And finally, an elegant sheath of Jacquard-weave cloth-and-vinyl upholstery covers the whole seat.

Then, from any seat in your next car, a passenger can relax in cushioned comfort. Either front seat passenger can lock all doors simply by pushing down on an optional electric door lock button. The driver can see through a clear rear window thanks to an optional rear window defooder.



Newport 4-Door Hardtop in Platinum



#### The cockpit: more than just a seat and a dashboard.

The seating in this curved gallery was designed three times. By the stylists. By engineers. By scientists.

The result is a seating structure that is soft where it should

The result is a seating structure that is soft where it should be, firm where it must be.

The control board recessed into a curved instrument panel holds a complex of standard and optional memory systems.

Systems that blink, buzz, and brighten as they monitor speed, safety

equipment, and engine operation.

Systems like an optional Safeguard Sentinel Unit that can keep headlight beams on for 60 seconds to brighten the path to your front door — then shut off automatically.

Systems like the unit deep inside the optional Auto-Temp air conditioning that cuts in and out automatically to maintain a pre-selected cockpit temperature even when the climate takes a sudden turn outside.





Your next car: the first "6-passenger" convertible to really make room for 6 passengers.

The lowest priced Chrysler convertible, too. Which makes it an attractive combination of "wind-in-vour-hair" style and practical pricing.

Room for 6, plan 1: a standard front seat of all-vinyl. 60 inches wide.
Or, room for 6, plan 2: optional pleated vinyl bucket
seats (shown opposite) for front passengers, complete with center
cushion that adds a third seating space up front.

To make the necessary room in back, there's a completely redesigned convertible top. Power operated, its rails fold down in a well behind the rear seat, not alongside it. So, there's an added 10 inches of shoulder room that couldn't be there before. Two more plusses for the Newport convertible owner—new safety-designed convertible top latches are flush-mounted in the windshield header, and the new expanded vinyl top boot features concealed fasteners for a smoother, more-tailored, annearance.

And the Newport convertible is still priced just a few dollars a month more than the most popular smaller convertibles, comparably equipped.



Newport Buyer's Guide/Standard Equipment - Control & Performance: 33 cu. in. V-8 with 2-barrel carburetor, 290 hp. silenced air cleaner, single exhaust system - Cleaner Air System - 3-speed manual transmission - 59 amp/hr. battery - Torsion-Aire suspension - Self-adjusting brakes - 8.55 x 15 tires

Safety: See complete list on page 34 Lighting: Door-actuated interior lights - Time-dolay ignition switch light instrumentation: Speedometer - Odometer - Tripometer - Fuel gauge - Alternator gauge - Oil pressure indicator light - Coolant temperature lights - High-

beam indicator light interior features: Heater with defroster (4 blower speeds) - Glove box - Cloth-and-vinyl bench seats (except convertible) - All-vinyl bench seats with pull-down front center armest (convertible) - All-vinyl bench seats with pull-down front center armest (convertible only) - Door-to-door carpeting - Two rear seat ashtrays - Crank-type vent windows - 3-sooks steering wheel with

semicircular horn ring
Exterior features: Weather-protected
door locks - Wraparound bumpers with
integrated styling - Wheel covers

Optional Equipment - Control & Performance; 383 ct. in. V. 8 with 4-barrel carburstor, twin-snor/fixl air cleaner, twin exhaust system - 440 cubic inch TNT V-8 with 4-barrel carburstor, high-perforance cambalf, twin exhausts, and twinmance cambalf, twin exhausts, and twinautomatic transmission - 70 amp/hr. baltury (std. with 40 engine) - 48 amp. alternator (std. with air cond.) - Touch-and-Turn lane charger - Front power disc Turn lane charger - Front power disc Sure-Grip differential - Heavy-duty brakes and suspension - Automatic Speed Con-

and suspension - Automatic Speed Control - Trailer-towing package: see page 34 Safety: Front seat head restraints -Front seat shoulder belts (conv. only) -Rear seat shoulder belts (except conv.) - 3-speed electric windshield wipers -Recessed-center steering wheel with padded hub

padded hub
Lighting: "Fasten belts" reminder light
Lighting: "Fasten belts" reminder light
Light seaming signal of the property
light seaming signal of the property light
light seaming seaming signal of the property light
light seaming seami

Instrumentation: Electric clock Instant Features: Alterney air conditioning with header - Auto-Temp sub-Conditioning sub-

ions (all-viny) bench and Ducest easily classes (except corvertible) - Tinied glass - Remote trunk release - WSW tires - Door-edge protectors - Deep-dish wheel covers - Fender-mounted turn signal indicators - Remote control outside mirror (left protectors) - Remote protectors (left protectors) - Remotectors (left protectors) - Remotectors (left protectors) - Remotectors (left protectors) - Remotectors (left protectors) - Remot

For a complete options list, consu your Chrysler dealer.



#### Your next car-specifications and measurements

spark at idle.

exhaust systems.

The body is one piece-a unit of welded structural steel frame memhers body braces, sills, and metal panels. Over 5,000 individual welds produce a Unibody of unusual strength-and silence. Each welded Unibody is dinned and sprayed 6 times in a series of cleansing. rinsing, and rust-inhibiting

engines are advanced-design over-

head valve V-8s. Fuel burning

num, with steel struts for heat

efficiency is obtained by using

wedge-shaped combustion cham-

bers. Pistons are lightweight alumi-

expansion control. Connecting rods

and crankshaft are of forged steel.

Tappets are operated hydraulically,

rotate to equalize wear and provide

system-one for front wheels, the

other for rear wheels. Each system

pressure loss develop in the other.

ever they are applied while the car

Chrysler brakes self-adjust when-

Newports and Newport Customs,

234.1 sq. in, for 300s, New Yorkers,

ontional on all models. Total swent

to cables that apply the rear wheel

brakes. A signal light notifies the

fuel-air mixture in combustion

The parking brake is connected

serves as a back-up should a

is backing up. Effective drum

assisted front disc brakes are

area is 392.8 sq. in.

All Chryslers have a dual braking

Exhaust valves of hardened alloy-

steel are heat-resistant, and they

extended valve life. Mufflers and

tail pipes on all engines are

(See engine chart below.)

aluminized to resist corrosion.

Chrysler's radiator and block including heater, have a full 17 quart chemical baths. A 7th step is immercoolant capacity (18 quart with 440 sion in a special corrosion-resistant engine) A thermostatic by-pass primer that covers both inside and control and pressure vent radiator outside of all lower body sheet metal cap regulate temperatures autoand structural members

Chrysler's standard and optional

Chrysler's 12-volt battery is rated at 59-ampere-hours (70ampere-hours with 440 engine). Alternator is rated at 37 amperes Circuit breakers keep vital electric units operating even when "shorting" wipers are powered by either a 2-speed or an optional 3-speed motor. (3-speed standard on New Yorker and Town & Country )

· An altered distributor that retards

· A modified carburetor which gives

· Modifications to the combustion

chamber design, induction and

lean fuel/air mixture at idle.

An automatic choke and mechanical fuel pump govern the fuel flow on all Chryslers. Tank capacity: 24 gallons on Town & Country; 23 gallons on all other models.

There are 2 fuel filters-a woven plastic 40 micron filter in the gasoline tank and a replaceable 15 micron paper filter in the fuel line between the fuel pump and carburetor.

A smooth 3-speed manual transmission is standard on Newports and Newport Customs, Second and brake lining area is 223.4 sq. in. for third gears are synchronized for smooth, quick upshifting. Synchronizer springs are stainless steel. Outside clutch diameter is 11 inches. and Town & Country Wagons, Power-A permanently lubricated ball bearing serves as the release bearing. The TorqueFlite automatic 3-speed transmission is standard on Town & Country, 300, and New Yorker, optional on Newport and driver when the parking brake is on. Newport Custom. TorqueFlite's A more complete burning of the torque converter combines with a balanced 3-speed gear assembly to

provide consistently smooth and

and smoother operation.

economical shifting. Special trans-

mission oil installed at the factory

pension consists of 2 independent chrome-steel torsion bars up front. and leaf springs in the rear. The result is a flat, even, responsive ride in all driving maneuvers. A stabilizer bar in front helps the body resist lean.

Chrysler's Torsion-Aire sus-

Diagonally-mounted struts reinforce the front wheel lower control arms. These arms are slightly angled to prevent front-end dive during hard braking. Shock absorbers are hydraulic, double-action type. The 51/2 asymmetrically-mounted rear cushion leaf springs (41/2 on Newports and Newport Customs) resist rear-end squat on acceleration. A new Sure-Grip differential, optional on all models, provides traction on

slippery or rough surfaces. Tires: Town & Country, 8.85 x 15. All other models, 8.55 x 15, Rims: Town & Country, 61/2 inches. New Yorker, 6.0 in. All other models.

#### Trailer-Towing Package

Your Chrysler is built strong enough to pull up to 2,500 pounds. A trailertowing package, available as an option, permits towing up to 5,500 pounds TorqueFlite transmission and a frame mounted load-equalizing hitch are required. The components provided in the trailer-towing package are:

 Maximum Capacity Cooling System: high capacity radiator. larger transmission-oil cooler, 7 blade fan fan shroud . Heavy-Duty Brakes: manual adjusting, 11 x 3-inch drums, front and

rear. Special fade-resistant linings. 255.4 sq. in, of effective bonded lining area. Heavy-Duty Suspension: heavyduty torsion bars, large diameter sway bar, heavy-duty rear leaf

springs, high control shock Wide Safety-Rim Wheels: heavy-

duty rims, 61/2-in, in Town & Country, 6.0 in all other models

. Heavy-Duty Performance Axle: 3.23 to 1 ratio.

 Heavy-Duty Turn Signal Flasher. provide easier cold-weather starting . Heavy-Duty Stop Lamp Switch: increases switch life.

#### Chrysler Standard Safety Features

For 1969 Chrysler has met or exceeded the more than 50 Federal safety standards established in 1968 and will do so with those set for 1969. Among the safety features

in 1969 Chryslers are these: Windshield wiper system with an articulated left blade which clears a substantially greater glass area in front of the driver than conventional

. Dual Braking System. · Padded instrument panel and

sun visors. Ignition key switch located to left. of steering column, not exposed to

knees of unrestrained passengers. . Dual-Ridge Safety-Rim wheels. Energy-absorbing front seat backs.

 Car operating and accessory controls grouped close to the steer ing column for easy accessibility.

· Roadside Warning flashers. · Parking and brake system warning

· Side markers

· Turn signal indicator lights. · Back-up lights. · Aerodynamic wind reflector on

roof of station wagons to keep tail gate window clear. · Outside mirror (left side).

. Inside Day / Nite mirror with Safety-Action Arm · Soft window control knobs.

 Safety-Action inside door handles. . Folding top linkage for convertibles designed to minimize exposure of

sharp edges and protrusions. . Lap belts, 3 sets front, 3 sets rear, and 2 in 3rd seat of wagons

. Shoulder belts, left and right front (except convertible). Windshield defroster and defogger · Glare-resistant finish on reflecting

 Inside door-locking push buttons on all two door models-located forward for easy access to driver and

front seat passenger . Non-override door locks on all

doors except driver's

· Interlocking safety door latches. Multispeed electric windshield wipers and electric windshield wachare



To keep your Chrysles in top condition have it serviced by the man who known it bentlember Chrysler Dealer.

chambers, as provided by the Cleaner Air System, results in a reduction of unburned hydrocarbons and carbon monoxide concentrated in the stays thin at low temperatures to exhaust system. The System consists

#### 1949 Fnoine Availability

		ENGIN	MODEL						
Displace- ment	Carb.	Camshaft	Comp. Ratio	Air Cleaner	Exhaust System	Newport & Newport Custom	300	Town & Country	New Yorke
383	1, 2-bbl.		9.2	Silenced	Single	Std.		Std.	
	1, 4-bbl.	256-260-32	10.0	Double Snorkel	Dual	Opt. (a)	•	Opt.	
440	1, 4-bbl.	256-260-32	10.1	Silenced	Single		Std.		Std.
				Double				Opt.	
		268-284-46		Snorkel	Dual	Opt.	Opt.		Opt.

#### Major Dimensions-1969 Models

	EXTERIOR							INTERIOR							
	Wheel Base	Track			Overall		Effective Head Room		Seat Height		Leg Room		Shoulder Room		Knee
		Front	Rear	Length	Width	Height (a)	Front	Rear	Front	Rear	Front	Rear	Front	Rear	Room
Newport Newport Cstm.	124	62.1	60.7	224.7	79.1	56.3	38.7	37.9	1000	11.5	41.8	42.2	63.4	63.2	8.2
300 (4-Door Hardtop)						55.6	38.1	37.2						63.2	8.2
New Yorker						56.3	38.6	37.9						62.8	7.4
Town & Country	122	62.1		224.8 2-Seat & 3-Seat	79.1	57.9	39.6	40.2	9.2	11.9	41.8	39.4	63.4	62.8	5.7
(a) Estimated at design loa	d.	3000					700				1000	11.00	10000	1	Pier

#### Exterior Colors:

- A Platinum
- B Bahama Blue Metallic
- C Jubilee Blue Metallic D Dark Briar Metallic
- E Surf Green Metallic
- F Avocado Metallic G Jade Green Metallic
- H Sandalwood
- I Aquamarine Metallic
- I Crimeon
- K Bronze Mist Metallic L Burnished Bronze Metallic
- M Tuscan Bronze Metallic N Spinnaker White
- O Formal Black
- P Antique Ivory
- Q Classic Gold Metallic Charcoal Metallic (Not illustrated)

#### **Vinyl Roof Coverings:**

- R Black S Antique White
- T Antique Green U Champagne

#### Paint Stripes:

- V Black W Red
- X Green Y White
- Z Blue









# **CHRYSLER**

