

MERCURY. PASSWORD FOR ACTION IN THE 70's.

CYCLONE SPOILER
CYCLONE GT
CYCLONE
COUGAR ELIMINATOR



Spoiler & GTT

the excitement of Spoiler. Hot 370-horsepower CJ 429 . . . biting tires . . . Ram Air induction. It's all there. And you're with it. Spoiler is Muscle Mercury all the way. Spoiler . . . the strongest and toughest Cyclone this side of sanctioned racing.

Standard equipment includes: 370-horsepower CJ 429-4V V-8 • Ram Air induction • 4-speed transmission with Hurst Shifter* • Traction-Lok differential with 3.50:1 axle • Competition handling package • G70 x 14 traction belted tires • Front anti-lift spoiler • Rear deck airfoil spoiler • 140-mph speedometer • 8000-rpm tachometer, oil pressure, engine temperature, and ammeter gauges • Hi-back bucket seats • Racing mirrors

Optional equipment includes: 375norsepower Super CJ 429-4V V-8

• Boss 429 (street version) • Select-Shift
ransmission • Drag Pak • Super Drag Pak

• 3.91:1 axle • 4.30:1 axle • For complete information see pages 14-15.

Special competition colors.





hood, concealed headlamps, hi-back buckets. Obviously, Cyclone GT projects the image of a great road machine. And behind that image? Action. As much as you want, from the 250-horse-power 351-2V to the 375-horsepower optional 429.

Standard equipment includes: New, competition bred 250-horsepower 351-2V V-8 with canted valves for better breathing • 3-speed manual transmission • Competition handling package • F70 x 14 traction belted tires • Integral hood scoop • Tone-on-tone paint • Concealed headlamps • Hi-back bucket seats • Dual racing mirrors.

Optional equipment includes: 300-horsepower 351-4V V-8 • 360-horsepower 429-4V V-8 • 370-horsepower CJ 429-4V V-8 • 375-horsepower Super CJ 429-4V V-8 • Boss 429 (street version) • Ram Air induction • 4-speed transmission with Hurst Shifter* • Select-Shift transmission • Traction-Lok differential • Drag Pak • Super Drag Pak • 3.25:1 axle • 3.50:1 axle • 3.91:1 axle • 4.30:1 axle • Instrumentation group • For complete information on options, see pages 14-15.





Cyclone

CALL IT THE SLEEPER. Subtle Cyclone comes action-ready with a 360-horsepower 429-4V. Powerful, yes. But there s more. And appropriately, Cyclone's low price makes it easy to come up to more engine. And more car. Brew up a storm with 375-horsepower Super CJ 429, Ram Air induction, Super Drag Pak (including Detroit Locker and 4.30:1 axle), and one of the mild-to-wild Autolite staged performance kits described on the back cover and available from Mercury dealers.

Standard equipment includes: 360-horsepower 429-4V V-8 • 4-speed transmission with Hurst Shifter* • 3.25:1 axle • Competition handling package • G70 x 14 belted WSW tires • Bench seat.

Optional equipment includes: 370-horsepower CJ 429-4V V-8 • 375-horsepower Super CJ 429-4V V-8 • Street version of the Boss 429 racing engine • Ram Air induction • Select-Shift transmission • Traction-Lok differential • Drag Pak • Super Drag Pak • 3.50:1 axle • 3.91:1 axle • 4.30:1 axle • Instrumentation group • Hi-back bucket seats.



















Cougar Eliminator

CALL IT THE ROAD ANIMAL. Cat joins the three Cyclones in producing all-out driving action. Spoilers front and rear, hood scoop and bold tape stripes promise excitement. A 300-horsepower canted-valve 351-4V V-8 delivers it. And if you want more of a road animal, Eliminator has options up to 375-horsepower.

Standard equipment includes: 300-horsepower, canted-valve 351-4V V-8 • 3-speed manual transm • 3.25:1 axle • Competition handling package • F70 x 14 traction belted tires • Hood scoop • From the scoop anti-lift spoiler · Rear deck air-foil spoiler · Tachometer · Hi-back bucket seats · Racing mirrors Special competition colors.

Optional equipment includes: 335-horsepower CJ 428-4V V-8 • 290-horsepower Boss 302

- 375-horsepower Boss 429 Ram Air induction 4-speed transmission with Hurst Shifter*
- Select-Shift transmission Traction-Lok differential Drag Pak Super Drag Pak 3.50:1 axle
 3.01:1 axle 4.30:1 axle Autolite heavy duty battery

Thunder on the Road: MERCURY HIGH-PERFORMANCE POWER TEAMS

MERCURY

AVAILABILITIES	351-2V	351-4V	BOSS 302	428-4V	429-4V	CJ 429-4V (a)	SUPER CJ 429-4V	BOSS 429 (b)
Couger Eliminetor Cyclone Cyclone GT Cyclone Spoiler	na na std na	std na x na	X Na Na Na	X na na na	na std x na	ne x x std. (c)	na x x x	* * *
SPECIFICATIONS Displacement (cu. in.) Bore x Stroke (inches) Horsepower (adv. @ rpm) Torque (adv. lb. ft. @ rpm) Carburetor Compression Ratio Fuel Exhaust Valve Lifters Alternator (amp) Oil Capacity (quarts) Cooling System Capacity (quarts)	351 4.00 x 3.50 250 @ 4600 355 @ 2600 Autolite .2V 9.5:1 Reg Single Hyd 42 5 15.5	351 4.00 x 3.50 300 @ 5400 380 @ 3400 Autolite -4V 11.0:1 Prem Dual Hyd 42 5 15.5	302 4.00 x 3.00 290 @ 5800 290 @ 4300 Holley -4V 10.6:1 Prem Dual Mech 42 5 15.5	428 4.13 x 3.98 335 @ 5200 440 @ 3400 Holley -4V 10.6:1 Prem Duel Hyd 42 5 19.3	429 4.36 x 3.59 360 @ 4600 480 @ 2800 Autolite -4V 10.5:1 Prem Dual Hyd 42 5 19.7	429 4.36 x 3.59 370 @ 5400 450 @ 3400 Rochester -4V 11.3:1 Prem Dual Hyd 42 5	429 4.36 x 3.59 375 @ 5600 450 @ 3400 Holley -4V 11.3:1 Prem Dual Mech 42 5	429 4.36 x 3.59 375 @ 5200 450 @ 3400 Holley -4V 10.5:1 Prem Dual Mech 42 7 19.7
TRANSMISSIONS						I remain		
3-speed manual	std	std	ne ne	ne	na	na .	na	na
Standard axle Optional axle Traction-Lok	3.00 3.25 3.00 3.25	3.25 3.00 3.00 3.25						
4-Speed manual with Hurst Shifter® (d)	×	×	std	×	x	×	×	×
Standard axle Optional axle Traction-Lok	3.00 3.25 3.00 3.25	3.25 3.00 3.00 3.25	3.50 3.50 3.91	3.25 3.00 3.50 3.00 3.50	3.25 3.00 3.50 3.00 3.25	3.25 3.00 3.50 3.00 3.25	3.91 (g)	3.50 3.50 3.91 (g)
Detroit Locker		3.50	4.30 (h)	3.91 (g) 4.30 (h)	3.50	3.50	4.30 (h)	4.30 (h)
Select-Shift automatic	×	×	na	×	×	×	×	ne
Standard axle Optional axle Traction-Lok Detroit Locker	9.75 3.00 3.25 3.00 3.25	3.00 2.75 (e) 3.25 3.00 3.25 3.50 (f)		3.25 3.00 3.50 3.00 3.50 3.91 (s) 4.30 (h)	3.25 3.00 3.50 3.00 3.25 3.50	3.25 3.00 3.50 3.00 3.25 3.50	3,91 (g) 4,30 (h)	

- x-Optional, std-Standard, na-Not Available.
- (a) Includes engine dress-up—cast aluminum rocker arm covers, bright dip stick handle, bright oil filler cap, bright radiator cap, bright air cleaner.
- (b) Includes conventionally located hood scoop over air cleaner and smaller, off-center scoop over power brake booster. Air conditioning not available. This engine is available in limited quantities.
- (c) Includes Ram Air Induction and 3.50:1 axle ratio with Traction-Lok.
- (d) Standard on Cyclone and Cyclone Spoiler. Wide ratio (2.78 low gear) standard with both 351 engines. Close ratio (2.32 low gear) standard with all 429 engines, optional with both 351 engines.
- (e) N.A. Cougar Eliminator.
- (f) N.A. Cyclone models.
- (g) Requires Drag Pak.
- (h) Requires Super Drag Pak.

SPECIAL* RECOMMENDATIONS FOR MAXIMUM-PERFORMANCE TRANSMISSION/AXLE RATIO COMBINATIONS

351-4V	Wide-ratio 4-speed	3.50:1	Traction-Lok	
Boss 302	Wide-ratio 4-speed	3.91:1	Traction-Lok	
CJ 428	Close-ratio 4-speed or Select-Shift	3.91:1 3.50:1	Traction-Lok Traction-Lok	
429-4V	or Select-Shift	3.50:1 3.25:1	Traction-Lok Traction-Lok	
CJ 429-4V	Close-ratio 4-speed or Select-Shift	3.50:1 3.50:1	Traction-Lok Traction-Lok	
Super CJ 429-4V	Close-ratio 4-speed or Select-Shift	3.91:1 3.91:1	Traction-Lok Traction-Lok	

*THESE SUGGESTIONS ARE OF INTEREST TO HIGH-PERFORMANCE BUYERS SEEKING MAXIMUM PERFORMANCE WITHOUT RENDERING THEIR CARS IMPRACTICAL FOR ORDINARY TRANSPORTATION. COMPLETE INFORMA. TION ON TRANSMISSIONS AND AXLE RATIOS, INCLUDING ALL STANDARD EQUIPMENT, IS DETAILED IN MAIN ENGINE CHART.

Ford Motor Company Lifeguard Design Safety Features

- Dual hydraulic brake systems with warning light
- Glare-reduced instrument panel padding, windshield wiper arm, steering wheel hub, horn ring, rear view mirror/mirror mounting and windshield pillars
- Energy absorbing steering column and steering wheel
- Energy absorbing armrests and safety designed door handles
- Front and rear lap belts for all seating positions
- Shoulder belts for front outboard occupants (except convertibles)
- · Turn indicators with lane changing signal feature
- Inside yield-away rear view mirror
- Energy absorbing instrument panel with padding
- Padded sun visors
- · Two-speed or variable speed windshield wipers
- Windshield washers
- Hi-strength laminate safety glass windshield
- Double yoke safety door latches and safety hinges

- Emergency flasher
- Beck-up lights Side marker lights
- · Energy absorbing front seat back tops with padding
- Self-locking front seat backs on 2-door vehicles
- Safety designed coat hooks (except convertibles)
- Safety designed radio control knobs and push buttons
- Outside rear view mirror, driver's side
- Safety rim wheels and load-rated tires
- Corrosion-resistant brake lines
- Uniform transmission shift quadrant · Head restraints—or hi-back seats for front outboard occupants
- Parking lamps coupled with headlamps
- Non-reversing odometer
- · Safety designed front end structure Safety glove box latch (on all cars equipped with glove box)

MAJOR SPECIFICATIONS

	Cougar Eliminator	Cyclone Models		
Wheelbase Wheel Tread Front/Rear Overall Length Overall Height Overall Width Luggage Capacity Fuel Tank Capacity Curb Weight	111.1" 60.5"/60.0" 196.1" 51.3" 74.2" 10.2 cu. ft. 92 gal.* 3431 lbs.	117" 58.5"/58.5" 209.9" 52.2" 77.3" 16.2 cu. ft. 22 sal.* 3882 lbs.1		

*20 gal. in California. †Cyclone GT: 3636 lbs.; Cyclone Spoiler: 3947 lbs.



Options & Accessories

POWER EQUIPMENT	Cyclone	Cyclone GT	Cyclone Spoiler	Cougar Eliminato
Power Brakes (front disc, rear drum)	×	x	×	x
Power Steering	X	X	×	×
Power-Side Windows	×	×	×	×
Power Sunroof	*	X	×	n.e.
Ram Air Induction (a)	x	×	std.	×
rection-Lok Differential	- The state of the	×	×	x
Orag Pak (b)	100 S X 100 M	×	×	x
uper Drag-Pak (c)	THE RESERVE	X CON	X	×
nstrumentation Group (d)	× 1	X	std.	n.e.
70 x 14 WSW Belted Tires	n.a.	n.a.	n.a.	X
70 x 14 Traction Belted Tires	n.e.	std.	n.a.	std.
370 x 14 WSW Belted Tires	std.	×	X	n.e.
G70 x 14 Traction Belted Tires (e)	×	*	std.	n.e.
Autolite Heavy Duty Battery	×	×	* (5)	×
NTERIOR ITEMS		SECTION AND THE		TO STATE
Vinyl Hi-Back Bucket Seats	n.e.	n.e.	n.a.	std.
Comfortweave Vinyl Hi-Back Bucket Seats	×	std.	std.	×
Houndstooth Check Hi-Back Bucket Seats	*	THE NAME OF THE PARTY OF THE PA	×	×
onsole	*	×	×	×
Deluxe Seat and Shoulder Belts	×	×	×	×
Vhisper-Aire Conditioner (f)	*	×	×	×
nterval Windshield Wipers	*	X	×	×
AM/FM Stereo Radio	*	*	* 19 TE	×
ombination AM Radio and Stereo Tape System	n.a.	n.a.	n.e.	×
ilt Steering Wheel	n.a.	n.a.	n.e.	×
lim Blow Sports Steering Wheel	STORY OF S	std.	std.	×
EXTERIOR ITEMS	SUMMER			
/Inyl Roof	X	×	×	n.e.
oncealed Headlamps	opt.	std.	opt.	std.
lub Caps with Bright Trim Rings	*	std.	std.	std.
uxury Wheel Covers	X 1	*	x	n.e.
eep Dish Wheel Covers	n.e.	n.e.	n.a.	×
Vire Wheel Covers	n.e.	n.e.	n.e.	×
tyled Steel Wheels (14')	*	X 1 51 1	×	*
Inted Glass Complete	*	*	×	x
Appearance Protection Group (g)	n.e.	n.e.	n.e.	×
temote-Control L/H Racing Mirror	X	std.	std.	std.
Manual R/H Racing Mirror (h)	*	std.	std.	std.

DRAG PAK AND SUPER DRAG PAK OPTIONS

FOR CYCLONE, CYCLONE GT AND CYCLONE SPOILER WITH SUPER CJ 429-4V ENGINE

- Drag Pak with 3.91:1 exle, Traction-Lok Differential, and engine oil cooler.
 OR
- Super Drag Pak with 4.30:1 axle, Detroit Locker Differential, and engine oil cooler.
- Choice of 4-speed manual or Select-Shift transmission.

FOR COUGAR ELIMINATOR WITH CJ 428-4V ENGINE

OR

- Drag Pak with 3.91:1 axle, Traction-Lok Differential, engine oil cooler and special heavy-duty engine components.
- Super Drag Pak with 4.30:1 axle, Detroit Locker Differential, engine oil cooler, and special heavy-duty engine components.
- Choice of 4-speed manual or Select-Shift transmission.

FOR COUGAR ELIMINATOR WITH BOSS 302 ENGINE

- Super Drag Pak with 4.30:1 axle, Detroit Locker Differential, and engine oil cooler.
- 4-speed manual transmission

NOTE: See your dealer for complete information on options, accessories, and color and upholstery selections.

- (a) Available on CJ 428, CJ 429 and Super CJ 429 engines only.
- (b) Mandatory with 3.91:1 axle. Includes Traction-Lok.
- (c) Mandatory with 4.30:1 axle. Not available with other ratios.
- (d) Cyclone models only. Include 3" 8,000 rpm tachometer with adjustable pointer and oil, temperature and ammeter gauges. Available on 351-4V and all 429 engines.
- (e) Standard on all Cyclone GT models equipped with 429 engines and Cyclone with Boss 429.
- (f) Not available with High Level ventilation. NA with Boss 302 or Boss 429 engines.
- (g) Includes front bumper guards, door edge guards, front and rear floor mats.
- (h) Available only with L/H racing mirror.

x=optional

std, = standard

n.a. = not available

Staged Performance...

A STEP-BY-STEP GUIDE OF MILD-TO-WILD PERFORMANCE MODIFICATIONS.

All Cyclone and Cougar Eliminator models are designed for everyday transportation. For the buyer interested in sanctioned competition, Autolite Staged Performance kits are available through Lincoln-Mercury dealers.

PERFORMANCE LEVELS

"Staged" performance operates around a simple premise; namely, that you want to give your machine more sock and you've got the bucks to make it happen. Maybe it's mild; like adding a 4-bbl. induction set-up for better acceleration. Or something wild; like a high lift, long duration mechanical cam—special heads, valves and pistons—high ratio locking axle—traction bars—slicks, etc. Or, is it in between? No matter what turns you on, Staged Performance kits will do the job for you. Because we specifically designed them to certain desired performance levels.

Choosing a performance level should be your first step, keeping in mind plain truth number 1 . . . adding more horsepower usually means spending more money. For most engines, we have three kits; each one representing a successively higher performance level over the stock engine. We call them . . . IMPRESSOR CONTROLLER . . . DOMINATOR.

IMPRESSOR KITS

These kits generally include induction goodies, a HP hydraulic cam and valve train pieces, hot ignition setup and headers. Strictly bolt-on stuff. As our first performance level, this kit might be considered a "sleeper." Until you get on it. Then its big horsepower increase over stock tells you exactly what it is . . . the Impressor.

CONTROLLER KITS

Except for minor valve train differences, Controller kits for the most part include all the pieces of Impressor kits . . . PLUS bigger cylinder heads, "pop-up" pistons and, in some cases, optional valves. About all it takes to develop this extra muscle is a few more tech specs and your Impressor kit wrench. Heavy on this one does more than just impress; it makes you . . . the Controller.

DOMINATOR KITS

Except for minor valve train differences, Dominator kits usually include all the pieces of Controller kits . . . Plus a gutsy grind mechanical cam. This big stick adds the really big muscle to your machine. The kind of sock that tells the other guy: Big Breather Is Watching You . . . the Dominator.

These kits and modifications are detailed with identifying parts numbers in the high-performance and parts books described below.

HIGH PERFORMANCE ENGINES AND PARTS BOOKS AVAILABLE!

High-performance Engines (\$2.00)—Covers fundamentals, operating principles, and modifications. Over 100 pages, illustrated in color.

Muscle Parts (\$1.00)—Parts, modifications, and tuning for Lincoln-Mercury vehicles. Listings include prices. 80 pages, with illustrations.

Copies of both books can be ordered from Muscle Parts Headquarters, P.O. Box 5386, Milwaukee Junction Station, Detroit, Michigan 48211.

Please send check or money order; no cash or C.O.D.







