













Join fellow Ram enthusiasts and tell your story by posting comments, participating in discussions, and sharing your photos and videos. Join our community on Facebook, Twitter, YouTube, Google+, Pinterest and Instagram.



RAMTRUCKS.COM/OUTFITTER



















©2016 FCA US LLC. All Rights Reserved. Chrysler, Dodge, Jeep, Ram, Mopar, AllSecure, Automobility Program, Big Horn, Business*Link* and design, the CNG design, HEMI, Laramie, Laramie Longhorn, Mega Cab, On The Job and design, ParkSense, ParkView, Pentastar, Power Wagon, Quad Cab, Ram 1500 Express, RamBox, the Ram's Head logo, Ram ProMaster, Ram ProMaster City, Sentry Key, Tradesman and Uconnect are registered trademarks, and Active-Level, HFE High Fuel Efficiency & Design and Rebel are trademarks of FCA US LLC.

MultiAir is a registered trademark of C.R.F. Società Consortille per Azioni, used under license by FCA US LLC. Bosch is a registered trademark of Robert Bosch GmbH. Cummins is a registered trademark of Cummins, Inc. AISIN is a registered trademark of Aisin Seiki Co., Ltd. CNH, Case IH and New Holland are registered trademarks of CNH America LLC. Facebook and logo are registered trademarks of Facebook, Inc. The Twitter logo is a service mark of Twitter, Inc. YouTube and logo and Google+ and logo are registered trademarks of Google Inc. Pinterest and logo are registered trademarks of Pinterest, Inc. Instagram and logo are registered trademarks of Sirius XM Radio Inc. Grizzly is a trademark of Grizzly Coolers LLC.

About this brochure; since the time of printing, some of the information you'll find in this brochure may have been updated. Ask your dealer for details. Some of the equipment shown or described throughout this brochure may be available at extra cost. Specifications. descriptions, illustrative materials and all competitive comparisons contained herein are as accurate as known at the time this publication was approved for printing. FCA US LLC reserves the right to discontinue models at any time or change specifications without notice or without incurring obligation. Options may be required in combination with other options. For the price of the model with the equipment you desire, or verification of specifications contained here, see your Ram dealer.





RAMTRUCKS.COM/COMMERCIAL 74-383-2719 9/16 (8M) Litho in U.S.A.





## RAM. THE BENCHMARK FOR COMMERCIAL-GRADE. With Ram, you're

looking at capability at the top of its game. This is an industrial-level family that gives you stellar attributes where they really count the most. Torque is indispensable-and Ram Heavy Duty pickups and Chassis Cabs equipped with the Cummins® Turbo Diesel put impressive available torque at your service. Comfort? Ram light- and heavy-duty pickups feature groundbreaking available suspensions for outstanding ride and handling. If your business needs efficiency and strength, Ram leads: Ram 1500 pickup with the available 3.0L EcoDiesel V6 delivers best-in-class<sup>2</sup> 29 mpg hwy<sup>†</sup> and 420 lb-ft of torque. Few pickups match the refinement of a Ram Laramie Longhorn® or Limited model with their premium leather interiors. And for sheer practicality, the Ram ProMaster® and Ram ProMaster City® models feature a wealth of best-in-class features, with Cargo Van interiors ready-made for your upfit of choice. Ram delivers it all: PTO versatility. Superb towing. Exceptional hauling. Get the big picture, at RAMTRUCKS.COM/COMMERCIAL



\*A note about this brochure: all disclaimers and disclosures can be found on the back cover. \*2016 EPA estimated 21 mpg city/29 mpg hwy based on Ram 1500 EcoDiesel V6 HFE 4x2. Actual results may vary.



## 2017 RAM 3500/4500/5500 CHASSIS CAB

0 = Optional
P = Available within Package noted
- = Not available
WW 830.74

S = Standard

TRANSMISSIONS 3.4L HEMI* V8 6-speed automatic (3500 only) 3.5L HEMI* V8 6-speed automatic (3500 only) 3.5L HEMI* V8 6-speed automatic (3500 only) 3.5L Lemmins* Turbo Diesel; 320 hp, 650 lb-ft of torque 4.SIN* 6-speed Automatic AS68RC (available on 3500; standard on 4500/5500) 3.7L Cummins* Turbo Diesel; 325 hp, 750 lb-ft of torque 5-speed manual 3.7L Cummins* High Output Turbo Diesel; 325 hp, 750 lb-ft of torque 4.SIN 6-speed Heavy-Duty automatic AS69RC 4.SIN* 6-speed Heavy-Duty automatic AS69					
S.4L HEMI* VB 6-speed automatic (3500 only) 0.5  S.4L HEMI VB AISIN* 6-speed automatic (3500 only) 0.5  S.4L HEMI VB AISIN* 6-speed automatic (3500 only) 0.5  S.4L Commins* Turbo Diesel; 320 hp, 650 lb-ft of torque 6-speed manual 0.5  S.7L Commins* Turbo Diesel; 325 hp, 750 lb-ft of torque AISIN 6-speed Heavy-Duty automatic ASSBRC 0.5  MECHANICAL FEATURES  W.TERNATOR - 380-amp (dual 220-amp and 160-amp; requires 6.4L HEMI VB) 0.5  - 440-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel) 0.5  - 440-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel) 0.5  - 22-gallon, rear-mounted 0.5  - 22-gallon, rear-mounted 0.5  - 22-gallon, rear-mounted 0.5  - 22-gallon unid-ship (standard on 3500 SRW and 60-inch CA with 6.4L HEMI VB) 0.5  - 74-gallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI VB) 0.5  - 74-gallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI VB) 0.5  - Alternate left-side with 6.4L HEMI VB or 6.7L Cummins and AISIN transmission (includes split-shaft PTO capability with diesel engine) 0.5  - Alternate left-side with 6.4L HEMI VB or 6.7L Cummins and AISIN transmission on yl (4.2 only) 0.5  - Alternate left-side with 6.4L HEMI VB or 6.7L Cummins and AISIN transmission on yl (4.2 only) 0.5  - Alternate left-side with 6.4L HEMI VB or 6.7L Cummins and AISIN transmission on brookers are split shaft PTO capability with diesel engine 0.5  - Driver only 0.7P SAFETY & SECURITY  WAR BAGS* — Multistage front 0.5  - Driver only 0.7P SAFETY & SECURITY  WAR BAGS* — Multistage front 0.5  - Driver only 0.5  - Driver only 0.5  - Alternate left-side with diesel engine on 3500 models; included with diesel engine on 3500 models; standard on 4500/5500 models 0.5  - Driver only 0.5  - ARKSENSE FRONT AND REAR SASIST* — Requires Chromae Appearance Package and fog lamps on Tradesman, and fog lamps on SLT 0.5  - PARKSENSE FRONT AND REAR SASIST* — Requires Chromae Appearance Package and fog lamps on Tradesman, and fog lamps on SLT 0.5  - PARKSENSE FRONT AND	ACKAGE	·	2TA	2TG	2TH
ALK HEMIN V8 AISIN® 6-speed automatic AS6BRC (available on 3500; standard on 4500/5500) O/S C.T. Cummins® Turbo Diesel; 320 hp, 650 lb-ft of torque 6-speed manual AISIN® 6-speed Heavy-Duty automatic AS6BRC  AISIN® 6-speed Heavy-Duty automatic AS6BRC  AISIN 6-speed Heavy-Duty automat	NES	TRANSMISSIONS			
6-speed manual  AISIN 6-speed Heavy-Duty automatic AS69RC  AISIN 6-s	MI® V8	6-speed automatic (3500 only)	S	S	S
AISIN 6-speed Heavy-Duty automatic AS69RC  MECHANICAL FEATURES  ALTERNATOR - 380-amp (dual 220-amp and 160-amp; requires 6.4L HEMI V8)  0 - 440-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0 - 420-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0 - 420-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0 - 420-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0 - 420-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0 - 420-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0 - 420-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0 - 420-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0 - 420-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0 - 420-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0 - 420-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0 - 420-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0 - 420-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0 - 420-amp (dual 220-amp; requires 6.7L Cummins and 60-inch CA with 6.4L HEMI V8)  0 - 74-gallon dual: 52- and 22-gallon, (rear-mounted  0 - 22-gallon, mid-ship (standard on 3500 DF 10K GWR models)  1 - 74-gallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  0 - 74-gallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  0 - 74-gallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  0 - 74-gallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  0 - 74-gallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  0 - 74-gallon dual: 52- and 22-gallon (not available on 3500 SRW available automatic transmisters (packaged with Power and Remote Entry Group; O/P  2 - 34EMDTE KPYLES ENTRY — Controls for power door locks, illuminated entry system, panic alarm; includes two transmitters (packaged with Power and Remote Entry Group; O/P  2 - 32 - 32 - 32 - 32 - 32 - 32 - 32 -	MI V8	AISIN® 6-speed automatic AS66RC (available on 3500; standard on 4500/5500)	0/S	0/S	0/S
METERNATOR - 380-amp (dual 220-amp and 160-amp; requires 6.4L HEMI V8)  - 440-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0  - 440-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0  - 240-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  0  - 22-gallon, mid-ship (standard on 3500 DF 10K GVWR models)  - 22-gallon, mid-ship (standard on 3500 DF 10K GVWR models)  - 74-gallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  0  - 710-GAPABILITY - Available with AISIN automatic or manual transmission (includes split-shaft PT0 capability with diesel engine)  0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only)  0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only)  0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission on Laramie  0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission on Laramie  0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission on Laramie  0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission on Laramie  0 - Alternate left-side with AISIN automatic or manual transmission in packaged with Ambulance Prep Group)  0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission on Laramie  0 - AISIN HOURS AISIN TRANSMIST ST STEEL TRANSMIST ST STEEL TRANSMIST ST STEEL TRANSMIST ST SIDE of Carbon Control, Ready Alert Braking, Brake Assist, Hydraulic Boost Standard Sta	mmins® Turbo Diesel; 320 hp, 650 lb-ft of torque	6-speed manual	0	0	0
ALTERNATOR - 380-amp (dual 220-amp and 160-amp; requires 6.4L HEMI V8)  - 440-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  - 440-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  - 22-gallon, rear-mounted - 22-gallon, rear-mounted - 22-gallon, gear-mounted - 22-gallon (standard on 3500 DF 10K GWVR models) - 22-gallon, dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  - 70-GAPABILITY - Available with AISIN automatic or manual transmission (includes split-shaft PTO capability with diesel engine) - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only)  - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only)  - Alternate left-side with geas engine on 3500 models; included with diesel engine on 3500 models; standard on 4500/5500 models  - Available with gas engine on 3500 models; included with diesel engine on 3500 models; standard on 4500/5500 models  - AVAILABLE OVER SECURITY  - Driver only  - Driver	mmins High Output Turbo Diesel; 325 hp, 750 lb-ft of torque	AISIN 6-speed Heavy-Duty automatic AS69RC	0	0	0
- 440-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)  - 24-gallon, mid-ship (standard on 3500 DF 10K GVWR models)  - 22-gallon, mid-ship (standard on 3500 DF 10K GVWR models)  - 74-gallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  - 70 CAPABILITY — Available with AISIN automatic or manual transmission (includes split-shaft PTO capability with diesel engine)  - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only)  - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only)  - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only)  - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only)  - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only)  - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only)  - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only)  - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission on 3500 models; standard on 4500/5500 models  - Available with gas engine on 3500 models; included with diesel engine on 3500 models; standard on 4500/5500 models  - AFFILIA STANSMIN (4x2 only)  - ARTERNATE AISIN AISIN automatic vibration on 3500 models; included with Ambulance Prep Group)  - ARTERNATE AISIN AISIN automatic Vibration on 3500 models; includes two includes to 4500/5500 models  - Diriver only  - Dirive	ANICAL FEATURES				
FUEL TANK - 52-gallon, rear-mounted \$ - 22-gallon, mid-ship (standard on 3500 DF 10K GWWR models) \$/0 - 74-gallon dusi: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8) 0 - 74-gallon dusi: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission (includes split-shaft PTO capability with diesel engine) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - AIR HEMI VERSECURITY  WARE BAGS <sup>1</sup> – Multistage front 0 - Driver only 0 - Driver o	ATOR – 380-amp (dual 220-amp and 160-amp; requires 6.4L HEM)	V8)	0	0	0
- 22-gallon, mid-ship (standard on 3500 DF 10K GVWR models) - 74-gallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8) 0 270 CAPABILITY - Available with AISIN automatic or manual transmission (includes split-shaft PTO capability with diesel engine) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only) 0 - Alternate	-amp (dual 220-amp; requires 6.7L Cummins Turbo Diesel)		0	0	0
74-gallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  74-gallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  75-qallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  76-qallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  76-qallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  76-qallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  77-qallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  77-qallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  77-qallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  77-qallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-inch CA with 6.4L HEMI V8)  77-qallon dual: 52- and 22-gallon (not available on 10K GVWR 3500 SRW models)  77-qallon dual: 52- and 22-gallon (not available on 10K GVWR 3500 SRW models)  77-qallon dual: 52- and 22-gallon (not available on 10K GVWR 3500 SRW models)  77-qallon dual: 52- and 22-gallon (not available on 10K GVWR 3500 SRW models)  77-qallon dual: 52- and 52-gallon (not available on 10K GVWR 3500 SRW models)  77-qallon dual: 52- and 52-gallon (not available on 10K GVWR 3500 SRW models)  77-qallon dual: 52- and 52-gallon (not available on 10K GVWR 3500 SRW models)  77-qallon dual: 52- and 52-gallon (not available on 10K GVWR 3500 SRW models)  77-qallon dual: 52- and 52-gallon (not available on 10K GVWR 3500 SRW models)  77-qallon dual: 52- and 52-gallon (not available on 10K GVWR 3500 SRW models)  77-qallon dual: 52- and 52-gallon (not available on 10K GVWR 3500 SRW models)  77-qallon dual: 52- and 52-gallon (not available on 10K GVWR 3500 SRW models)  77-qallon dual: 52- and 52-gallon (not available on 10K GVWR 3500 SRW models)  77-qallon dual: 52- and 52-gallon (not available on 10K GVW	ANK – 52-gallon, rear-mounted		S	S	S
PTO CAPABILITY — Available with AISIN automatic or manual transmission (includes split-shaft PTO capability with diesel engine)  — Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only)  O DOWN HOOKS — Available with gas engine on 3500 models; included with diesel engine on 3500 models; standard on 4500/5500 models  OPPS  OPPS  SAFETY & SECURITY  WAR BAGS3 — Multistage front  — Driver only  SRAKES — Power-assisted four-wheel antilock disc  D O SRAKES — Power-assisted four-wheel antilock disc  S DOT-CERTIFIED ROADSIDE SAFETY KIT — Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses  O DELECTRONIC STABILITY CONTROL (ESC)4 — Four-channel ABS, Electronic Brake-Force Distribution, All-Speed Traction Control, Ready Alert Braking, Brake Assist, Hydraulic Boost Compensation, Rain Brake Support, Engine Drag Control, Trailer Sway Control; Electronic Roll Mitigation and Hill Start Assist  PARKSENSE* FRONT AND REAR PARK ASSIST3 — Requires Chrome Appearance Package and fog lamps on Tradesman, and fog lamps on SLT  O PARKSENSE REAR PARK ASSIST3  O PARKSENSE REAR PARK ASSIST3 — Shipped loose in cab, installed by the upfitter in the ideal location (image is displayed in the rearview mirror with UA1 radio; all other adios will include the camera display on-screen)  O REMOTE START SYSTEM — Requires automatic transmission; packaged with available automatic transmission on Laramie  — REMOTE START SYSTEM — Requires automatic transmission; packaged with available automatic transmission on Laramie  — Parksender START SYSTEM — Requires automatic transmission; packaged with available automatic transmission on Laramie	gallon, mid-ship (standard on 3500 DF 10K GVWR models)		S/0	\$/0	S/0
Alternate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN transmission only (4x2 only)  FOW HOOKS – Available with gas engine on 3500 models; included with diesel engine on 3500 models; standard on 4500/5500 models  O/P/S  JPFITTER INTERFACE MODULE – Over 50 inputs and outputs (packaged with Ambulance Prep Group)  O/P  SAFETY & SECURITY  WAR BAGS³ – Multistage front  — Driver only  APPROVED – Over-assisted four-wheel antilock disc  — Driver only  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses  ELECTRONIC STABILITY CONTROL (ESC)⁴ – Four-channel ABS, Electronic Brake-Force Distribution, All-Speed Traction Control, Ready Alert Braking, Brake Assist, Hydraulic Boost  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses  ELECTRONIC STABILITY CONTROL (ESC)⁴ – Four-channel ABS, Electronic Brake-Force Distribution, All-Speed Traction Control, Ready Alert Braking, Brake Assist, Hydraulic Boost  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses  ELECTRONIC STABILITY CONTROL (ESC)⁴ – Four-channel ABS, Electronic Brake-Force Distribution, All-Speed Traction Control, Ready Alert Braking, Brake Assist, Hydraulic Boost  Separksense* FRONT AND REAR PARK ASSIST⁵ – Requires Chrome Appearance Package and fog lamps on Tradesman, and fog lamps on SLT  OPARKSENSE REAR PARK ASSIST⁵  ORAGINATION (Include the camera display on-screen)	gallon dual: 52- and 22-gallon (not available on 3500 SRW and 60-i	nch CA with 6.4L HEMI V8)	0	0	0
TOW HOOKS – Available with gas engine on 3500 models; included with diesel engine on 3500 models; standard on 4500/5500 models  OPPITITER INTERFACE MODULE – Over 50 inputs and outputs (packaged with Ambulance Prep Group)  OPSAFETY & SECURITY  NAR BAGS3 – Multistage front  Driver only  NAR BAGS3 – Multistage front  NAR BAGS4 – Multistage fron	PABILITY – Available with AISIN automatic or manual transmission	(includes split-shaft PTO capability with diesel engine)	0	0	0
PFITTER INTERFACE MODULE – Over 50 inputs and outputs (packaged with Ambulance Prep Group)  SAFETY & SECURITY  AIR BAGS <sup>2</sup> – Multistage front  O BRAKES – Dower-assisted four-wheel antilock disc  O Driver only  SOUT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses  O ELECTRONIC STABILITY CONTROL (ESC) <sup>4</sup> – Four-channel ABS, Electronic Brake-Force Distribution, All-Speed Traction Control, Ready Alert Braking, Brake Assist, Hydraulic Boost Compensation, Rain Brake Support, Engine Drag Control, Trailer Sway Control; Electronic Roll Mitigation and Hill Start Assist  PARKSENSE "FRONT AND REAR PARK ASSIST <sup>5</sup> – Requires Chrome Appearance Package and fog lamps on Tradesman, and fog lamps on SLT  O PARKSENSE REAR PARK ASSIST <sup>5</sup> O PARKVIEW® REAR BACK-UP CAMERA <sup>5</sup> – Shipped loose in cab, installed by the upfitter in the ideal location (image is displayed in the rearview mirror with UA1 radio; all other adios will include the camera display on-screen)  REMOTE KEYLESS ENTRY – Controls for power door locks, illuminated entry system, panic alarm; includes two transmitters (packaged with Power and Remote Entry Group; poptional on Crew Cab Tradesman)  O/P  REMOTE START SYSTEM – Requires automatic transmission; packaged with available automatic transmission on Laramie	rnate left-side with 6.4L HEMI V8 or 6.7L Cummins and AISIN trans	mission only (4x2 only)	0	0	0
ARR BAGS' - Multistage front	JOKS – Available with gas engine on 3500 models; included with	diesel engine on 3500 models; standard on 4500/5500 models	0/P/S	0/P/S	0/P/
AIR BAGS3 - Multistage front 0  Driver only 0  BRAKES - Power-assisted four-wheel antilock disc 0  SRAKES - Power-assisted	ER INTERFACE MODULE – Over 50 inputs and outputs (packaged	with Ambulance Prep Group)	0/P	0/P	0/P
Driver only  BRAKES – Power-assisted four-wheel antilock disc  S  DOT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses  O  ELECTRONIC STABILITY CONTROL (ESC) <sup>4</sup> – Four-channel ABS, Electronic Brake-Force Distribution, All-Speed Traction Control, Ready Alert Braking, Brake Assist, Hydraulic Boost Compensation, Rain Brake Support, Engine Drag Control, Trailer Sway Control <sup>4</sup> Electronic Roll Mitigation and Hill Start Assist  PARKSENSE* FRONT AND REAR PARK ASSIST <sup>5</sup> — Requires Chrome Appearance Package and fog lamps on Tradesman, and fog lamps on SLT  O  PARKSENSE REAR PARK ASSIST <sup>5</sup> O  PARKVIEW® REAR BACK-UP CAMERA <sup>5</sup> – Shipped loose in cab, installed by the upfitter in the ideal location (image is displayed in the rearview mirror with UA1 radio; all other adios will include the camera display on-screen)  O  REB SEAT BELTS – Regular Cab only (not available on 10K GVWR 3500 SRW models)  REMOTE KEYLESS ENTRY – Controls for power door locks, illuminated entry system, panic alarm; includes two transmitters (packaged with Power and Remote Entry Group; pytional on Crew Cab Tradesman)  O/P  REMOTE START SYSTEM – Requires automatic transmission; packaged with available automatic transmission on Laramie	TY & SECURITY				
SRAKES – Power-assisted four-wheel antilock disc  DOT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes Control, Ready Alert Braking, Brake Assist, Hydraulic Boost  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes Control, Ready Alert Braking, Brake Assist, Hydraulic Boost  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes Control, Ready Alert Braking, Brake Assist, Hydraulic Boost  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes Control, Ready Alert Braking, Brake Assist, Hydraulic Boost  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes Control, Ready Alert Braking, Brake Assist, Hydraulic Boost  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes Control, Ready Alert Braking, Brake Assist, Hydraulic Boost  ODT-CERTIFIED ROADSIDE SAFETY KIT – Requires anting, Brake Assist, Hydraulic Boost  ODT-CERTIFIED ROADSIDE SAFETY KIT – Includes Control, Ready Alert Braking, Brake Assist, Hydraulic Boost  ODT-CERTIFIED ROADSID SAFETY FOR FORT Assist Assist Proceedings and Safety Assist Assist Hydraulic Boost  ODT-CERTIFIED ROADSID SAFETY FOR FORT Assist Assist Proceedings and Fragety	S <sup>3</sup> – Multistage front		S	S	S
DOT-CERTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguisher, three reflective triangles, two Red vinyl flags and spare fuses  DELECTRONIC STABILITY CONTROL (ESC) <sup>4</sup> – Four-channel ABS, Electronic Brake-Force Distribution, All-Speed Traction Control, Ready Alert Braking, Brake Assist, Hydraulic Boost Compensation, Rain Brake Support, Engine Drag Control, Trailer Sway Control, Electronic Roll Mitigation and Hill Start Assist  PARKSENSE® FRONT AND REAR PARK ASSIST <sup>5</sup> – Requires Chrome Appearance Package and fog lamps on Tradesman, and fog lamps on SLT  OPARKSENSE REAR PARK ASSIST <sup>5</sup> OPARKSENSE REAR PARK ASSIST <sup>5</sup> OPARKVIEW® REAR BACK-UP CAMERA <sup>5</sup> – Shipped loose in cab, installed by the upfitter in the ideal location (image is displayed in the rearview mirror with UA1 radio; all other addios will include the camera display on-screen)  RED SEAT BELTS – Regular Cab only (not available on 10K GWR 3500 SRW models)  REMOTE KEYLESS ENTRY – Controls for power door locks, illuminated entry system, panic alarm; includes two transmitters (packaged with Power and Remote Entry Group; optional on Crew Cab Tradesman)  REMOTE START SYSTEM – Requires automatic transmission; packaged with available automatic transmission on Laramie  -	er only		0	0	-
ELECTRONIC STABILITY CONTROL (ESC) <sup>4</sup> – Four-channel ABS, Electronic Brake-Force Distribution, All-Speed Traction Control, Ready Alert Braking, Brake Assist, Hydraulic Boost Compensation, Rain Brake Support, Engine Drag Control, Trailer Sway Control, Electronic Roll Mitigation and Hill Start Assist  PARKSENSE® FRONT AND REAR PARK ASSIST <sup>5</sup> – Requires Chrome Appearance Package and fog lamps on Tradesman, and fog lamps on SLT  OPARKSENSE REAR PARK ASSIST <sup>5</sup> OPARKVIEW® REAR BACK-UP CAMERA <sup>5</sup> – Shipped loose in cab, installed by the upfitter in the ideal location (image is displayed in the rearview mirror with UA1 radio; all other addios will include the camera display on-screen)  RED SEAT BELTS – Regular Cab only (not available on 10K GWR 3500 SRW models)  REMOTE KEYLESS ENTRY – Controls for power door locks, illuminated entry system, panic alarm; includes two transmitters (packaged with Power and Remote Entry Group; optional on Crew Cab Tradesman)  REMOTE START SYSTEM – Requires automatic transmission; packaged with available automatic transmission on Laramie  -	S – Power-assisted four-wheel antilock disc		S	S	S
Compensation, Rain Brake Support, Engine Drag Control, Trailer Sway Control; Electronic Roll Mitigation and Hill Start Assist  PARKSENSE® FRONT AND REAR PARK ASSIST® — Requires Chrome Appearance Package and fog lamps on Tradesman, and fog lamps on SLT  OPARKSENSE REAR PARK ASSIST®  OPARKVIEW® REAR BACK-UP CAMERAS — Shipped loose in cab, installed by the upfitter in the ideal location (image is displayed in the rearview mirror with UA1 radio; all other addios will include the camera display on-screen)  RED SEAT BELTS — Regular Cab only (not available on 10K GWR 3500 SRW models)  REMOTE KEYLESS ENTRY — Controls for power door locks, illuminated entry system, panic alarm; includes two transmitters (packaged with Power and Remote Entry Group; optional on Crew Cab Tradesman)  REMOTE START SYSTEM — Requires automatic transmission; packaged with available automatic transmission on Laramie	RTIFIED ROADSIDE SAFETY KIT – Includes DOT fire extinguisher,	three reflective triangles, two Red vinyl flags and spare fuses	0	0	0
PARKSENSE REAR PARK ASSISTS  OPARKVIEW® REAR BACK-UP CAMERAS – Shipped loose in cab, installed by the upfitter in the ideal location (image is displayed in the rearview mirror with UA1 radio; all other adios will include the camera display on-screen)  RED SEAT BELTS – Regular Cab only (not available on 10K GVWR 3500 SRW models)  REMOTE KEYLESS ENTRY – Controls for power door locks, illuminated entry system, panic alarm; includes two transmitters (packaged with Power and Remote Entry Group; poptional on Crew Cab Tradesman)  REMOTE START SYSTEM – Requires automatic transmission; packaged with available automatic transmission on Laramie  —			S	S	S
PARKVIEW* REAR BACK-UP CAMERA5 – Shipped loose in cab, installed by the upfitter in the ideal location (image is displayed in the rearview mirror with UA1 radio; all other adios will include the camera display on-screen)  RED SEAT BELTS – Regular Cab only (not available on 10K GWR 3500 SRW models)  REMOTE KEYLESS ENTRY – Controls for power door locks, illuminated entry system, panic alarm; includes two transmitters (packaged with Power and Remote Entry Group; pptional on Crew Cab Tradesman)  REMOTE START SYSTEM – Requires automatic transmission; packaged with available automatic transmission on Laramie  -	:NSE® FRONT AND REAR PARK ASSIST <sup>5</sup> – Requires Chrome Appe	arance Package and fog lamps on Tradesman, and fog lamps on SLT	0	0	0
radios will include the camera display on-screen)  RED SEAT BELTS – Regular Cab only (not available on 10K GWR 3500 SRW models)  REMOTE KEYLESS ENTRY – Controls for power door locks, illuminated entry system, panic alarm; includes two transmitters (packaged with Power and Remote Entry Group; optional on Crew Cab Tradesman)  REMOTE START SYSTEM – Requires automatic transmission; packaged with available automatic transmission on Laramie  —	:NSE REAR PARK ASSIST <sup>5</sup>		0	0	0
REMOTE KEYLESS ENTRY – Controls for power door locks, illuminated entry system, panic alarm; includes two transmitters (packaged with Power and Remote Entry Group; optional on Crew Cab Tradesman)  REMOTE START SYSTEM – Requires automatic transmission; packaged with available automatic transmission on Laramie  -		by the upfitter in the ideal location (image is displayed in the rearview mirror with UA1 radio; all other	0	0	0
optional on Crew Cab Tradesman)  REMOTE START SYSTEM – Requires automatic transmission; packaged with available automatic transmission on Laramie	AT BELTS – Regular Cab only (not available on 10K GVWR 3500	SRW models)	0	0	-
71 4		ntry system, panic alarm; includes two transmitters (packaged with Power and Remote Entry Group;	0/P	S	S
PECHDITY ALADM	E START SYSTEM – Requires automatic transmission; packaged v	vith available automatic transmission on Laramie	-	0	Р
DEGURIT ALARM -	TY ALARM		-	0	S
SENTRY KEY® THEFT DETERRENT SYSTEM – Engine immobilizer	KEY® THEFT DETERRENT SYSTEM – Engine immobilizer		S	S	S
TRAILER BRAKE CONTROL - Fully integrated electronic	R BRAKE CONTROL – Fully integrated electronic		0	0	0

NOTE: some features and/or applications may be late availability.

2017 RAM 2500/3500	S = Standard 0 = Optional P = Available within Package noted - = Not available	TRADESMAN® REG/CREW	SLT REG/CREW/MEGA	BIG HORN®/LONE STAR* Crew/Mega	POWER WAGON** Crew	LARAMIE® CREW/MEGA	LARAMIE LONGHORN* CREW/MEGA	LIMITED CREW/MEGA
CPOS PACKAGE	·	2TA	2TG	2TZ/ 2TY	2TP	2TH	2TK	2TM
ENGINES	TRANSMISSIONS			211				
5.7L HEMI® V8; 383 hp, 400 lb-ft of torque	6-speed automatic (SRW only)	S	S	S	_	S	0	0
5.7L HEMI V8 dual-fuel CNG/gasoline; 383 hp, 400 lb-ft of torque	6-speed automatic (2500 Regular Cab and Crew Cab 8' box only)	0	0	_	_	_	_	_
6.4L HEMI V8 with MDS; 410 hp, 429 lb-ft of torque (370 hp on 3500 Mega Cab®)	6-speed automatic	0	0	0	S	0	S	S
6.7L Cummins® Turbo Diesel; 350 hp, 660 lb-ft of torque	6-speed manual	0	0	0	_	0	_	_
6.7L Cummins Turbo Diesel; 370 hp, 800 lb-ft of torque	6-speed automatic	0	0	0	-	0	0	0
6.7L Cummins High Output Turbo Diesel; 385 hp, 900 lb-ft of torque	6-speed AISIN® Heavy-Duty automatic (3500 only)	0	0	0	_	0	0	0
MECHANICAL FEATURES								
ALTERNATORS – Dual-rated at 380 amps (gas 6.4L V8 only; includes 160-amp and 23	20-amp)	0	0	0	0	0	0	0
- Dual-rated at 440 amps (6.7L diesel only; includes two 220-amp)		0	0	0	_	0	0	0
FIFTH-WHEEL/GOOSENECK PREP PACKAGE – Includes in-box 7-pin harness connecti	or (not available with RamBox® System)	0	0	0	_	0	0	0
TRAILER TOW – 4-pin/7-pin trailer harness plug (combination receptacle) and Class		S	S	S	S	S	S	S
SUSPENSION – Three-link front with coil springs		S	S	S	S	S	S	S
- Rear, five-link multirate coil springs (2500 only)		S	S	S	S	S	S	S
- Rear leaf springs (3500 only)		S	S	S	-	S	S	S
- Auto-Level Rear Air Suspension System		0	0	0	-	0	0	0
TRANSFER CASES (4x4 models only) – Manual shift-on-the-fly		S	-	-	S	-	-	_
- Electronic shift-on-the-fly		0	S	S	-	S	S	S
SAFETY & SECURITY								
AIR BAGS <sup>3</sup> – Multistage front and knee bolsters		S	S	S	S	S	S	S
- Supplemental side-curtain		S	S	S	S	S	S	S
- Supplemental front-seat side-mounted		S	S	S	S	S	S	S
CARGO-VIEW CAMERA <sup>5</sup> – Requires Uconnect® 8.4 or 8.4 NAV system		_	0	0	0	0	0	0
ELECTRONIC STABILITY CONTROL (ESC) <sup>4</sup> – Includes Brake Assist, Electronic Roll Miti All-Speed Traction Control and Trailer Sway Control <sup>4</sup>	igation, Hill Start Assist, Rain Brake Support, Ready Alert Braking,	S	S	S	S	S	S	S
ELECTRONIC TRAILER BRAKE CONTROLLER		0	S	S	S	S	S	S
PARKSENSE® REAR PARK ASSIST <sup>5</sup>		0	0	0	0	-	-	-
PARKSENSE FRONT AND REAR PARK ASSIST <sup>5</sup> – Included with Leather and Luxury Gr	оир	-	0	0	0/P	S	S	S
PARKVIEW® REAR BACK-UP CAMERA <sup>5</sup> – Video displayed in rearview mirror with 3.0 (included with Black Appearance Group or Leather and Luxury Group)	radio, or on-screen with Cargo-View Camera <sup>s</sup> with other radios	0	0	0/P	0/P	S	S	S
REMOTE KEYLESS ENTRY – Controls for power door locks, tailgate, RamBox System (included in Tradesman Popular Equipment Group or Power and Remote Entry Group)		Р	S	S	S	S	S	S
REMOTE START SYSTEM – Requires automatic transmission		-	0	S	0	0	S	S
SECURITY ALARM – Detects break-in (included with Leather and Luxury Group)		-	0	0	0/P	S	S	S
SENTRY KEY® THEFT DETERRENT SYSTEM – Engine immobilizer		S	S	S	S	S	S	S
TIRE PRESSURE INFORMATION SYSTEM (3500 only)		S	S	S	-	S	S	S

TIRE PRESSURE MONITORING (TPM) – Within Driver Information Display and alert (2500 only) NOTE: some features and/or applications may be late availability. \*Lone Star model available only in Texas.






2017 RAM 1500	S = Standard 0 = Optional P = Available within Package noted - = Not available	TRADESMAN® Reg/quad/crew	ECODIESEL HFE QUAD	RAM 1500 EXPRESS* REG/QUAD/CREW	BIG HORN®/LONE ST Reg/quad/crew	SPORT REG/QUAD/CREW	NIGHT EDITION REG/QUAD/CREW	REBEL <sup>TM</sup> CREW	LARAMIE® QUAD/CREW	LARAMIE LONGHORN CREW	LIMITED
CPOS PACKAGE		В	Е	J	S/R	L	Q	W	Н	K	٧
ENGINES	TRANSMISSIONS										
3.6L Pentastar® V6 Flex Fuel 24V with VVT; 305 hp, 269 lb-ft of torque	8-speed automatic	S	-	S	S	S	S	S (4x4)	S	-	-
3.0L EcoDiesel V6; 240 hp, 420 lb-ft of torque	8-speed automatic	0	S	-	0	-	-	-	0	0	0
5.7L HEMI® V8; 395 hp, 410 lb-ft of torque	8-speed automatic	0	-	0	0	0	0	S (4x2) O (4x4)	0	S	S
MECHANICAL FEATURES											
ACTIVE GRILLE SHUTTERS – Included with 8-speed automatic transmission		S	S	S	S	S	S	-	S	S	S
STEERING – Electronic rack and pinion		S	S	S	S	S	S	S	S	S	S
SUSPENSION – Front, upper and lower A-arms, coil springs		S	S	S	S	S	S	-	S	S	0
- Rear, five-link, coil springs, twin-tube shocks		S	S	S	S	S	S	-	S	S	0
<ul> <li>Active-Level™ Four-Corner Air Suspension System; front upper and lower A-arms, compressor, dual closed-loop system storage tanks (Quad Cab® and Crew Cab mol 6'4" box)</li> </ul>		0	-	0	0	0	0	S	0	0	s
TRAILER HITCH – Class IV hitch receiver (included with Trailer Tow Mirror and Brake G	roup)	S	-	0	S	0/P	0/P	S	S	S	S
TRANSFER CASES (4x4 models only) – Electronic part-time		S	-	S	-	-	_	S	_	-	-
- Electronic on-demand		-	-	-	S	S	S	-	S	S	S
SAFETY & SECURITY											
AIR BAGS³ – Advanced multistage front		S	S	S	S	S	S	S	S	S	S
- Supplemental side-curtain		S	S	S	S	S	S	S	S	S	S
- Supplemental front-seat side-mounted		S	S	S	S	S	S	S	S	S	S
BRAKES – Power-assisted four-wheel antilock disc		S	S	S	S	S	S	S	S	S	S
ELECTRONIC STABILITY CONTROL (ESC) <sup>4</sup> – Includes four-wheel ABS, Brake Assist, All- Ready Alert Braking, Electronic Roll Mitigation, Hill Start Assist and Trailer Sway Contro		S	S	S	S	S	S	S	S	S	S
PARKSENSE® REAR PARK ASSIST <sup>5</sup>		-	-	-	-	-	-	S	-	-	
PARKSENSE FRONT AND REAR PARK ASSIST <sup>5</sup> – Not available on Regular Cab		-	-	-	S	0	0	-	0	S	S
PARKVIEW® REAR BACK-UP CAMERA <sup>5</sup> – With dynamic grid lines (grid lines not available with 3.0 radio; included with Rear Camera and Park Assist Group)		0	-	0	S	S	S	S	S	S	S
REMOTE KEYLESS ENTRY WITH ALLSECURE® – Controls for power door locks, tailgate entry system, panic alarm; includes two transmitters (included with Popular Equipmen		Р	-	Р	S	S	S	S	S	S	S
REMOTE START SYSTEM		-	-	-	S	S	S	S	0	S	S
SECURITY ALARM		-	-	-	S	S	S	S	S	S	S
TRAILER BRAKE CONTROL – Fully integrated electronic (included with Trailer Tow Min	or and Brake Group)	0/P	-	0/P	0/P	0/P	0/P	0/P	0/P	0/P	0/P

NOTE: some features and/or applications may be late availability. \*Lone Star model available only in Texas.

2017 RAM PROMASTER®		S = Standard 0 = Optional - = Not available	VAN	WINDOWED	CHASSIS CAB	CUTAWAY
ENGINES	TRANSMISSIONS					
3.6L Pentastar® V6; 280 hp, 260 lb-ft of torque	6-speed automatic		S	S	S	S
3.0L EcoDiesel I-4; 174 hp, 295 lb-ft of torque	6-speed Dual Active Drive (not	available on 118-inch-wheelbase Cargo Van)	0	0	-	-
Front-Wheel Drive			S	S	S	S
FEATURES						
12-VOLT POWER OUTLET			S	S	S	S
AIR CONDITIONING/HEAT - Manual			S	S	S	S
CARGO PARTITION – Without window			0	-	-	-
- With sliding window			0	-	-	-
- Delete			S	-	-	-
CLOTH SEATS			S	S	S	S
- Swivel seat - Driver			0	0	0	0
- Swivel seat - Passenger (requires driver swivel seat)				0	0	0
CRUISE CONTROL				0	0	0
HALOGEN HEADLAMPS					S	S
HEATED SEATS				0	0	0
POWER DOOR LOCKS – Speed-sensitive				S	S	S
POWER WINDOWS - Front				S	S	S
PREMIUM APPEARANCE GROUP – Includes chrome grille and front fog lamps			0	0	0	0
REAR BACK-UP CAMERA <sup>5</sup> KIT			S	S	0	0
REAR SPEAKER WIRING PREP – Includes Upfit Interface Connector			S	S	S	S
REMOTE KEYLESS ENTRY			S	S	S	S
TELESCOPING STEERING COLUMN			S	S	S	S
VINYL SEATS			0	0	0	0
SAFETY & SECURITY						
AIR BAGS <sup>3</sup> – For driver and front passenger			S	S	S	S
– Supplemental front-seat side-mounted			S	S	S	S
- Supplemental side-curtain			S	S	S	S
ELECTRONIC STABILITY CONTROL (ESC) <sup>4</sup>			S	S	S	S
FOUR-WHEEL DISC ANTILOCK BRAKE SYSTEM			S	S	S	S
HEAD RESTRAINTS <sup>6</sup>			S	S	S	S
SECURITY ALARM			0	0	0	0
THREE-POINT SEAT BELTS			S	S	S	S
TIRE PRESSURE MONITORING (TPM) DISPLAY				S	S	S

NOTE: some features and/or applications may be late availability.





## 2017 RAM PROMASTER CITY®

CPOS PACKAGE		2TC	2TD	2TA	2TB
ENGINE	TRANSMISSION				
2.4L MultiAir®2 I-4; 178 hp, 174 lb-ft of torque	9-speed automatic	S	S	S	S
MECHANICAL FEATURES					
ALTERNATOR - 160-amp		S	S	S	S
BATTERY – 700-amp maintenance-free		S	S	S	S
BRAKES – Four-wheel antilock		S	S	S	S
CARGO PARTITION PACKAGE – Solid		0	0	-	-
- With window		0	0	-	-
ELECTRONIC VEHICLE TRACKING SYSTEM (EVTS)		0	0	0	0
FLOOR MATS – Front and rear carpet		-	-	0	0
– Front and rear slush		-	-	0	0
- Front carpet		0	0	-	-
– Front slush		0	0	-	-
FRONT AND REAR STABILIZER BARS		S	S	S	S
FUEL TANK - 16-gallon		S	S	S	S
HEAVY-DUTY SUSPENSION		S	S	S	S
PUNCTURE SEALANT AND PORTABLE AIR COMPRESSOR		S	S	S	S
SAFETY & SECURITY					
AIR BAGS <sup>3</sup> – For driver and front passenger		S	S	S	S
- Driver inflatable knee bolster		S	S	S	S
- Supplemental front-seat side-mounted		S	S	S	S
<ul> <li>Supplemental side-curtain for 1st and 2nd row</li> </ul>		-	-	S	S
- Supplemental side-curtain for 1st row		S	S	-	-
DOT-CERTIFIED ROADSIDE SAFETY KIT - Includes DOT fire	extinguisher, three reflective triangles, two Red vinyl flags and spare fuses	0	0	0	0
ELECTRONIC STABILITY CONTROL (ESC) <sup>4</sup> – Includes Brake Brake Assist and All-Speed Traction Control	-Lock Differential, Electronic Roll Mitigation, Hill Start Assist, Trailer Sway Control,4	S	S	S	S
PARKSENSE® REAR PARK ASSIST <sup>5</sup> – Included with Rear Ba	ack-Up Camera Group	Р	Р	Р	Р
PARKVIEW® REAR BACK-UP CAMERA5 – Included with Rea	r Back-Up Camera Group	Р	Р	Р	Р
REMOTE KEYLESS ENTRY		S	S	S	S
TIRE PRESSURE MONITORING (TPM) SYSTEM - Warning la	amp	S	S	S	S
NOTE: some features and/or applications may be late availability.					



THIS IS HOW YOU BUILD A BUSINESS.

