








THE
NICEST THINGS
ABOUT
A CHARGER
ARE THE
EXTRAS
YOU DON'T
PAY EXTRA FOR.









1. These items are standard equipment on the "standard" Charger model: 318-cubic-inch V8 (or 225 Six) Three-speed manual transmission All-vinyl front bucket seats All-vinyl map and utility pockets, in right- and left-door panels Deep-pile carpeting (front and rear) Sports-type steering wheel with padded hub and partial horn ring Heater/defroster Electric clock with automatic regulator Cigarette lighter Self-adjusting brakes Heavy-duty suspension, including torsion bars, heavy-duty rear. springs, and front sway bar Choice of 18 standard exterior colors Front and rear bumper guards Wheel lip mouldings Concealed headlights Quick-fill gas cap.

2. The Charger SE (Special Edition) includes the above standard equipment items, except for these changes and additions: Genuine leather and vinyl front bucket seats Sports-type simulated wood-grained steering wheel with padded hub* Deep-dish wheel covers* (hubcaps are standard on regular Charger models) Hood-mounted turn signal indicators* Simulated wood-grained-finish instrument panel trim Charger "Light Group" (includes ashtray light, glove box light, map light, trunk compartment light, time-delay ignition switch light, and head-lamp-on reminder-it buzzes when door is opened).

3. The Charger R/T includes the

standard Charger equipment,

except for these changes and additions:

440-cubic-inch Magnum V8, with

4-barrel carburetor and dual
exhausts with chromed tips

TorqueFlite automatic transmission*

Heavy-duty manually adjustable
brakes*

F70x14 Red Line wide-tread tires*

R/T Handling Package, including
special torsion bars, Firm Ride
shock absorbers,* extra-heavyduty rear springs, and front sway bar


Bumblebee racing stripes.

Note: Charger R/T models can
also be ordered with the SE
(Special Edition) equipment
listed above.











OPTIONAL EQUIPMENT

Many of the nice touches Charger offers are items that you might normally consider as "options"— yet they're included as standard equipment. However, Dodge does offer a very handsome selection of Charger optional items. We've listed them, in groupings called "Comfort and Convenience," "Appearance" and "Performance"—on page 10. Here are some of the highlights for 1969:

(THE DASH) The simulated woodgrained instrument panel identifies this as the Charger "SE" (Special Edition), with genuine leather and vinyl front bucket seats—the "SE" is available on the standard Charger as well as the R/T chassis.

(THE SEAT) This is our new Dodge Custom-Comfort seat. It does just about everything an electrically powered seat can do—that is, move up and down, tilt forward and backward, as well as adjust for legroom. You can adjust it for over 100 different seating positions. This option is offered on all Charger models, at a cost far below what you'd expect to pay for a power seat. Ask your Dealer to let you try one for size.

(THE STICK)* The name stamped on the side reads "Hurst." Top name in shifters. The new design places the knob about 4 inches closer to the driver, right at hand for fast, clean travel through the gears. When you order your Charger with 4-on-the-floor, you can get it in the optional center console, as shown here, or right on the floor for standard bucket seats or optional buckets with center cushion and fold-down armrest.

(THE WHEELS) Notice we said "wheels"—not "wheel covers." (We offer the covers, too.) The wheel on the left is our chromed steel road wheel. The lug nuts are real—the spokes are real. These wheels are optional, but only with the 14-inch tires. On the right: our new cast aluminum road wheel. Again, everything you see has function—the nuts and the wheel itself are the McCoy. These aluminum jobs are available with 15-inch tires only, by the way.

(THE REST) The three different kinds of wheel covers, the four different radio and stereo-tape options, the new rear deck luggage rack, rear window defogger, power windows, Trailer-Towing Package, and many more are all listed on page 10. Makes interesting reading.

*4-on-the-floor available with 383 4-bbl. V8, 440 Magnum V8, and 426 Hemi V8 only.

^{*}Starred items are also available, at extra cost, on other Charger models.

SPECIFICATIONS

DIMENSIONS

Wheelbase . . . 117".

Overall length, width, height . . . 208.0"/76.6"/53.2".

Track; front/rear . . . 59.5"/59.2".

SUSPENSION

Charger has heavy-duty suspension and Oriflow shocks at each wheel. Charger R/T has a Special Handling Package and heavy-duty shocks.

BRAKES

Hydraulic, servo-contact, self-energizing, with bonded linings. Parking brake is foot-operated, hand-released—mechanically actuating shoes on each rear wheel. Charger brakes are self-adjusting; 10"x2½", front and rear. Charger R/T brakes are manually adjustable; heavy-duty; 11"x3", front—11"x2½", rear.

TIRES

Charger, 7.35 x 14, 5.5JK wheel on six-cylinder model only. 7.75 x 14 with 318-cubic-inch V8. Charger R/T, F70 x 14 Red Line wide-tread, 5.5JK wheel.

ELECTRICAL SYSTEM

Battery, 12-volt, 6-cell, 48-amp-hr (225 Six and 318 V8). 59-amp-hr (383 V8s). 70-amp-hr (Magnum & Hemi V8s). Alternator, 37-amp, standard.

TRANSMISSIONS

Three-speed manual (column-mounted shift), standard with 318 V8 or 225 Six only. TorqueFlite three-speed automatic (selector, column-mounted), standard on Charger R/T with 440 Magnum V8—optional with 318 V8, 383 V8s and 225 Six. Console-mounted selector with optional center console. 4-on-the-floor (all forward speeds sync.) with Hurst shifter optional with 383 4-bbl. V8, 440 Magnum V8 and 426 Hemi V8.

REAR AXLE RATIOS

A number of ratios are offered with each Charger engine/ transmission team. Each ratio has been carefully chosen to provide a balance of performance and economy. For specialized applications, your Dealer can order your Charger or Charger R/T delivered with a more suitable ratio, at extra cost.

displacement	225-cuin.	318-cuin.	383-cuin.	383-cuin.	440-cuin. Magnum	426-cuin. Hemi
no. of cylinders	Six	V8	V8	V8	V8	V8
bore x stroke (in.)	3.4 x 4.12	3.91 x 3.31	4.25 x 3.38	4.25 x 3.38	4.32 x 3.75	4.25 x 3.75
tappets	mechanical	hydraulic	hydraulic	hydraulic	hydraulic	mechanical
carburetor	1-bbl.	2-bbl.	2-bbl.	4-bbl.	4-bbl.	two 4-bbl.
compression ratio	8.4:1	9.2:1	9.2:1	10.0:1	10.1:1	10.25:1
air cleaner	silenced	silenced	silenced	unsilenced	unsilenced	unsilenced
exhaust system	single	single	single	dual	dual	dual
crankcase capacity	4 qts.*	4 qts.*	4 qts.*	4 qts.*	4 qts.*	5 qts.*
coolant capacity	13 qts.	18 qts.	17 qts.	17 qts.	18 qts.	18 qts.
horsepower @ rpm	145 @ 4000	230 ⊜ 4400	290 @ 4400	330 ⊚ 5000	375 @ 4600	425 @ 5000
torque (lbsft.) @ rpm	215 @ 2400	340 @ 2400	390 @ 2800	425 @ 3200	480 @ 3200	490 @ 4000
fuel recommended	regular	regular	regular	premium	premium	premium
*Add 1 extra quart when replaci		regular	regular	Premum	premum	Pren

[&]quot;Add I extra quart when replacing on little







OPTIONS

COMFORT AND CONVENIENCE

Airtemp air conditioner
Rear window defogger
Charger offers four different
radio options:
Music Master AM radio
Astrophonic AM deluxe radio
Solid-state AM-FM radio
AM radio with eight-track

AM radio with eight-track stereo-tape player and three instrument-panel-mounted speakers for "orchestra shell" fidelity

Rear seat speaker
Power steering
Power brakes
Power windows
Automatic speed control
Tinted windshield
Tinted windshield and windows
Lockable gas cap (concealed
beneath quick-fill cap, which

is standard)
Undercoating and hood
insulation

Right, outside rearview mirror Left, outside remote-control rearview mirror

Front center cushion/fold-down armrest Custom color-keyed vinyl head

restraints, front seats, left and right Six-way manually adjustable driver's seat

Rear shoulder belts, left and right Three-speed, electric windshield wiper (two-speed, standard) Luggage rack on rear deck lid

APPEARANCE

Front center console Three-spoke steering wheel with padded hub and full horn ring Sports-type simulated woodgrained steering wheel with padded hub (standard in Charger SE) F70x14 Red Line tires (standard on Charger R/T) F70x15 Red Line tires (standard with 426 Hemi) Vinyl roof covering (in choice of black, white afflair, green antique, or tan) Deluxe wheel covers Deep-dish wheel covers (standard on Charger SE) "Mag"-type wheel covers Chromed steel road wheels (14" wheels only) Cast aluminum road wheels (15" wheels only) Turn signal indicators mounted directly in forward part of hood (standard on Charger SE) White sidewall tires

Door edge protector mouldings

Color-keyed floor mats

Sill mouldings

PERFORMANCE

383 (2-bbl.) V8 engine (regular fuel) 383 (4-bbl.) V8 engine 426 (two 4-bbl.) Hemi V8 engine (Charger R/T only) TorqueFlite automatic transmission (standard on Charger R/T) Four-speed manual transmission with Hurst shifter (with all engines, except 225 Six, 318 and 383 2-bbl. V8s) Sure Grip differential Electric clock/tach (clock, alone, is standard) Front disc brakes (available with either 14" or 15" wheels) Heavy-duty brakes (standard on Charger R/T) Firm Ride shocks (standard on Charger R/T) F70 x14 Red Line tires (standard on Charger R/T) Trailer-Towing Package Performance Axle Package

TRAILER-TOWING PACKAGE

Required for towing trailers with a loaded gross weight of 2,000 lbs. and not exceeding 4,000 lbs. A frame-type load-equalizing hitch is required for trailers having a loaded tongue-weight of 200 lbs. (Hitch not supplied by Dodge.)

Basic equipment includes:

Maximum cooling system with high-capacity radiator. Large transmission oil cooler. Sevenblade fan. Fan shroud. Hood seal. Heavy-duty performance axle, 3.23 ratio. Heavy-duty brakes (standard on Charger R/T). Heavy-duty turn signal flasher. Heavy-duty stoplight switch.

The following extra-cost equipment is also required: TorqueFlite automatic transmission.

Recommended, additional optional equipment for trailer towing: Sure Grip differential. High-output, 46-amp alternator. Heavy-duty 70-amp-hr battery, with rubber separators and battery heat shield. Power brakes or disc brakes. Power steering. Air conditioning. 383-cubic-inch V8 (2-bbl. or 4-bbl.). Note: Trailer-Towing Package not available with 225 Six or 426 Hemi V8 engine.

CHARGER LIGHT GROUP

(Standard in Charger SE)
Ashtray light
Glove box light
Map light
Trunk compartment light
Time-delay ignition switch light
(This is a little delay switch that
leaves your ignition switch light
"on" for a short time after the
car doors are closed. It lets
you find the ignition switch
in the dark without switching
on the interior lights.)
Head-lamp-on reminder (buzzer)

EXTERIOR

MEDIUM BLUE METALLIC

BRIGHT BLUE METALLIC

LIGHT BLUE METALLIC

DARK GREEN METALLIC

LIGHT GREEN METALLIC

LIGHT BRONZE METALLIC

GOLD METALLIC

YELLOW

SILVER METALLIC

WHITE OR BLACK

COPPER METALLIC

CREAM

BRIGHT RED

DARK BRONZE METALLIC

MEDIUM GREEN METALLIC

BRIGHT TURQUOISE METALLIC

COLORS

CHARGER RADIO GROUP

Music Master AM radio
Power steering
Power brakes
Three-speed windshield wipers
Deep-dish wheel covers
Left, outside remote-control
mirror

Some options, such as Airtemp air conditioner, automatic speed control, disc brakes, console, clock/tach and Trailer-Towing Package, are available only with certain other items of equipment. Your Dodge Dealer will gladly assist you in selecting such items within their availability.

SAFETY EQUIPMENT

- Dual Braking System
- Turn signals
- Padded instrument panel
- Master cylinder/parking brake warning light
 Windshield washers
- Safety-Action inside door
- handles
- Left, outside rearview mirror
 Retractable front seat belts
- Side marker reflectors
- Soft knobs on window cranks
- Cleaner Air System
- Energy-absorbing steering
- column and wheel
- Backup lights
- Padded sun visors
 Windshield wipers, 2-speed, electric; parallel-action blades
- with glare-reducing finish

 Hazard Warning System
- (four-way emergency flasher)

 Safety-Rim wheels
- Prismatic, day/night, inside rearview mirror with doubleball-joint safety mount
- Rear seat belts (including belt
 for center pessenger)
- for center passenger)
 Front shoulder belts, left
- Manual latch on front seatbacks
- Padded front seatbacks
- Nonoverride door locks



All product illustrations and specifications are based on authorized information. Although all descriptions are believed correct at publication approval, accuracy cannot be guaranteed. Some of the equipment shown on product illustrations is optional, at extra cost. Dodge Division reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colors and materials, and to change or discontinue models.





THIS YEAR, DODGE IS TURNING UP THE FEVER.

Dodge fever