









The Series Sixty-Two Coupe is, historically, Cadillac's most perfect blending of quality and practicality. And never has this been truer than for 1956. Most assuredly, the car has never been as beautiful as it is today. Its interiors are far more luxurious . . . offered in four combinations of nylon and gabardine and in three choices of nylon and Elascofab. And its performance - highlighted by the great new Cadillac engine-is far more thrilling. And yet, with all this exceptional beauty and luxury and performance, the Series Sixty-Two Coupe is again the lowest-priced model in the entire Cadillac line. Here, indeed, is an ideal selection for any motorist who wants to combine fine quality with unusual practicality.



## The Spectacrilar Cadillac ELDORADO BIARRITZ

In the two years since the Eldorado was first introduced by Cadillac, it has won itself a unique place in the hearts of motorsts everywhere. Though the Eldorado name originally designated only the convertible model, it will include for 1956 both an open and a closed car. The first of these - the spectacular Biarritz-is a true achievement in advanced design and engineering. Its high-sweeping fender lines . . . its beautiful grille and rear bumper assembly . . . its unique "disappearing top" ... its special "Sabre-Spoke" wheels . . . its special hood ornament ... its chrome ribbed saddle molding ... and its many special color options . . . give it a beauty all its own. To add still greater glamour, the Biarritz is available with gold wheels and a gold grille. And the Biarritz is as thrilling to drive as it is to see. It is powered by a special 305-h.p. Cadillac engine, and offers Cadillac's most advanced features of engineering throughout. In every way, it is a true masterpiece of Cadillac craftsmanship.





An inspiration to behold . . . a revelation to ride in . . . an education to drive—this is the fabulous Eldorado Seville. A new and exclusive addition to Cadillae's royal family of motor cars, the Seville is, in the truest sense, a "dream car" in actual production. It bears all of the unique Eldorado styling characteristies . . including the fanous high-sweeping rear fenders, "Sabre-Spoke" wheels, and the optional gold grille and wheels. A special grained Vicodec hardtop roof provides a crowning touch of glamour. Its interiors are luxurious and gracious almost beyond description . . . and the performance of its special 305-h.p. engine offers the final reward of the industry's finest engineering. Delberately designed and manufactured as the most exclusive motor car of our time, the Eldorado Seville represents Cadillae's highest achievement in automotive quality and craftsmaship.



The specially designed interiors of the Eldorado Biarritz and Seville feature solid blue, black, green or red leather, and blue, black, green or red leather with white. The Seville is also actable in leather combined with heartiful minor fabrics.





We Cordially Invite You to Inspect and Drive

## THE 1956 CADILLAC OF YOUR CHOICE!



## SPECIFICATIONS

ENGINE: Designed and precision-built by Cadillac. Eight-eylinder, overhead 90° V-type, bore 4.0°, stroke 3.625°, displacement 355 cu. in. Engine mounted in rubber at three points. Brake horsepower 285 at 4600 RPM. Compression ratio 9.75 to 1. Eldorado engine, 305 horsepower at 4700 RPM.

PISTONS: Aluminum alloy, slipper-type to reduce friction surfaces and permit nesting between crankshaft counterweights. Two compression rings, one oil ring with expander; top compression ring chromeplated to minimize wear on cylinder walls; piston surfaces are stanuate treated for better wearing qualities and sculf resistance.

CARBURETOR: Four-barrel downdraft with equalized manifolding; mechanical fuel pump; oil-bath type air cleaner; intake silencer; automatic choke. Two 4-barrel carburetors on Eldorado engine.

LUBRICATION: Full pressure. Oil filter, standard equipment on all models.

ELECTRICAL SYSTEM: 12-volt lighting and ignition.

GASOLINE TANK CAPACITY: 20 gallons.

HYDRA-MATIC DRIVE: Fully automatic, step-gear type. New controlled fluid coupling replaces multiple disc clutch on forward gear set for smoother shifts, while retaining previous Hydra-Matic efficiency and performance. Provides two Drive Ranges, Lo Range and Reverse

REAR AXLE: Hypoid, semi-floating, Differential housing offset to provide straight-line drive. Ratio is 3.07 with a 3.36 axle provided on Eldorado engine installations and Series 75 models and optional on all other models.

FRONT SUSPENSION: Cadillac Independent Knee-Action, Helical coil type springs.

REAR SUSPENSION: Hotchkiss drive. Rear springs are 5-leaf, semi-elliptic, 56½" long, 2½" wide (Series 75: 6-leaf).

BRAKES: Cadillac Power Brake system standard equipment. Low pedal type with master brake cylinder and vacuum power cylinder in one unit. Effective brake lining area 221.96 sq. in., 233.64 sq. in. on Series 75 models.

STEERING: Cadillac Power Steering standard equipment with an over-all steering ratio of 19.5 to 1.

FRAME: X-type, reinforced side bars with deep Xmember junction.

TIRES: Low-pressure, 4-ply, tubeless. Size= $8.00\ x$  15 (Series 75: 6-ply, size= $8.20\ x$  15). White sidewall tires  $(8.20\ x$  15)\*, optional at extra cost.

DIRECTIONAL SIGNALS: Standard equipment.

BACK-UP LIGHTS: Standard equipment.

SABRE-SPOKE WHEELS\*: Heavy-gauge steel and aluminum. Optional at extra cost.

WHEELBASE: 60 Special, 133"; Series 62, 129"; Series 75, 149.75".

OVER-ALL LENGTH: 60 Special, 225.9"; Series 62 Coupe, Convertible, Coupe and Sedan de Ville, 221.9"; Series 62 Sedan, 214.9"; Eldorado Seville and Biarritz, 222.2"; Series 75, 235.7".

\*Standard on Eldorado Seville and Biarritz.

CADILLAC MOTOR CAR DIVISION . GENERAL MOTORS CORPORATION