

2008 OUTBACK







# THE SUBARU OUTBACK LET'S TAKE IT OUTSIDE.




Rocky paths. Damp conditions. Kinks in the road. Bring it all on. With the rugged yet refined suspension of the Outback, you can tackle those roads with confidence. Its control and stability maintain composure in virtually any weather. Its versatility ensures that your equipment is close at hand. And its intelligent proportions and efficient power appeal to your conscience. Nature beckons. Respond with the capability of the Outback.






#### CONTINUOUS AWD




Outback models equipped with the 5-speed manual transmission use a viscous-locking center differential. Should wheel slippage occur, it helps transfer power to the wheels with the most traction.

#### ACTIVE AWD



Matched to the 4-speed automatic, the Active AWD system monitors parameters such as wheel slippage and vehicle speed, actively adjusting power to the front or rear wheels for optimal adhesion.

#### VTD AWD



Models with the 5-speed automatic transmission use the Variable Torque Distribution (VTD) system that normally splits power 45% front and 55% rear for a sporty feel, and dynamically reapportions torque for maximum grip.

Drivetrain shown for illustration purposes only.

#### **DRIVING DYNAMICS**

Unfamiliar roads. Unanticipated precipitation. Destinations unknown. Outback is ready for whatever your journey may have in store, thanks to its higher ground clearance, the control of Symmetrical All-Wheel Drive, and a heavy-duty suspension. Yet unlike most truck-based SUVs, on-road performance remains eminently drivable, due to its car derived 4-wheel independent suspension, precise rack-and-pinion steering and rigid chassis. They all work together to deliver a smoother ride for the comfort of your passengers, and more responsive handling for the enjoyment of the driver.







#### **HEAVY DUTY SUSPENSION**

Riding on reinforced springs, shocks and other strengthened components that comprise its heavy duty suspension, the Outback enables you to travel over rocky, uneven surfaces. And with up to 8.7 inches of ground clearance, you have the ability to clear many of the unpaved roads that would block the path of other vehicles.

#### POWER DISTRIBUTION

BRAKES

Unlike front- or rear-wheel-drive vehicles, the Outback distributes power to all four wheels. When it detects a loss of adhesion, it seamlessly transfers power to the front or rear wheels with the most traction to help maintain better control.

Accurate control and deceleration without fade. Every Outback is equipped with four-wheel disc brakes that are enhanced with Anti-lock Brake System (ABS) and Electronic Brake-force Distribution (EBD) that provides more even and stable braking by optimally apportioning stopping power to the front and rear wheels.




The available electronic stability control system helps keep you on your intended path by measuring variables such as steering input, braking and vehicle angle. Sensing any slide that causes the vehicle to deviate from your intended course, VDC applies individual brakes and/or reduces engine power to counteract the slide and help keep you safely in control.





### SUBARU BOXER ENGINE

Every engine generates power. But the unique SUBARU BOXER engine gives you so much more. The flat, horizontally opposed configuration empowers the Outback with a lower center of gravity, delivering precise handling and enhanced stability. The result is a car that goes where you want it to, especially when changing directions quickly, impressing driving enthusiasts and safety experts alike. And its layout ensures smooth, plentiful power, matched with the efficiency and durability you need for everyday driving. Performance. Safety. Reliability. Much like the jabbing motion of a boxer's arms that it's named after, it packs quite a punch.



#### **SMOOTHER OPERATION**

The 180-degree boxer engine layout allows the pistons to move in exact horizontal opposition, effectively negating vibrations. Its smoothness not only sweetens power delivery, it also helps increase longevity.










Compared to other types of engines, the lower profile of the SUBARU BOXER engine helps the Outback lean less around curves and while maneuvering, giving you greater control overall.





### POWER AND PERFORMANCE


Press the accelerator and feel your spirits lift. A choice of three powerplants awaits, depending upon whether you value optimal fuel economy, appreciate the velvet-smooth surge of 6-cylinders or simply love the exhilaration of turbocharged acceleration. Every engine is managed by sophisticated valve technology for the greatest amount of efficiency and smoothness. So you can feel the forward momentum in your mind as well as your body.





## SUBARU INTELLIGENT DRIVE

Maximizing engine performance and efficiency is within easy reach with the Subaru Intelligent Drive (SI-DRIVE) on the 2.5 XT Limited and the 3.0 R L.L.Bean Edition. It controls performance characteristics to suit your driving needs—or desires. Put it in Intelligent mode for fuel efficiency around town and when driving in slippery conditions, such as loose gravel or wet roads. Dial it up to Sport for quick throttle feedback and linear acceleration. For enthusiastic driving, the Sport Sharp mode, controlled by either the dial or a button on the steering wheel, delivers more power sooner, greater low-end thrust and maximum enjoyment.



#### **TRANSMISSIONS**

The 5-speed manual transmission is fully synchronized for precise action. The smooth-shifting 4- and 5-speed automatic units feature SPORTSHIFT\* manual control for greater involvement, and an adaptive control that provides optimal power for climbing hills.

#### OUTBACK 2.5i

The aluminum-alloy 170 horsepower 2.5-liter 4-cylinder engine utilizes a computer-controlled i-Active Valve Lift System that delivers a broader torque curve and seamless power. You'll also get great gas mileage and low emissions that meet some of today's toughest standards.

#### OUTBACK 2.5 XT

With a hood scoop to aid air intake to the intercooler, the turbocharger of the 2.5 XT Limited delivers 243 potent horsepower. Peak torque of 241 lb.-ft. is reached at a low 3,600 rpm, thanks to the Active Valve Control System which increases overall breathability for more power.

#### OUTBACK 3.0 R

The normally aspirated 3.0-liter 6-cylinder engine delivers 245 horsepower and 215 lb.-ft. of torque. And sophisticated Active Valve Lift and Active Valve Control systems ensure seamless, ultra-smooth power output, no matter where you are on the tachometer.





#### **HEATED FRONT SEATS**

Shivering on cold mornings while waiting for the cabin to warm up becomes a thing of the past with the available heated seats for the driver and front passenger. The four-adjustment setting lets you choose between warm and extra toasty.

#### **DUAL-ZONE CLIMATE CONTROL**

For maximum comfort for both the driver and front passenger, the available dual-zone climate control provides independent temperature adjustments. It automatically adjusts the heat or air conditioner to maintain your chosen temperature, and the air filtration system helps keeps harmful particles out.

#### **INTERIOR**

Driving to that rugged spot becomes as remarkable as the place itself, thanks to the refined interior of the Outback. Every touch is rewarded by the feel of the premium materials. You can control your environment with the available dual-zone climate control and the available heated front seats. Find your ideal driving position with the tilt-and-telescoping steering wheel. And exploring in an unfamiliar location becomes stress-free with the guidance of the available navigation system. Because you should arrive at your destination refreshed and ready for a rigorous hike, instead of feeling like you just finished one.







#### STEERING WHEEL MOUNTED CONTROLS

Not only does the steering wheel tilt and telescope to suit your ideal driving position, it also houses the available controls to manage the audio system, multifunction display, cruise control and the SI-DRIVE system.

#### PANORAMIC MOONROOF

The wide-open sky, available at the touch of a button. Significantly larger than conventional moonroofs, this unique available moonroof lets the sunshine and fresh air in for both the front and rear passengers. So you can enjoy the great outdoors without leaving your car.

#### **NAVIGATION SYSTEM**

Just a few taps on the available navigation system and you'll have a guide, across town or across the country. When not in use, you can get information on your fuel economy, maintenance reminders, a calendar, calculator and controls for vehicle settings.



Listen to rock, jazz, classical or any channel in digital-quality sound, wherever your journey may take you. Every Outback is pre-wired for XM\* or SIRIUS\*\* Satellite Radio that lets you access over 130 channels of satellite feed.

1 With your paid subscription and additional equipment

### **VERSATILITY**

Afflicted with the "Should-I-Bring-That-Too" o-phobia? Suffer no more. With the flexibility of the Outback, you can leave it all behind while taking everything you need. Whether you're transporting a gigantic cooler, beach chairs, camping gear, or enough groceries for the whole crew, the Outback gives you enough space and flexibility to make it all fit.





#### FLEXIBLE SPACE


Offering high levels of flexibility, the Outback can handle a myriad of differently sized objects. With both rear seatbacks of the 60/40 split-folding seats up, you can carry up to three passengers. You can also have two passengers and a long article, or one passenger and gear for the entire team. Or fold both rear seatbacks for full access to the cargo area. It also comes with a roof rack that can hold up to 100 pounds. And available accessories offer even greater versatility.

#### CARGO AREA

The Outback wagon offers up to 33.5 cu. ft. of space with the rear seats in use. With both rear seatbacks down, you can make full use of the up to 65.4 cu. ft. of cargo capacity.

#### STORAGE

Underneath the cargo-area floor, you'll find a removable compartmentalized tray that's perfect for organizing small items prone to sliding around. And they're kept out of sight, away from prying eyes. You'll also find concealed storage compartments in the side panels as well as various grocery and tie down hooks.





- National Highway Traffic Safety Administration


### **ACTIVE SAFETY**


Keeping you safe begins with the seamless traction of Subaru Symmetrical AWD and responsive handling to help keep your vehicle in control. These inherent Subaru advantages are supported by a comprehensive array of features to help you in an emergency. At Subaru, every innovation is designed with your protection in mind.






The computer sensors of the available Vehicle Dynamics Control (VDC) system continually monitor driving conditions to detect and help correct unintended deviations in the vehicle's trajectory and help set you back on the correct path.






An intelligent front air bag system senses front-passenger seat occupancy to determine the safest deployment level. Side curtain air bags help protect front and outboard rear seat passengers.

#### **TRACTION**



Standard full-time AWD automatically adjusts power front and rear, helping to maintain greater traction, no matter what the road surface or the weather has in store, helping you to maintain better control of your Outback.


#### REINFORCED **CONSTRUCTION**




Engineered for exceptional strength to help maintain the integrity of the cabin structure, the innovative Subaru ring-shaped reinforcements around the passenger compartment also help dissipate crash-impact energy away from occupants.

#### **PASSIVE SAFETY**

Subaru innovations not only help you evade a collision. They help you and your passengers avoid injury, thanks to features like side-impact beams, active front head restraints and the Subaru safety pedal system. And a full array of air bags and a Ring-Shaped Reinforcement Frame around the cabin help dissipate the energy of an impact. Together, they help the Outback achieve top ratings in crash tests.







STRENGTH AT ITS

 $<sup>1\</sup> Ratings\ for\ 2007\ Outback.\ Government\ star\ ratings\ are\ part\ of\ the\ National\ Highway\ Traffic\ Safety\ Administration's\ (NHTSA's)\ New\ Carrier (NHTSA's)\ New$ 

# YOUR SUBARU. YOUR WAY.





#### OUTBACK AND 2.5i

Check out the exceptional value offered by the Outback. It offers a full complement of safety features such as side-curtain airbags, and amenities like a tilt-and-telescoping steering wheel as well as the versatility of 60/40 split-folding rear seats. And it's motivated by a spirited and efficient 170-horsepower engine.

#### 2.5i AND 2.5i LIMITED L.L.BEAN EDITIONS

Enhance the official car of outdoor adventure with the premier name in outdoor equipment. The L.L. Bean Edition outfits the 2.5i with special badging and cargo tray, navigation system, 6-disc in-dash CD changer, dual-zone climate control and 5-spoke alloy wheels. Step up to the 2.5i Limited L.L.Bean Edition and add 2-tone L.L.Bean embossed leather trim, power front seats and a panoramic moonroof.

#### 2.5i LIMITED

Ratchet up the luxury factor with the 2.5i Limited. Enjoy leather-trimmed seats, a 6-disc in-dash CD changer, dual-zone climate control, a standard 4-speed automatic transmission with SPORTSHIFT® manual control, panoramic moonroof, and available Vehicle Dynamics Control (VDC).

#### 2.5 XT LIMITED

Get turbocharged acceleration to get you to your destination even faster. The 2.5 XT Limited is motivated by a 243-horsepower four-cylinder engine, and moderated by the SI-DRIVE performance management system. Match it up with your choice of a 5-speed manual or a 5-speed automatic with SPORTSHIFT manual control.



Outback **Specifications** 

ENGINE AND DRIVETRAIN		AND 2.5i L.L.BEAN® EDITION	2.5i Limited and 2.5i Limited L.L.Bean Edition	2.5 XT LIMITED		3.0 R L.L.Bean Edition				
Engine	2.5-liter SOHC aluminum-alloy 16-valve horizon- tally opposed 4-cylinder SUBARU BOXER* engine with i-Active Valve Lift System. Platinum-tipped spark plugs.			2.5-liter DOHC i aluminum-allo opposed SUBAR Valve Control S	y 16-valve 4-cyl RU BOXER engi	6-cylinder horizont SUBARU BOXER en Valve Control Syste	3.0-liter DOHC aluminum-alloy 24-valv 6-cylinder horizontally opposed SUBARU BOXER engine with Active Valve Control System and Active Valve Lift System. Iridium spark plugs.			
Power	170 hp @ 6,000 rpr	n		243 hp @ 6,000	rpm		245 hp @ 6,600 rpi	245 hp @ 6,600 rpm		
Torque	170 lbft. @ 4,400	rpm		241 lbft. @ 3,60	00 rpm		215 lbft. @ 4,200 i	rpm		
SI-DRIVE performance management system	Not available			mance characte	ristics by regula	ating the engine co	listinctively different m ntrol unit (ECU), the au electronically controlled	tomatic transmissio		
Manual transmission		Standard fully synchronized 5-speed manual 2.5i Ltd and L.L.Bean Editions: Not available			synchronized I	reinforced	Not available			
Automatic transmission	4-speed adaptive electronic direct-control automatic with SPORTSHIFT® manual control Outback and Outback 2.5i: Optional 2.5i Ltd and L.L.Bean Editions: Standard			Optional 5-spee direct-control a manual control	utomatic with	direct-control auto	Standard 5-speed adaptive electronic direct-control automatic with SPORT-SHIFT manual control			
Emissions	Certified Low Emis (LEV2 LDT2) <sup>1</sup>	sion Vehicle		Certified Low Er (LEV2 LDT2)	mission Vehicle	e	Certified Low Emis (LEV2 LDT2)	sion Vehicle		
FUEL										
Fuel economy	Manual: 19/26 mpg			Manual: 18/24 r			Manual: N/A			
(city/highway) Fuel requirement	Automatic: 20/26 i	10		Automatic: 18/2			Automatic: 17/24 n			
	Officaded gasofffe	(87 Octane)		(91 octane) requ			(91 octane) recomm			
SUBARU SYMMETRICAL ALL-WHEEL										
Continuous All-Wheel Drive		normally confi	gured at a 50/50-	split front-to-rear.			nd limited-slip rear dif ront and rear axles, th			
Active All-Wheel Drive		e power to wher	e traction is need	ed. Sensors monito	or parameters s		nsfer clutch and limite page, throttle position a			
Variable Torque Distribution (VTD) All-Wheel Drive	planetary-type cen	ter differential, el-biased 45/55 s	and a viscous-typ plit front-to-rear	e limited-slip rear Sensors monitor	differential. To parameters suc	orque distribution	nsfer clutch in conjunct is normally configured ge, throttle position ar	d at a performance-		
STABILITY AND TRACTION										
Vehicle Dynamics Control (VDC)	g-forces. If VDC det	tects a difference gine torque to he	e between the dri	ver's intended pat path.	h and the one t	the vehicle is actua	rake pressure, vehicle y	braking power		
	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No	tects a difference gine torque to he ot available. <b>2.5i l</b> ates an all-whee	e between the dri elp correct vehicle <b>L.Bean Edition, 2.</b> ! l, all-speed tractio	ver's intended pat path. <b>5i Limited</b> and <b>2.5i</b> L on control system	h and the one t	the vehicle is actua Edition: Optional. 2		s braking power ean Edition: Standard		
Traction Control System (TCS)	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No VDC also incorpora	tects a difference gine torque to he ot available. <b>2.5i l</b> ates an all-whee	e between the dri elp correct vehicle <b>L.Bean Edition, 2.</b> ! l, all-speed tractio	ver's intended pat path. <b>5i Limited</b> and <b>2.5i</b> L on control system	h and the one t	the vehicle is actua Edition: Optional. 2	illy taking, VDC applies	s braking power ean Edition: Standard		
Fraction Control System (TCS)  CHASSIS	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No VDC also incorpora	tects a difference gine torque to he ot available. <b>2.5i I</b> ates an all-whee s necessary to m	e between the dri elp correct vehicle .L.Bean Edition, 2.: I, all-speed tractic aintain vehicle m	ver's intended pat path. <b>si Limited</b> and <b>2.5i L</b> on control system o tion.	h and the one t imited L.L.Bean which senses a	the vehicle is actual  Edition: Optional. 2  loss of traction ar	illy taking, VDC applies	s braking power ean Edition: Standard		
Traction Control System (TCS)  CHASSIS Steering	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No VDC also incorpora wheel or wheels as Engine-speed-sens 4-wheel independe	tects a difference gine torque to ho to available. 2.5i I ates an all-whee s necessary to m sing power-assis ent heavy-duty i	e between the dri elp correct vehicle L.Bean Edition, 2.: I, all-speed tractic aintain vehicle m ted rack-and-pini raised suspension	ver's intended pat path. ii Limited and 2.5i L on control system on otion.	h and the one t imited LL.Bean which senses a 16.5:1. Turning	the vehicle is actual  Edition: Optional. 2  loss of traction ar	illy taking, VDC applies	s braking power ean Edition: Standard		
Traction Control System (TCS)  CHASSIS Steering Suspension	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No VDC also incorpora wheel or wheels as Engine-speed-sens 4-wheel independe Front: Strut-type w	tects a difference gine torque to hot ot available. 2.5i I ates an all-whee s necessary to m sing power-assis ent heavy-duty I yith lower L-arm	e between the dri elp correct vehicle L.Bean Edition, 2.1 I, all-speed tractic aintain vehicle m ted rack-and-pini raised suspension . Rear: Multilink. I	ver's intended pat path. Si Limited and 2.5i L on control system otion. on. Steering ratio:	h and the one t imited LLBean which senses a 16.5:1. Turning pilizer bars.	the vehicle is actual Edition: Optional. 2 loss of traction are circle: 35.4 ft.	illy taking, VDC applies	s braking power ean Edition: Standard		
Traction Control System (TCS)  CHASSIS Steering Suspension  Brakes	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No VDC also incorpora wheel or wheels as Engine-speed-sens 4-wheel independe Front: Strut-type w 4-wheel disc, venti	tects a difference gine to rque to hot available. <b>2.5i l</b> attes an all-whee is necessary to me the power-assis ent heavy-duty in the lated front. 4-ch	e between the dri elp correct vehicle L.Bean Edition, 2.1 I, all-speed tractic aintain vehicle m ted rack-and-pini raised suspension . Rear: Multilink. I	ver's intended pat path. Si Limited and 2.5i L on control system otion. on. Steering ratio:	h and the one t imited LLBean which senses a 16.5:1. Turning pilizer bars.	the vehicle is actual Edition: Optional. 2 loss of traction are circle: 35.4 ft.	illy taking, VDC applies	s braking power ean Edition: Standard		
Traction Control System (TCS)  CHASSIS Steering Suspension Brakes	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No VDC also incorpora wheel or wheels as Engine-speed-sens 4-wheel independe Front: Strut-type w	tects a difference gine to rque to hot available. <b>2.5i l</b> attes an all-whee is necessary to me the power-assis ent heavy-duty in the lated front. 4-ch	e between the dri elp correct vehicle L.Bean Edition, 2.1 I, all-speed tractic aintain vehicle m ted rack-and-pini raised suspension . Rear: Multilink. I	ver's intended pat path. Si Limited and 2.5i L on control system otion. on. Steering ratio:	h and the one t imited LLBean which senses a 16.5:1. Turning pilizer bars.	the vehicle is actual Edition: Optional. 2 loss of traction are circle: 35.4 ft.	illy taking, VDC applies	s braking power ean Edition: Standard		
Traction Control System (TCS)  CHASSIS Steering Suspension  Brakes Brake discs	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No VDC also incorpora wheel or wheels as Engine-speed-sens 4-wheel independe Front: Strut-type w 4-wheel disc, venti	tects a difference gine to rque to hot available. <b>2.5i l</b> attes an all-whee is necessary to me the power-assis ent heavy-duty in the lated front. 4-ch	e between the dri elp correct vehicle L.Bean Edition, 2.1 I, all-speed tractic aintain vehicle m ted rack-and-pini raised suspension . Rear: Multilink. I	ver's intended pat path. Si Limited and 2.5i L on control system otion. on. Steering ratio:	h and the one t imited LLBean which senses a 16.5:1. Turning pilizer bars.	the vehicle is actual Edition: Optional. 2 loss of traction are circle: 35.4 ft.	illy taking, VDC applies	s braking power ean Edition: Standard		
Traction Control System (TCS)  CHASSIS Steering Suspension  Brakes Brake discs  WHEELS AND TIRES	g-forces. If VDC det and/or reduces en Outback and 2.5i: N VDC also incorpora wheel or wheels as Engine-speed-sens 4-wheel independe Front: Strut-type w 4-wheel disc, venti Front: 11.5 in./Rear:	tects a difference gine to rque to hot available. <b>2.5i l</b> attes an all-whee is necessary to me to the power-assistent heavy-duty roith lower L-arm lated front. 4-ch 10.6 in.	e between the dri elp correct vehicle L.Bean Edition, 2.1 I, all-speed tractic aintain vehicle m ted rack-and-pini raised suspension Rear: Multilink. I lannel, 4-sensor A ited: 17 x 7.0-inch im-alloy. Silver d 2.5i Limited 15: 17 x 7.0-inch	ver's intended pat path. Si Limited and 2.5i L on control system otion. on. Steering ratio:	h and the one t imited L.L.Bean which senses a 16.5:1. Turning oilizer bars. Brake-force D	the vehicle is actual Edition: Optional. 2 loss of traction are circle: 35.4 ft.	.Illy taking, VDC applies .5XT Ltd and 3.0 R L.L.Be nd applies braking forc	braking power can Edition: Standard		
Traction Control System (TCS)  CHASSIS Steering Suspension  Brakes Brake discs  WHEELS AND TIRES  Wheels	g-forces. If VDC det and/or reduces en Outback and 2.5i: N VDC also incorpora wheel or wheels as Engine-speed-sens 4-wheel independe Front: Strut-type w 4-wheel disc, venti Front: 11.5 in./Rear:	tects a difference gine torque to hot available. 2.5i I tes an all-whee to necessary to me ing power-assistent heavy-duty if ith lower L-arm lated front. 4-ch 10.6 in.  2.5i and 2.5i Lim 7-spoke aluminutinish. 2.5i Ll.Bean an LL.L.Bean Editior 5-spoke alumin	e between the dri elp correct vehicle L.Bean Edition, 2.º I, all-speed tractic aintain vehicle m  ted rack-and-pini aised suspension Rear: Multilink. I annel, 4-sensor A  ited: 17 x 7.0-inch m-alloy. Silver d 2.5i Limited ss: 17 x 7.0-inch um-alloy.	ver's intended pat path.  Si Limited and 2.5i Limited and	h and the one t imited L.L.Bean which senses a 16.5:1. Turning oilizer bars. Brake-force D	the vehicle is actual Edition: Optional. 2 loss of traction are circle: 35.4 ft.	Illy taking, VDC applies  .5 XT Ltd and 3.0 R L.L.Be  nd applies braking forc	ean Edition: Standard e to the slipping		
Traction Control System (TCS)  CHASSIS Steering Suspension  Brakes Brake discs  WHEELS AND TIRES  Wheels	g-forces. If VDC det and/or reduces en Outback and 2.5i: N VDC also incorpora wheel or wheels as Engine-speed-sens 4-wheel independe Front: Strut-type w 4-wheel disc, venti Front: 11.5 in./Rear:	tects a difference gine torque to he to available. 2.5i Lites an all-whee senecessary to me the available of	e between the dri elp correct vehicle L.Bean Edition, 2.º I, all-speed tractic aintain vehicle m  ted rack-and-pini aised suspension Rear: Multilink. I annel, 4-sensor A  ited: 17 x 7.0-inch m-alloy. Silver d 2.5i Limited ss: 17 x 7.0-inch um-alloy.	ver's intended pat path.  Si Limited and 2.5i Limited and	h and the one t imited L.L.Bean which senses a 16.5:1. Turning oilizer bars. Brake-force D	the vehicle is actual Edition: Optional. 2 loss of traction are circle: 35.4 ft.	Illy taking, VDC applies  .5 XT Ltd and 3.0 R L.L.Be  nd applies braking forc	ean Edition: Standard e to the slipping		
Traction Control System (TCS)  CHASSIS Steering Guspension  Brakes Brake discs  WHEELS AND TIRES  Wheels  Fires  EXTERIOR DIMENSIONS	g-forces. If VDC det and/or reduces eng Outback and 2.5i: N VDC also incorpora wheel or wheels as Engine-speed-sens 4-wheel independe Front: Strut-type w 4-wheel disc, venti Front: 11.5 in./Rear:  16 x 6.5-inch steel with styled covers  225/60 R16 97H M+S all-season	tects a difference gine torque to hot available. 2.5i I was a all-whee to necessary to make a necessary to	e between the dri elp correct vehicle L.Bean Edition, 2.3 I, all-speed tractic aintain vehicle m  ted rack-and-pini aised suspension Rear: Multilink, I annnel, 4-sensor A  ited: 17 x 7.0-inch im-alloy. Silver d 2.5i Limited is: 17 x 7.0-inch um-alloy. W+S all-season	ver's intended pat path.  si Limited and 2.5i L on control system otion.  on. Steering ratio: . Front and rear stal .BS with Electronic	h and the one t imited L.L.Bean which senses a 16.5:1. Turning oilizer bars. Brake-force D	the vehicle is actual Edition: Optional. 2 loss of traction are circle: 35.4 ft.	Illy taking, VDC applies  .5 XT Ltd and 3.0 R L.L.Be  nd applies braking forc	ean Edition: Standard e to the slipping		
Traction Control System (TCS)  CHASSIS Steering Suspension  Brakes Brake discs  WHEELS AND TIRES  Wheels  EXTERIOR DIMENSIONS Length/Width/Height	g-forces. If VDC det and/or reduces en Outback and 2.5i: N VDC also incorpora wheel or wheels as Engine-speed-sens 4-wheel independe Front: Strut-type w 4-wheel disc, venti Front: 11.5 in./Rear:	tects a difference gine torque to hot available. 2.5i I was a all-whee to necessary to make a necessary to	e between the dri elp correct vehicle L.Bean Edition, 2.3 I, all-speed tractic aintain vehicle m  ted rack-and-pini aised suspension Rear: Multilink, I annnel, 4-sensor A  ited: 17 x 7.0-inch im-alloy. Silver d 2.5i Limited is: 17 x 7.0-inch um-alloy. W+S all-season	ver's intended pat path.  si Limited and 2.5i L on control system otion.  on. Steering ratio: . Front and rear stal .BS with Electronic	h and the one t imited L.L.Bean which senses a 16.5:1. Turning oilizer bars. Brake-force D	the vehicle is actual Edition: Optional. 2 loss of traction are circle: 35.4 ft.	Illy taking, VDC applies  .5 XT Ltd and 3.0 R L.L.Be  nd applies braking forc	ean Edition: Standard e to the slipping		
Traction Control System (TCS)  CHASSIS Steering Suspension  Brakes Brake discs  WHEELS AND TIRES  Wheels  EXTERIOR DIMENSIONS Length/Width/Height  Wheelbase	g-forces. If VDC det and/or reduces en Outback and 2.5i: N VDC also incorpora wheel or wheels as Engine-speed-sens 4-wheel independe Front: Strut-type w 4-wheel disc, venti Front: 11.5 in./Rear:  16 x 6.5-inch steel with styled covers  225/60 R16 97H M+S all-season	tects a difference gine torque to hot available. 2.5i I was a all-whee to necessary to make a necessary to	e between the dri elp correct vehicle L.Bean Edition, 2.3 I, all-speed tractic aintain vehicle m  ted rack-and-pini aised suspension Rear: Multilink, I annnel, 4-sensor A  ited: 17 x 7.0-inch im-alloy. Silver d 2.5i Limited is: 17 x 7.0-inch um-alloy. W+S all-season	ver's intended pat path.  si Limited and 2.5i L on control system otion.  on. Steering ratio: . Front and rear stal .BS with Electronic	h and the one t imited L.L.Bean which senses a 16.5:1. Turning oilizer bars. Brake-force D	the vehicle is actual Edition: Optional. 2 loss of traction are circle: 35.4 ft.	Illy taking, VDC applies  .5 XT Ltd and 3.0 R L.L.Be  nd applies braking forc	ean Edition: Standard e to the slipping		
Traction Control System (TCS)  CHASSIS Steering Suspension  Brakes Brake discs  WHEELS AND TIRES  Wheels  CITY OF THE STAND TIRES  Wheels  CITY OF THE STAND TIRES  Wheels  CITY OF THE STAND TIRES  CITY OF THE STAND TIRES	g-forces. If VDC det and/or reduces en outback and 2.5i: N VDC also incorpora wheel or wheels as Engine-speed-sens 4-wheel independe Front: Strut-type w 4-wheel disc, venti Front: 11.5 in./Rear:  16 x 6.5-inch steel with styled covers  225/60 R16 97H M+S all-season	tects a difference gine torque to hot available. 2.5i I was a all-whee to necessary to make a necessary to	e between the dri elp correct vehicle L.Bean Edition, 2.3 I, all-speed tractic aintain vehicle m  ted rack-and-pini aised suspension Rear: Multilink, I annnel, 4-sensor A  ited: 17 x 7.0-inch im-alloy. Silver d 2.5i Limited is: 17 x 7.0-inch um-alloy. W+S all-season	ver's intended pat path. si Limited and 2.5i Limited and	h and the one timited L.L.Bean which senses a 16.5:1. Turning policy bars.  Brake-force D	the vehicle is actual Edition: Optional. 2 loss of traction are circle: 35.4 ft.	Illy taking, VDC applies  .5 XT Ltd and 3.0 R L.L.Be  nd applies braking forc	e to the slipping  te aluminum-alloy.		
Traction Control System (TCS)  CHASSIS Steering Suspension  Brakes Brake discs  WHEELS AND TIRES  Wheels  EXTERIOR DIMENSIONS  Length/Width/Height  Wheelbase  Track (front/rear)  Base curb weight manual/automatic)	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No VDC also incorpora wheel or wheels as 4-wheel or wheels as 4-wheel independe Front: Strut-type wheel of the struct of the steel with styled covers 16 x 6.5-inch steel with styled covers 125/60 R16 97H M+S all-season 189 in./69.7 in./63. 105.1 in. 58.9 in./58.7 in. OUTBACK 3,350 lbs./3,395 lbs.	tects a difference gine torque to hot available. 2.5i I lates an all-whee is necessary to me ing power-assistent heavy-duty with lower L-arm lated front. 4-ch 10.6 in.  2.5i and 2.5i Lim 7-spoke aluminutinish. 2.5i L.L.Bean and L.L.Bean Edition Silver finish. 225/55 R17 95V / 2 in. (61.6 in. with the with the content of	e between the dri elp correct vehicle L.Bean Edition, 2.: id, all-speed tractic aintain vehicle m  ted rack-and-pini aised suspension . Rear: Multilink. I annel, 4-sensor A  ited: 17 × 7.0-inch m-alloy. Silver d 2.5i Limited is: 17 × 7.0-inch um-alloy.  W+S all-season  hout crossbars)	ver's intended pat path. si Limited and 2.5i Limited and	h and the one to imited LLBean which senses a 16.5:1. Turning politizer bars.  Brake-force D  poke aluminur  poke aluminur  2160 lbs. L	the vehicle is actual Edition: Optional. 2 loss of traction are circle: 35.4 ft.	17 x 7.0-inch 5-spok	e to the slipping  te aluminum-alloy.		
Traction Control System (TCS)  CHASSIS Steering Suspension  Brakes Brake discs  WHEELS AND TIRES  Wheels  EXTERIOR DIMENSIONS Ength/Width/Height  Wheelbase Frack (front/rear) Base curb weight manual/automatic)  Coefficient of drag (cd)	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No VDC also incorpora wheel or wheels as 4-wheel independe Front: Strut-type w 4-wheel disc, venti Front: 11.5 in./Rear:  16 x 6.5-inch steel with styled covers  225/60 R16 97H M+S all-season  189 in./69.7 in./63. 105.1 in. 58.9 in./58.7 in.  OUTBACK 3,350 lbs./3,395 lbs. 0.34	tects a difference gine torque to hot available. 2.5i I hates an all-whee is necessary to me ing power-assistent heavy-duty with lower L-arm lated front. 4-ch 10.6 in.  2.5i and 2.5i Lim 7-spoke alumin. finish. 2.5i L.L.Bean and L.L.Bean Edition Silver finish. 225/55 R17 95V / 2 in. (61.6 in. with lates with lates and lates and lates are lates are lates and lates are lates are lates and lates are lates and lates are lates are lates and lates are lates are lates and lates are lates are lates are lates are lates and lates are lates are lates are lates are lates are lates and lates are lates	e between the dri elp correct vehicle L.Bean Edition, 2.1 I, all-speed tractic aintain vehicle m  ted rack-and-pini raised suspension Rear: Multilink. I rannel, 4-sensor A  ited: 17 x 7.0-inch im-alloy. Silver d 2.5i Limited is: 17 x 7.0-inch um-alloy.  W+S all-season  hout crossbars)  5 lbs. 2.5i Ll.Bean N/A /3,400	ver's intended pat path. Si Limited and 2.5i Limited and 2.5i Limited on control system oction.  on. Steering ratio: Front and rear state. BS with Electronic of the Electroni	h and the one to imited L.L.Bean which senses a least of the least of	Edition: Optional. 2 Lioss of traction are circle: 35.4 ft.  istribution (EBD).  m-alloy.  2.5i LIMITED LL.BEAN EDITION M/A / 3,465 lbs.	17 x 7.0-inch 5-spok Silver finish  2.5XT LIMITED 3,535 lbs./3,605 lbs.	sean Edition: Standard e to the slipping  Real Edition: Standard e to th		
Traction Control System (TCS)  CHASSIS Steering Guspension  Brakes Brake discs  WHEELS AND TIRES  Wheels  EXTERIOR DIMENSIONS ength/Width/Height Wheelbase Track (front/rear) Base curb weight manual/automatic)  Coefficient of drag (cd) Ground clearance (at base curb weight)	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No VDC also incorpora wheel or wheels as 4-wheel or wheels as 4-wheel independe Front: Strut-type wheel disc, venti Front: 11.5 in./Rear:  16 x 6.5-inch steel with styled covers  225/60 R16 97H M+S all-season  189 in./69.7 in./63. 105.1 in. 58.9 in./58.7 in. OUTBACK 3,350 lbs./3,395 lbs. 0.34 8.4 in.	tects a difference gine torque to hot available. 2.5i Listes an all-whee is necessary to me ing power-assistent heavy-duty lith lower L-arm lated front. 4-ch 10.6 in.  2.5i and 2.5i Lim 7-spoke aluminutinish. 2.5i LL. Bean Editor 5-spoke alumin Silver finish. 225/55 R17 95V / 2 in. (61.6 in. with 10.6 in.	e between the dri elp correct vehicle L.Bean Edition, 2.1 Lalean Edition, 2.1 Lallean Edition Learner Advanced Learner Edition Lallean Edition Lallea	ver's intended pat path. Si Limited and 2.5i Limited and rear state. BS with Electronic and rear state. BS	h and the one to imited LLBean which senses a 16.5:1. Turning collizer bars.  Brake-force D  poke aluminur  16.60 lbs.  8	Edition: Optional. 2 I loss of traction are circle: 35.4 ft.  istribution (EBD).  m-alloy.  2.5i LIMITED  LLBEAN EDITION  N/A /3,465 lbs.  3.4 in.	17 x 7.0-inch 5-spol Silver finish  2.5 XT Limited 3,535 lbs./3,605 lbs.  8.7 in.	sean Edition: Standard e to the slipping  Real aluminum-alloy.  3.0 R L.L.BEAN EDITIO N/A /3,625 lbs.		
Traction Control System (TCS)  CHASSIS Steering Guspension  Brakes Brake discs  WHEELS AND TIRES  Wheels  EXTERIOR DIMENSIONS ength/Width/Height Wheelbase Track (front/rear) Base curb weight manual/automatic)  Coefficient of drag (cd) Ground clearance (at base curb weight)	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No VDC also incorpora wheel or wheels as 4-wheel independe Front: Strut-type w 4-wheel disc, venti Front: 11.5 in./Rear:  16 x 6.5-inch steel with styled covers  225/60 R16 97H M+S all-season  189 in./69.7 in./63. 105.1 in. 58.9 in./58.7 in.  OUTBACK 3,350 lbs./3,395 lbs. 0.34	tects a difference gine torque to hot available. 2.5i I hates an all-whee is necessary to me ing power-assistent heavy-duty with lower L-arm lated front. 4-ch 10.6 in.  2.5i and 2.5i Lim 7-spoke alumin. finish. 2.5i L.L.Bean and L.L.Bean Edition Silver finish. 225/55 R17 95V / 2 in. (61.6 in. with lates with lates and lates and lates are lates are lates and lates are lates are lates and lates are lates and lates are lates are lates and lates are lates are lates and lates are lates are lates are lates are lates and lates are lates are lates are lates are lates are lates and lates are lates	e between the dri elp correct vehicle L.Bean Edition, 2.1 I, all-speed tractic aintain vehicle m  ted rack-and-pini raised suspension Rear: Multilink. I rannel, 4-sensor A  ited: 17 x 7.0-inch im-alloy. Silver d 2.5i Limited is: 17 x 7.0-inch um-alloy.  W+S all-season  hout crossbars)  5 lbs. 2.5i Ll.Bean N/A /3,400	ver's intended pat path. Si Limited and 2.5i Limited and 2.5i Limited on control system oction.  on. Steering ratio: Front and rear state. BS with Electronic of the Electroni	h and the one to imited LLBean which senses a 16.5:1. Turning collizer bars.  Brake-force D  poke aluminur  16.60 lbs.  8	Edition: Optional. 2 Lioss of traction are circle: 35.4 ft.  istribution (EBD).  m-alloy.  2.5i LIMITED LL.BEAN EDITION M/A / 3,465 lbs.	17 x 7.0-inch 5-spok Silver finish  2.5XT LIMITED 3,535 lbs./3,605 lbs.	sean Edition: Standarde to the slipping  Real Edition: Standarde to the slippi		
Traction Control System (TCS)  CHASSIS Steering Guspension  Brakes Brake discs WHEELS AND TIRES Wheels  EXTERIOR DIMENSIONS Length/Width/Height Wheelbase Track (front/rear) Base curb weight manual/automatic)  Coefficient of drag (cd) Ground clearance (at base curb weight) Towing capacity (Class I)	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No VDC also incorpora wheel or wheels as 4-wheel or wheels as 4-wheel independe Front: Strut-type wheel disc, venti Front: 11.5 in./Rear:  16 x 6.5-inch steel with styled covers  225/60 R16 97H M+S all-season  189 in./69.7 in./63. 105.1 in. 58.9 in./58.7 in. OUTBACK 3,350 lbs./3,395 lbs. 0.34 8.4 in.	tects a difference gine torque to hot available. 2.5i Listes an all-whee is necessary to me ing power-assistent heavy-duty lith lower L-arm lated front. 4-ch 10.6 in.  2.5i and 2.5i Lim 7-spoke aluminutinish. 2.5i LL. Bean Editor 5-spoke alumin Silver finish. 225/55 R17 95V / 2 in. (61.6 in. with 10.6 in.	e between the dri elp correct vehicle L.Bean Edition, 2.1 Lalean Edition, 2.1 Lallean Edition Learner Advanced Learner Edition Lallean Edition Lallea	ver's intended pat path. Si Limited and 2.5i Limited and rear state. BS with Electronic and rear state. BS	h and the one to imited LLBean which senses a 16.5:1. Turning collizer bars.  Brake-force D  poke aluminur  16.60 lbs.  8	Edition: Optional. 2 I loss of traction are circle: 35.4 ft.  istribution (EBD).  m-alloy.  2.5i LIMITED  LLBEAN EDITION  N/A /3,465 lbs.  3.4 in.	17 x 7.0-inch 5-spol Silver finish  2.5 XT Limited 3,535 lbs./3,605 lbs.  8.7 in.	sean Edition: Standard e to the slipping  Real aluminum-alloy.  3.0 R L.L.BEAN EDITIO N/A /3,625 lbs.		
Traction Control System (TCS)  CHASSIS Steering Suspension  Brakes Brake discs  WHEELS AND TIRES  Wheels  EXTERIOR DIMENSIONS  Length/Width/Height  Wheelbase  Track (front/rear)  Base curb weight manual/automatic)  Coefficient of drag (cd)  Ground clearance (at base curb weight)  Towing capacity (Class I)  NTERIOR DIMENSIONS	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No VDC also incorpora wheel or wheels as 4-wheel or wheels as 4-wheel independe Front: Strut-type wheel disc, venti Front: 11.5 in./Rear:  16 x 6.5-inch steel with styled covers  225/60 R16 97H M+S all-season  189 in./69.7 in./63. 105.1 in. 58.9 in./58.7 in. OUTBACK 3,350 lbs./3,395 lbs. 0.34 8.4 in.	tects a difference gine torque to hot available. 2.5i I wites an all-whee is necessary to make the series and all-whee is necessary to make the series and a seri	e between the dri elp correct vehicle L.Bean Edition, 2. L.Bean Edition, 2. J. all-speed tractic aintain vehicle m  ted rack-and-pini aised suspension Rear: Multilink, I annnel, 4-sensor A  ited: 17 x 7.0-inch m-alloy. Silver d 2.5i Limited is: 17 x 7.0-inch um-alloy. W+S all-season  hout crossbars)  2.5i LL.Bean N/A /3,400  8.4 in. 2,700 lbs.	ver's intended pat path. Si Limited and 2.5i Limited and rear state. BS with Electronic and rear state. BS	h and the one to imited LLBean which senses a 16.5:1. Turning collizer bars.  Brake-force D  poke aluminur  16.60 lbs.  8	Edition: Optional. 2 I loss of traction are circle: 35.4 ft.  istribution (EBD).  m-alloy.  2.5i LIMITED  LLBEAN EDITION  N/A /3,465 lbs.  3.4 in.	17 x 7.0-inch 5-spol Silver finish  2.5 XT Limited 3,535 lbs./3,605 lbs.  8.7 in.	sean Edition: Standard e to the slipping  Real Edition: Standard e to th		
Traction Control System (TCS)  CHASSIS  Steering Suspension  Brakes Brake discs  WHEELS AND TIRES  Wheels  Tires  EXTERIOR DIMENSIONS  Length/Width/Height Wheelbase  Track (front/rear) Base curb weight (manual/automatic)  Coefficient of drag (cd)  Ground clearance (at base curb weight) Towing capacity (Class I)  INTERIOR DIMENSIONS  Headroom (front/rear)	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No VDC also incorpora wheel or wheels as 4-wheel or wheels as 4-wheel independe Front: Strut-type wheel disc, venti Front: 11.5 in./Rear:  16 x 6.5-inch steel with styled covers  225/60 R16 97H M+S all-season  189 in./69.7 in./63. 105.1 in. 58.9 in./58.7 in.  Outback 3,350 lbs./3,395 lbs.  0.34  8.4 in. 2,700 lbs.	tects a difference gine torque to hot available. 2.5i I wites an all-whee is necessary to make the series and all-whee is necessary to make the series and a seri	e between the dri elp correct vehicle L.Bean Edition, 2. L.Bean Edition, 2. J. all-speed tractic aintain vehicle m  ted rack-and-pini aised suspension Rear: Multilink, I annnel, 4-sensor A  ited: 17 x 7.0-inch m-alloy. Silver d 2.5i Limited is: 17 x 7.0-inch um-alloy. W+S all-season  hout crossbars)  2.5i LL.Bean N/A /3,400  8.4 in. 2,700 lbs.	ver's intended pat path. Si Limited and 2.5i Limited and rear state. BS with Electronic and rear state. BS	h and the one to imited LLBean which senses a 16.5:1. Turning collizer bars.  Brake-force D  poke aluminur  16.60 lbs.  8	Edition: Optional. 2 I loss of traction are circle: 35.4 ft.  istribution (EBD).  m-alloy.  2.5i LIMITED  LLBEAN EDITION  N/A /3,465 lbs.  3.4 in.	17 x 7.0-inch 5-spol Silver finish  2.5 XT Limited 3,535 lbs./3,605 lbs.  8.7 in.	sean Edition: Standard e to the slipping  Real Edition: Standard e to th		
Traction Control System (TCS)  CHASSIS Steering Suspension  Brakes Brake discs WHEELS AND TIRES Wheels  Tires  EXTERIOR DIMENSIONS Length/Width/Height Wheelbase Track (front/rear) Base curb weight (manual/automatic)  Coefficient of drag (cd) Ground clearance (at base curb weight) Towing capacity (Class I) INTERIOR DIMENSIONS Headroom (front/rear) Legroom (front/rear)	g-forces. If VDC det and/or reduces en Outback and 2.5i: NVC also incorpora wheel or wheels as a wheel or wheels as 4-wheel independe Front: Strut-type wheel of the structure o	tects a difference gine torque to hot available. 2.5i I wites an all-whee is necessary to make the series and all-whee is necessary to make the series and a seri	e between the dri elp correct vehicle L.Bean Edition, 2. L.Bean Edition, 2. J. all-speed tractic aintain vehicle m  ted rack-and-pini aised suspension Rear: Multilink, I annnel, 4-sensor A  ited: 17 x 7.0-inch m-alloy. Silver d 2.5i Limited is: 17 x 7.0-inch um-alloy. W+S all-season  hout crossbars)  2.5i LL.Bean N/A /3,400  8.4 in. 2,700 lbs.	ver's intended pat path. Si Limited and 2.5i Limited and rear state. BS with Electronic and rear state. BS	h and the one to imited LLBean which senses a 16.5:1. Turning collizer bars.  Brake-force D  poke aluminur  16.60 lbs.  8	Edition: Optional. 2 I loss of traction are circle: 35.4 ft.  istribution (EBD).  m-alloy.  2.5i LIMITED  LLBEAN EDITION  N/A /3,465 lbs.  3.4 in.	17 x 7.0-inch 5-spol Silver finish  2.5 XT Limited 3,535 lbs./3,605 lbs.  8.7 in.	sean Edition: Standard e to the slipping  Real Edition: Standard e to th		
Traction Control System (TCS)  CHASSIS Steering Suspension  Brakes Brake discs WHEELS AND TIRES  Wheels  Tires  EXTERIOR DIMENSIONS  Length/Width/Height Wheelbase Track (front/rear) Base curb weight (manual/automatic)  Coefficient of drag (cd) Ground clearance (at base curb weight) Towing capacity (Class I)  INTERIOR DIMENSIONS  Headroom (front/rear) Legroom (front/rear) Shoulder room (front/rear) Passenger volume	g-forces. If VDC det and/or reduces eng Outback and 2.5i: No VDC also incorpora wheel or wheels as 4-wheel independe Front: Strut-type w 4-wheel disc, venti Front: 11.5 in./Rear:  16 x 6.5-inch steel with styled covers  225/60 R16 97H M+S all-season  189 in./69.7 in./63. 105.1 in. 58.9 in./58.7 in. OUTBACK 3,350 lbs./3,395 lbs. 0.34 8.4 in. 2,700 lbs.	tects a difference gine torque to hot available. 2.5i lates an all-whee is necessary to me in the properties of the prop	e between the dri elp correct vehicle L.Bean Edition, 2.2 L.Bean Edition, 2.3 I, all-speed tractic aintain vehicle m  ted rack-and-pini raised suspension Rear: Multilink, 1 Isannel, 4-sensor A  ited: 17 x 7.0-inch im-alloy. Silver d 2.5i Limited s: 17 x 7.0-inch um-alloy.  W+S all-season  hout crossbars)  5 lbs.	ver's intended pat path. Si Limited and 2.5i Limited and rear state. BS with Electronic and rear state. BS	h and the one to imited LLBean which senses a 16.5:1. Turning collizer bars.  Brake-force D poke aluminur  TIED 2 L 160 lbs. 8	Edition: Optional. 2 I loss of traction are circle: 35.4 ft.  istribution (EBD).  m-alloy.  2.5i LIMITED  LLBEAN EDITION  N/A /3,465 lbs.  3.4 in.	17 x 7.0-inch 5-spol Silver finish  2.5 XT Limited 3,535 lbs./3,605 lbs.  8.7 in.	sean Edition: Standard e to the slipping  Real Edition: Standard e to th		

	_	_	
Outback	Eau	ıipm	ent
0 0.000.0.0			

Outback <b>Equipment</b>			2.5i		2.5i LIMITED		3.0 R
EXTERIOR	Оитваск	2.5i	L.L.BEAN® EDITION	2.5i Limited	L.L.BEAN EDITION	2.5 XT LIMITED	L.L.BEAN EDITION
Projector-beam low-beam and multireflector high-beam headlights	•	•	•	•	•	•	•
Fog lights	_	•	•	•	•	•	•
Functional hood scoop (feeds turbocharger intercooler)						•	
Black door handles and side mirrors	•	•	•	_	_	_	
Body-color door handles and side mirrors				•	•	•	•
Body-color side mirrors with integrated turn signals						•	•
Heated side mirrors and windshield wipers de-icer		•	•	•	•	•	•
	•	•	•	•	•	•	•
Two-speed windshield wipers with variable intermittent mode	•	•	•	•	•	•	<del>-</del>
Single-speed rear window wiper with fixed intermittent mode and de-icer		•	•	•	•	•	
Splash guards	-						
Aluminum-alloy rear gate with integrated spoiler	•	•	•	•	•	•	•
Black-finish raised roof rails	•	•	•	•	•	•	•
Crossbars with 100 pounds capacity	-	•	•	•	•	•	
Panoramic tilt/sliding dual-panel power moonroof	-		-	•	•	•	•
SEATING AND TRIM							
6-way manually adjustable driver seat. 4-way manually adjustable front-passenger seat.	•	-	-	-	-	-	
8-way power heated driver seat with manually adjustable lumbar support. 4-way manually	-	•	•	•	-	-	
adjustable heated front-passenger seat.  8-way power heated driver seat and 4-way power heated front-passenger seat,							
both with manually adjustable lumbar support	-	-	-	-	•	•	•
Performance-design front seats	-	-	-	-	-	•	
Rear center armrest	-	-	-	-	•	•	•
60/40-split flat-folding rear seatback	•	•	•	•	•	•	•
3-spoke steering wheel with cruise control buttons	•	•	•	-	-	-	
Leather-wrapped 3-spoke steering wheel with cruise control buttons	-	-	-	•	•	-	-
Leather-wrapped 3-spoke steering wheel with audio system, SI-DRIVE Sport Sharp mode, cruise control and multifunction screen controls	-	-	-	-	-	•	
Wood and leather-wrapped 3-spoke steering wheel with audio system, SI-DRIVE	_	_	_	_	_	_	•
Sport Sharp mode, cruise control and multifunction screen controls							
Manually adjustable tilt/telescoping steering column	•	•	•	•	•	•	•
Leather-wrapped manual transmission shifter handle	-	-	-	-	-	•	-
Leather-wrapped automatic transmission shifter handle with	-	-	-	•	-	0	
Chestnut woodgrain-patterned inlay⁵							
Leather-wrapped automatic transmission shifter handle with Elm woodgrain-patterned inlay <sup>6</sup>	-	-	-	•	•	0	•
Cloth upholstery	•	•	•	-	-	-	-
Leather-trimmed upholstery	-	-	-	•	-	•	
L.L.Bean-embossed two-tone leather-trimmed upholstery	-	-	-	-	•	-	•
Titanium-metallic trim on doors and console	•	•	•	-	-	-	-
Titanium-metallic trim with Chestnut woodgrain-patterned accents <sup>5</sup>	-	-	-	•	-	•	-
Titanium-metallic trim with Elm woodgrain-patterned accents <sup>6</sup>	-	-	-	•	•	•	•
CONVENIENCE FEATURES							
Power front and rear windows with driver's auto-down	•	•	•	•	•	•	•
Integrated key fob with lock, unlock and panic functions	•	•	•	•	•	•	•
Electronically controlled cruise control	•	•	•	•	•	•	•
Dual cup holders in center console with retractable lid. Retractable dual rear cup holders.	•	•	•	•	•	•	•
	•	•	•	•	•	•	•
Sun visors with extenders and illuminated vanity mirrors. Dual overhead map lights.	•	•	•				
Overhead console with sunglasses storage  Auto-dimming reasystem mirror with compass					-		
Auto-dimming rearview mirror with compass	•	-		<u> </u>		•7	• 7
In-dash storage compartment  Center console with armrest, 12-volt power outlet and enclosed storage compartment	•	•	-	•	-	•	•
i i	_	•	•	•	•	•	•
12-volt power outlet in cargo area	-	•	•	•		•	
Cargo-area concealed under-floor storage tray. Dual grocery bag hooks. Concealed storage compartments and 4 tiedown hooks in cargo-area side panels.	•	•	•	•	•	•	•
Retractable/removable cargo-area cover. Removable cargo-area tray.	-	•	•	•	•	•	•
Removable L.L.Bean-embossed cargo-area tray	-	-	•	-	•	-	•
Remote starter prewiring <sup>8</sup> (automatic transmission only)	•	•	•	•	•	•	•
AUDIO AND COMMUNICATION SYSTEMS							
100-watt 6-speaker audio system with single-disc in-dash CD player and MP3/WMA capability	•	•					
100-watt 6-speaker audio system with 6-disc in-dash CD changer, MP3/WMA capability	-	-	•	•	•	•	•
and SRS WOW™ 3D audio enhancement							
Auxiliary audio jack for portable media players. XM° or SIRIUS" Satellite Radio capability.8	•	•	•	•	•	•	•
Touch-screen GPS navigation system	-	-	•	-	•	$\mathbf{o}^9$	0

INSTRUMENTATION	Оитваск	2.5i	2.5i L.L.Bean° Edition	2.5i Limited	2.5i Limited L.L.Bean Edition	2.5 XT Limited	3.0 R L.L.Bean Edition
Analog speedometer, tachometer, coolant temperature and fuel gauges	•	•	•	•	•	•	•
Sport-design electroluminescent lighting	-	-	-	-	-	•	•
Gauge needles full-sweep on start-up	•	•	•	•	•	•	•
Digital odometer and automatic transmission (when equipped) shift-position indicator	•	•	•	•	•	•	•
Digital trip computer displaying fuel economy, driving range, digital clock, journey time, ambient temperature and road surface freeze warning	•	•	•	•	•	-	-
Digital trip computer displaying fuel economy, driving range, digital clock, journey time, birthday/anniversary reminder, ambient temperature, road surface freeze warning, and selected SI-DRIVE system mode (Intelligent, Sport or Sport Sharp)	-	-	-	-	-	•	•
Multifunction screen displaying navigation system information, trip computer functions, maintenance intervals, controls for various vehicle settings, calculator and calendar with memo-taking function	-	-	•	-	•	09	0
CLIMATE CONTROL							
Manually adjustable CFC-free air conditioning system with rotary controls for temperature, 4-speed fan and airflow direction	•	•	-	-	-	-	-
Dual-zone automatic digital climate control system with controls for temperature, 6-speed fan, airflow direction, automatic mode and CFC-free air conditioning	-	-	•	•	•	•	•
SECURITY							
Keyless entry system with cargo-area unlock and answer-back electronic chirp	•	•	•	•	•	•	•
Antitheft security system with engine immobilizer	•	•	•	•	•	•	•
SAFETY							
ACTIVE							
Subaru Symmetrical All-Wheel Drive	•	•	•	•	•	•	•
SUBARU BOXER engine	•	•	•	•	•	•	•
4-wheel independent heavy-duty raised suspension	•	•	•	•	•	•	•
Vehicle Dynamics Control (VDC)	-	-	0	0	0	•	•
Traction Control System (TCS)	-	-	0	0	0	•	•
Daytime Running Lights (DRL)	•	•	•	•	•	•	•
Tire Pressure Monitoring System (TPMS)	•	•	•	•	•	•	•
PASSIVE							
Dual-stage deployment driver and front-passenger front air bags (SRS) <sup>10</sup>	•	•	•	•	•	•	•
Subaru advanced frontal air bag system with front-passenger seat occupant detection sensor (SRS) <sup>10</sup>	•	•	•	•	•	•	•
Side-curtain air bags protecting front and rear outboard occupants (SRS) <sup>10</sup>	•	•	•	•	•	•	•
Seat-mounted front side-impact air bags (SRS) <sup>10</sup>	•	•	•	•	•	•	•
Height-adjustable active front-seat head restraints	•	•	•	•	•	•	•
Three individual height-adjustable rear head restraints	•	•	•	•	•	•	•
Height-adjustable 3-point front seat belts with pretensioners and force limiters. 3-point rear seat belts at all seating positions.	•	•	•	•	•	•	•
Rear child-safety door locks	•	•	•	•	•	•	•
LATCH system: Lower Anchors and Tethers for CHildren	•	•	•	•	•	•	•
Safety brake pedal system	•	•	•	•	•	•	•
Energy-absorbing collapsible steering column	•	•	•	•	•	•	•
Ring-Shaped Reinforcement Frame body structure	•	•	•	•	•	•	•
OPTIONAL EQUIPMENT							
4-speed adaptive electronic direct-control automatic transmission with SPORTSHIFT manual control	ol <b>o</b>	0	•	•	•	-	
5-speed adaptive electronic direct-control automatic transmission with SPORTSHIFT manual control	ol –	-	-	-	-	0	•

<sup>•</sup> Standard • Optional • Not available


Touch-screen GPS navigation system

1 2008 Subaru Outback 2.5i non-turbo models achieving a Partial Zero Emission Vehicle (PZEV) rating by the California Air Resources Board are available in all 50-States. Only those distributed in California, Connecticut, Maine, Massachusetts, New York, Rhode Island, and Vermont are eligible for the 15 years/150,000 mile emission warranty. (PA adopted CA LEV for 2008, but does not have PZEV warranty coverage.) California PZEV certified vehicles are considered the cleanest gasoline powered vehicles because they meet California's strongest tailpipe emission standard for Super Ultra Low Emission Vehicle. (Subaru offers other 2008 model emission warranties for high-cost parts in only those states adopting CA LEV Program.) 2 Regular unleaded gasoline with an octane rating of 87 AKI or greater may be used. Using regular unleaded gasoline could result in reduced engine performance. See Owner's Manual for more detailed information. 3 Limited-slip rear differential not available on base Outback. 4 Included with optional automatic transmission. 5 With Off Black leather upholstery. See color combinations chart. 6 With Warm Ivory leather upholstery. See color combinations chart. 7 Optional navigation system replaces in-dash storage compartment. 8 Remote starter and satellite radio available as accessories. Satellite radio hardware and required monthly subscription sold separately. See your dealer. 9 Available only with optional automatic transmission. 10 The Supplemental Restraint System (SRS) (air bags) affords the driver and the front and rear outboard passengers additional protection in moderate to severe frontal and side-impact collisions. This system provides supplemental protection only, and seatbelts must be worn in order to avoid injuries to out-of-position occupants upon bag deployment and to provide the best combined protection in a serious accident. Children should always be properly restrained in the rear seat.


Some images shown are for illustration purposes only. Specifications in this brochure are based on the latest product information available at the time of publication. For the most up-to-date product information, log on to www.subaru.com. Some equipment shown in photography in this brochure is optional at extra cost. Specific options may be available only in combination with other options. Specific combinations of equipment or features may vary from time to time and by geographic area. Certain accessories and equipment may not be available at the time of publication. Subaru of America, Inc., reserves the right to change or discontinue at any time, without notice, prices, colors, materials, equipment, accessories, specifications, models and packages without incurring any obligation to make the same or similar changes on vehicles previously sold. Colors shown may vary due to reproduction and printing processes. This brochure was prepared by Subaru of America, Inc. A warranty from Subaru of America, Inc., is available only on cars sold to the first retail purchaser through an authorized Subaru dealer in the continental U.S. or Alaska. Subaru, SUBARU BOXER, Outback and L.L.Bean are registered trademarks. SRS WOW is a trademark of SRS Labs, Inc. SIRIUS is a trademark of Sirius Satellite Radio Inc. XM is a registered trademark of XM Satellite Radio Inc. iPod is a registered trademark of Apple Computer, Inc. SPORTSHIFT is a registered trademark of Prodrive Ltd. HomeLink is a registered trademark of Prince Corporation of the Prince Corporation oftion, a wholly owned subsidiary of Johnson Controls. For more information, contact your Subaru dealer or log on to www.subaru.com.

#### Colors

#### Paint



#### Upholstery



Warm Ivory Cloth



Warm Ivory Leather

Warm Ivory/ Dark Taupe Leather

Off Black Cloth

OUTBACK

Color Combinations	Ou	ITBACK	2.5i		2.5i L.L.Bean Edition	2.5i Limited		2.5i Limited L.L.Bean Edition	2.5 XT LIMITED		3.0 R L.L.Bean Edition
UPHOLSTERY	Off Black Cloth	Warm Ivory Cloth	Off Black Cloth	Warm Ivory Cloth	Warm Ivory Cloth	Off Black Leather	Warm Ivory Leather	Warm Ivory/ Dark Taupe Leather	Off Black Leather	Warm Ivory Leather	Warm Ivory/ Dark Taupe Leather
Satin White Pearl	-	-	-	•	-	-	•	-	-	•	-
Quartz Silver Metallic	•	-	•	-	-	•	-	-	•	-	-
Harvest Gold Metallic	-	•	-	•	•	-	•	•	-	•	•
Newport Blue Pearl	-	-	•	-	-	-	•	-	-	•	-
Deep Bronze Metallic	-	-	-	•	-	-	•	•	-	-	•
Diamond Gray Metallic	-	-	-	-	•	•	-	-	•	-	-
Obsidian Black Pearl	•	-	•	-	-	•	-	•	•	-	•
Newport Blue Pearl/ Quartz Silver Metallic	•	-	•	-	-	-	•	•	-	-	•
Deep Bronze Metallic/ Harvest Gold Metallic	-	•	-	•	-	-	-	•	-	-	•
Diamond Gray Metallic/ Quartz Silver Metallic	-	-	-	-	-	-	-	•	-	-	•

• Available - Not available

#### GENUINE SUBARU ACCESSORIES

Make a Subaru your Subaru with Genuine Subaru Accessories. From styling enhancements to storage solutions, you can outfit your Subaru to be as unique as your adventures, giving you the versatility to take everything—and anything—you need. And backed by a 3-year, 36,000 limited warranty, they're built with Subaru reliability in mind.



The rearview mirror darkens when headlights are detected from behind the vehicle. And it includes an electronic compass and three integrated HomeLink buttons which can be programmed to operate most garage door openers and other HomeLink compatible devices.

#### <sup>2</sup> HOOD PROTECTOR

This hood protector is designed to match the contours of the hood and helps protect it from stone chips and bugs.

#### <sup>3</sup> EXTENDED ROOF CARGO CARRIER

Get 16 cubic feet of lockable storage capacity. The convenient dual-side opening allows for loading from either side of the vehicle. Measures 76" L  $\times$  36" W  $\times$  16" H.

Consult vehicle owner's manual for total roof load limit.

#### <sup>4</sup> HEAVY-DUTY ROOF CARGO BASKET

Constructed of powder-coated steel, it includes mounting hardware, black stretch net with hooks and a custom fairing to help reduce wind noise. Shown with Fork Mounted Bike Carrier and optional Front Wheel Holder. Both sold separately. Measures 44" L x 39" W x 6.5" H.

Consult vehicle owner's manual for total roof load limi











#### <sup>5</sup> HITCH-MOUNTED BIKE CARRIER

Slides into trailer hitch to carry up to two bikes. Designed for easy dismounting of bikes without lifting.

Not intended for use with solid wheel bicycles.

#### <sup>6</sup> SPLASH GUARDS

Help protect your vehicle's paint finish from stone chips and road grime with these custom fitted splash guards. Set of four.

#### <sup>7</sup> SUBWOOFER/AMPLIFIER

Enjoy super bass sound you not only hear but feel with this audio enhancement.

#### <sup>8</sup> REMOTE ENGINE STARTER

Conveniently allows vehicle to be started by remote control (up to 400 feet away depending on obstructions) so that the vehicle's interior temperature is more comfortable upon entry.









#### <sup>9</sup> SATELLITE RADIO

Listen to over 130 channels of music, sports, news, weather, talk and comedy, all in crystal clear digital-quality sound. Your choice of XM¹ or SIRIUS.²

#### 10 CARGO ORGANIZER

Conveniently transports your outdoor gear or up to four grocery bags. Quickly collapses for easy storage when not in use.

#### 11 ALL-WEATHER FLOOR MATS

Custom-fitted, heavy-gauge floor mats help protect your vehicle's carpet from sand, dirt and moisture.

Not intended for use over top of carpeted floor mats

#### 12 WHEEL LOCKS

Helps to deter theft of wheels and tires













#### <sup>13</sup> CARGO NETS – SIDE AND REAR SEAT BACK

Cargo nets help keep the cargo area organized and your belongings secured.

#### 14 REAR DOME/READING LIGHT

Independent on/off control sends a focused beam of light to either left or right rear seat passenger. Available for vehicles equipped with moonroof only. 1 Required monthly subscription sold separately after trial period ends. Other fees and taxes may apply, including a one-time activation fee. Subscription fee is consumer only. All fees and programming subject to change. Subscriptions subject to Customer Agreement included with the XM Welcome Kit and available at xmradio.com. Only available in the 48 contiguous United States. © 2007 XM Satellite Radio Inc.

2 Required monthly subscription sold separately after trial period ends. Other fees and taxes may apply, including a one-time activation fee. Subscription fee is consumer only. All fees and programming subject to change. Hardware, subscription and activation fee required. Hardware and subscription sold separately. Installation required with some equipment. For full Terms and Conditions, visit Sirius.com. Prices and programming are subject to change. Not available in H1 and AK

FOR A COMPLETE LIST OF AVAILABLE ACCESSORIES, VISIT YOUR LOCAL SUBARU DEALER OR LOG ON TO **WWW.SUBARU.COM**.

#### **OWNERSHIP BENEFITS**

Enjoying your Subaru for years to come—that's the promise of our comprehensive warranties and roadside assistance program. It's a fact attested to by 95% of Subaru vehicles sold in the past 10 years that are still on the road today <sup>1</sup>. It's the confidence you feel when you get behind the wheel.

#### **NEW CAR LIMITED WARRANTY**

3 years or 36,000 miles, whichever comes first.

#### POWERTRAIN LIMITED WARRANTY

5 years or 60,000 miles, whichever comes first.

#### RUST PERFORATION LIMITED WARRANTY

5 years, unlimited mileage.

#### WEAR ITEM LIMITED WARRANTY

3 years or 36,000 miles, whichever comes first. We cover you where others don't. Repairs to the following items will also be covered under warranty.

- Brake Pads
- Wiper Blades
- Clutch Linings
- Transmitter Batteries
- Shoe Linings



#### THE SUBARU ROADSIDE ASSISTANCE PROGRAM

This comprehensive package covers all 2008 Subaru vehicles during the first 3 years or 36,000 miles, whichever comes first. By calling the toll-free number in the Owner's Information Kit, Subaru owners can take advantage of any of the following benefits:

- 24-hour Roadside Assistance, seven days a week, 365 days a year, throughout the continental United States including Alaska.
- Emergency Towing Service to the nearest authorized Subaru dealer.
- Emergency Roadside Assistance for jump starts, gasoline (up to two gallons), flat tire change, emergency lockout service (lost key or key is locked in the vehicle) and emergency fluid replacement.

#### SUBARU ADDED SECURITY®

It's possibly the most important option you choose. Protect your investment with a Subaru Added Security extended service contract—the only one backed by Subaru of America, Inc. Ask your salesperson for coverage details and assistance in selecting the plan that's best for you, up to 7 years or 100,000 miles.

#### SUBARU.COM

Begin your Subaru experience right in your own home. Here, you can find extensive information, including specs, photos and reviews. Build your own Subaru, locate dealers and schedule a test drive. After your purchase, activate your free My.Subaru site, where Subaru owners can track their vehicle's service history, schedule service appointments, receive special offers exclusive to My.Subaru members and much more.



### SHARE THE EARTH



Integral to the Subaru ownership experience is understanding our neverending commitment to finding innovative ways of preserving the environment. It's about leaving as small a footprint as possible—respecting the Earth, respecting the future, and respecting the consumer. Resulting in technology with real-world benefits that everyone can enjoy.

As a corporation, we feel that it is essential to be responsible citizens of Planet Earth. Our dedication to ease the burden on the environment at every stage begins from the time that a vehicle is conceptualized to when it's fully integrated into your life. During the process, we've become the first U.S. auto assembly plant to achieve zero landfill status, with the entire plant generating less waste than the average U.S. household. We've received ISO 14001 certification for recycling and waste reduction in every stage of manufacturing, marketing and sales. And we offer a full array of vehicles that meet PZEV (Partial Zero Emissions Vehicle) classification? Some of our most popular models have available engines that have received the EPA's stringent SmartWay designation, which means they emit lower amounts of pollutants that cause smog. Spew less of the carbon dioxide that causes global warming. And have impressive fuel economy compared to other vehicles in their class. We think that owning a Subaru should be as rewarding as driving one.

Based on R. L. Polk & Co. registration data in the U.S. 1997 to 2006. 2 For 2008 Outback 2.5i, Legacy 2.5i and Forester 2.5X models certified as Partial Zero Emission Vehicles (PZEV) that are sold, registered and operated in California, Connecticut, Maine, Massachusetts, New York, Rhode Island or Vermont all emission parts are covered for 15 years/150,000 miles, whichever comes first. For complete warranty and program information, including coverage and disclosures see your Subaru dealer or log on to www.subaru.com.





Ready for adventure.

It's what makes a Subaru, a Subaru.

