



1/2-TON PAYLOAD

BED SIZE: 49.5" x 60" TAILGATE UP 49.5" x 79" TAILGATE DOWN

TAILGATE SWINGS OUT







8.5 CU. FT. IN-BED TRUNK


TAILGATE FOLDS DOWN

MULTI

Faceted function

Swing the dual-action tailgate to the side for quick access to the huge In-Bed Trunk. It'll swallow a weekend's worth of gear, easy. The tailgate can also fold down, and is designed to support 300 lbs. while driving. Slide in a thick stack of 4x8 plywood or load a couple Honda dirt bikes or an ATV. The 5-foot-long, super-durable, steel-reinforced composite cargo bed resists dents and corrosion, and is reinforced by high-strength steel crossmembers to handle a 1/2-ton payload. And cargo lights and tie-downs help make loading a breeze.

*Honda reminds you to properly secure all items stored in the cargo area.








TOW-READY

5,000 lbs. Zero sweat.

- · Pre-wired for trailer brake controller
- Heavy-duty radiator with dual 160-watt fans
- · Heavy-duty ATF cooler
- · Huge front and rear brake rotors
- · Closed-box frame with unit-body
- . 5,000-lb. towing capacity

up to the job in every way. And a big part of trucking is towing. The Ridgeline takes its job description seriously. To start with, it has a 5-speed automatic transmission that's specially geared for towing. There's also a standard heavyduty radiator with dual fans, a heavy-duty power steering cooler and a heavy-duty ATF cooler, too. There's plenty of stopping power, with big brake rotors at all four wheels, and Electronic Brake Distribution (EBD) for more stable stops. Just add the dealer-installed accessory hitch and harness.



SUSPENSION

Unlike most trucks' solid rear axle, the Ridgeline has an independent suspension, both front and rear. So its rugged off-road abilities are paired with a refined on-road ride, a stable, firmly planted feel, responsive steering and confidence-inspiring cornering. And you still get more than 8 inches of ground clearance.



INTEGRATED CLOSED-BOX FRAME

The rugged closed-box frame is integrated with unit-body construction. It's the best of all worlds: a tougher, tow-ready truck with a smooth ride that won't bust your guts.

FRONT DIFFERENTIAL

Under normal driving conditions, the VTM-4 system channels all power to the front differential. This maximizes efficiency when 4WD isn't needed, like when on dry pavement.

4-WHEEL-DRIVE SYSTEM

Sensors continually monitor traction at each wheel and send a stream of data to the VTM-4 ECU. The ECU then instantly distributes torque to all four wheels to maintain optimum traction.

PROPELLER SHAFT


The center propeller shaft continually sends power to the rear differential, where it can be transmitted to the rear wheels. It also features a special damper to help reduce vibration.

VTM-4 LOCK

When you need to start off in extreme low-traction conditions, such as ice or loose gravel, just push a button to lock the rear differential for extra help to get moving. And it can stay locked up to 18 mph.

REAR DIFFERENTIAL UNIT

Electromagnetic clutches in the rear differential can be signaled by the VTM-4 system to deliver up to 70% of engine power to the rear wheels for reassuring 4WD.



We've got your back. And front. And sides.

Get behind the wheel of a truck, and you feel like you could take on just about anything. And no other truck backs up that feeling with as much high-tech, real-world readiness as the Ridgeline. From its reinforced, rigid unit body to airbags to sophisticated stability systems, this pickup truck is a showcase of Honda's automotive "safety for everyone" initiative—a powerful statement of how we're dedicated to putting advanced safety technology in all our vehicles.

INTEGRATED CLOSED-BOX FRAME

Truck owners know that a true test of toughness is what you have under the sheet metal. So when we built the new Ridgeline, we started with a burly backbone of a body that incorporates a closed-box frame with internal high-strength steel frame stiffeners. And both the frame rails and all seven crossmembers feature box-section construction. The results speak for themselves: huge cargo and towing abilities, remarkably high torsional rigidity and crash-test performance expected to earn the government's highest ratings?



"Honda reminds you and your passengers to always buckle up.



REINFORCED UNIT BODY

The Ridgeline's body structure is designed to be highly rigid for enhanced crash protection. It works with front and rear crumple zones that absorb and dissipate crash energy.



BRAKE ASSIST AND EBD

Brake Assist helps apply maximum braking in emergency situations. And Electronic Brake Distribution (EBD) varies the braking force at each wheel helpful when hauling uneven loads.



ANTI-LOCK BRAKING

The anti-lock braking system in the Ridgeline benefits from a 4-channel design, so each wheel is controlled individually. Combined with its large brake rotors, short stops are a snap.



rsteer Understeer

Vehicle Stability Assist (VSA') monitors traction and automatically corrects oversteer or understeer. It can help keep you on your intended path, before you may even know there's a problem.

VEHICLE STABILITY ASSIST



TIRE PRESSURE MONITORING

A standard Tire Pressure Monitoring System (TPMS) continually checks the pressure at each tire, and an indash display will alert the driver when a particular tire's pressure is low.




AIRBAGS

Front, side, and side curtain airbags are all standard.* And a rollover sensor can detect different rollover scenarios, and then deploy the side curtain airbags appropriately.











AUDIO SYSTEM: Pump tunes through a powerful, 6-speaker audio system. Select models add a hidden 6-disc in-dash CD changer, a subwoofer, XM* Satellite Radio⁵ and even an MP3 auxiliary input jack.

LIFT-UP REAR SEAT: The Ridgeline's workhorse-like utility extends into the passenger compartment. The rear bench seat is not only comfortable, it offers plenty of extra under-seat storage on the flat floor, too.

MOONROOF: The available power moonroof can help keep you in touch with the outdoors. And while it provides a fresh-air experience, it's also designed to minimize wind buffeting when open.

60/40 SPLIT: The innovative 60/40 split rear seat offers lots of options as far as how you configure passengers and cargo. Bed's full? Want more lockable storage? You're just an easy flip or two away from ready-to-roll.

CENTER CONSOLE: The center console is a cargo bay in and of itself. It'll even get bigger when you slide the front edge forward. It has a wide armrest, a hidden tray for small items and a sliding beverage holder/food tray.

STORAGE SOLUTIONS: Fold up half the rear seat, and take a passenger along with a whole lot of gear. The rear center console's courtesy lights brighten up the floor area, even with the seat down.

POWER SLIDING REAR WINDOW:


With just the push of a button, you can open the power-sliding rear window and let in a little fresh air. A warning alerts the driver to close it before exiting.

REAR STORAGE: Thanks to the lift-up seat and wide-opening doors, even a full-size mountain bike will fit right in.* Whether you need that space for passengers, cargo or some of both, the Ridgeline is ready.















RIDGELINE RT

- 247-hp, 3.5-liter, 24-Valve, SOHC VTEC
 V-6 Engine
- · Fresh-Air Intake
- . ULEV-2 Emissions Rating
- 5-Speed Automatic Transmission
- Variable Torque Management*
 4-Wheel-Drive System (VTM-4)
- · Locking Rear Differential
- . Heavy-Duty Power Steering Cooler
- Heavy-Duty Radiator with Dual 160-Watt Fans
- Integrated Closed-Box Frame with Unit-Body Construction
- Steel-Reinforced Composite (SRC)
 Cargo Bed
- · 4-Wheel Independent Suspension
- Anti-Lock Braking System (ABS) with EBD and Brake Assist

- . Drive-by-Wire Throttle System
- Vehicle Stability Assist (VSA) with Traction Control
- Front, Side and Side Curtain Airbags with Rollover Sensor
- Tire Pressure Monitoring System (TPMS)
- 100-Watt AM/FM/XM-Ready³/CD Audio System with 6 Speakers
- · In-Bed Trunk
- . Dual-Action Tailgate
- Power Windows, Door Locks and Mirrors
- 60/40 Lift-Up Rear Seat with Underseat Storage

Fully loaded or jam-packed with all the extras, the choice is yours.

HONDA

While the new Ridgeline RT comes equipped with just about everything you'd have in your new-truck "I need" column, we left room for a few things from the "I want" side, too. So check out the RTS model's extras, and if you really want to live it up, consider the Ridgeline RTL. And talk to your dealer about the many available Ridgeline accessories. With a Ridgeline, all the choices are good ones.

RUDGHILINE

RIDGELINE RTS

Adds to or replaces RT features:

- · 17-Inch Alloy Wheels
- · Security System
- . Body-Colored Side Mirrors
- Dual-Zone Automatic Climate Control System
- Steering Wheel-Mounted Audio Controls
- Driver's Seat with 8-Way Power Adjustment and Manual Lumbar Support
- 180-Watt AM/FM/XM-Ready³
 /8-Disc In-Dash CD Changer
 Audio System with 7 Speakers,
 Including Subwoofer
- · Exterior Temperature Indicator

RIDGELINE RTL

Adds to or replaces RTS features:

- · Leather-Trimmed Seats
- Heated Front Seats Driver's Seat with Power Lumbar Support
- Leather-Wrapped Steering
 Wheel
- . Heated Side Mirrors
- . HomeLink Remote System⁸
- · Ambient Console Lighting
- Rearview Mirror with Compass (without Navigation)
- Available Honda Satellite-Linked Navigation System with Voice Recognition and MP3/Digital Media Auxiliary Jack
- Available Power Moonroof and XM Satellite Radio⁵

COLOR

This is the fun part – putting together the look that you can call all yours. The new Ridgeline comes in a variety of exterior and interior combinations to suit your style. And the glossy Honda finish is just as beautiful as it is durable. Just give your pride and joy a hose-down once in a while when you need a reminder.

Make a statement.

Exterior/Interior Colors	RT	RTS	RTL
Amazon Green Metallic		Olive	Olive Leather
Billet Silver Metallic	Gray	Grey	Gray Leather
Nighthawk Black Pearl	Beige	Beige	Beige Leather
Redrock Pearl	Beige	Beige	Beige Leather
Steel Blue Metallic	Gray	Gray	Gray Leather
White	Beige or Olive	Beige or Olive	Beige or Olive Leather

Exterior

BILLET SILVER METALLIC

AMAZON GREEN METALLIC

STEEL BLUE METALLIC

NIGHTHAWK BLACK PEARL

WHITE

REDROCK PEARL

Interior

OLIVE

GRAY

BEIGE



The dealer-installed **Sport Package** outfits your new Ridgeline with a choice of side steps or running boards, brush-guard-style front lower trim and body-colored fender flares for a bolder look. It's just the thing to match its do-it-all, go-anywhere attitude.



The Lifestyle Package ups the Ridgeline's utility with a towing package, a roof rack and bed extender. And if installed by your dealer at the time of purchase, accessories are covered by Honda's 3-year, 36,000-mile new-vehicle limited warranty.⁷



At Honda, support and assistance are always at the ready. Your dealer's team of trained technicians is there to help keep your Honda car or truck in superb shape. Any Honda accessories installed at the time you buy your vehicle are covered under the 3-year/36,000-mile new-vehicle limited warranty. And if you need more information or assistance with our products, please don't hesitate to give us a call at 1-800-33-Honda.

HONDA

Financial Services

Whether you buy or lease a Honda vehicle, Honda Financial Services can assist you with the process. Please ask your dealer which lease or purchase plan best suits your needs.

HONDA

Care

Honda Care is a highly affordable, comprehensive vehicle and travel protection plan backed by Honda reliability, service and parts. Please see your dealer for all the details.

ENGINE				
3.5-Liter, 24-Valve, SOHC VTEC* V-6 Engine		Drive-by-Wire Throttl	e Quetern-	
247 hg @ 5750 rpm '		Fresh-Air Intake		
245 lbft. @4500 rpm '		Multi-Point Fuel Injec	tion	
		Direct Ignition System		
Bore and Stroke (mm): 89 x 93		ULEV-2 Emissions Rating (CARB)		
Compression Ratio: 10.0:1		105,000-Mile Tune-Up Interval*		
DRIVETRAIN				
5-Speed Automatic Transmission		Variable Torque Mana	gement* 4-Wheel-Drive System	
Sear Ratios: 1st: 2.693, 2nd: 1.566, 3rd: 1.023		(VTM-4")		
4th: 0.729, 5th: 0.531		Locking Rear Differential		
Reverse: 1.689, Final Drive: 4.533		Heavy-Duty Automatic-Transmission Cooler		
TOWING				
Fully Boxed High-Strength Steel (HSS) Frame Rails and Crossmo	embers with Internal Stiffeners	Pre-Wired for Trailer B	Scales Controller	
Heavy-Duty Radiator with Dual 160-Watt Fans	6050-lb. Gross Vehicle Weight Rating (GVWR)			
Heavy-Duty Power-Steering Cooler		10,085-lb. Gross Combined Weight Rating (GCWR)		
Pre-Wired for 4- and 7-Pin Connectors			5000-lb. Towing Capacity'	
The state of the s		1550-lb. Total Payload		
BODY/SUSPENSION/CHASSIS				
Rabilizer Bar (mm. front/rear): 23.0/25.4		All-Season Tires: P24	5/65 R17 105 S	
Reering Ratio: 18.5:1	Steel-Reinforced Composite (SRC) Cargo Bed			
Reering Wheel Turns, Lock-to-Lack: 3.38		MacPherson Strut Fro		
Turning Diameter, Curb-to-Curb (ft.): 42.6			Multi-Link Rear Suspension with Trailing Arms	
Power-Assisted Ventilated Front Disc/Solid Rear Disc Brakes (in.): 12.6/13.1			Rack-and-Pinion Steering	
7' Styled Steel Wheels (RT) / 17' Alloy Wheels (RTS, RTL)				
SAFETY				
-Point Seat Belts at All Seating Positions		Anti-Lock Braking System (ABS)		
ront 3-Point Seat Belts with Automatic Tensioning System		Electronic Brake Distribution (EBD)		
Idjustable Front Seat-Belt Anchors		Vehicle Stability Assist (VSA*)		
Jual-Stage, Dual-Threshold Front Airbags (SRS)		Brake Assist		
ront Side Airbags with Passenger-Side Occupant Position Det	ection System (OPDS)	Tire Pressure Monitoring System (TPMS)		
Side Curtain Airbags with Rollover Sensor			thers for Children (LATCH)	
Side-Impact Door Beams		Child-Proof Rear Door Locks		
EXTERIOR MEASUREMENTS	RT	RTS	RTL	
Wheelbase (in.)	122.0	122.0	122.0	
ength (in.)	206.8	206.8	206.8	
feight (in.)	70.3	70.3	70.3/71.2 with Moonroof	
Vidth (in.)	77.8	77.8	77.8	
rack (in, front/rear)	67.1/66.9	67:1/66:9	67.1/66.9	
Minimum Ground Clearance (in.)	8.2	8.2	8.2	
Approach/Departure Angles (degrees)	24.5/22.0	24.5/22.0	24.5/22.0	
Cargo Bed Length (in., tailgate up/down)	60.0/79.0	60.0/79.0	60.0/79.0	
largo Bed Width (in., between wheelwells)	49.5	49.5	49.5	
leavy-Duty Tie-Down Cleats (6) Capacity (lbs. per cleat)	350	350	350	
n-Bed Trunk" Capacity (cu. ft.)	8.5	8.5	8.5	
Airb Weight (lbs.)	4503	4494	4498	
Veight Distribution (%, front/rear)	58/42	58/42	58/42	
INTERIOR MEASUREMENTS				
leadroom (in_front/rear)	40.7/39.1	40.7/39.1	40.7/39.1	
leadroom with Moonroof (in., front/rear)			38.7/39.0	
egroom (in., front/rear)	40.8/35.4	40.8/35.4	40.8/35.4	
houlder Room (in., front/rear)	63.2/62.6	63.2/62.6	63.2/62.6	
liproom (in , front/rear)	576/57.2	57.6/57.2	57.6/57.2	
assenger Volume (cu. ft.)	112.0	112.0	112.0/108.9 with Moonroo	
nd Days Hadanaad Charana fast ft 1	2.6	2.5	2.6	
		5	5	
esting Capacity	5			
eating Capacity SEATING	5			
eating Capacity SEATING eather-Trimmed Seats	5			
eating Capacity SEATING eather-Trimmed Seats leated Front Seats			•	
eating Capacity SEATING eather-Trimmed Seats leated Front Seats briver's Seat Adjustment	5 6-Way Manual	8-Way Power	8-Way Power	
SEATING esther-Trimmed Seats leated Front Seats briver's Seat Adjustment briver's Seat with Power Lumbar Support		8-Way Power Menual	8-Way Power	
SEATING eather-Trimmed Seats leated Front Seats briver's Seat Adjustment briver's Seat with Power Lumbar Support 0/40 Lift-Up Rear Seat with Underseat Storage	6-Way Manual	8-Way Power Manual	8-Way Power	
SEATING eather-Trimmed Seats leated Front Seats briver's Seat Adjustment briver's Seat with Power Lumbar Support 0/40 Lift-Up Rear Seat with Underseat Storage	6-Way Manual	8-Way Power Menual	8-Way Power	
SEATING SEATING e ather-Trimmed Seats leated Front Seats briver's Seat Adjustment briver's Seat with Power Lumbar Support 0/40 Lift-Up Rear Seat with Underseat Storage lead Restraints at All Seating Positions	6-Way Manual	8-Way Power Manual	8-Way Power	
SEATING e other-Trimmed Seats feated Front Seats friver's Seat Adjustment friver's Seat with Power Lumbar Support 0/40 Lift-Up Rear Seat with Underseat Storage feat Restraints at All Seating Positions EPA MILEAGE ESTIMATES/CAPACITIES	6-Way Manual	8-Way Power Manual	8-Way Power	
SEATING esther-Trimmed Seats leated Front Seats briver's Seat Adjustment briver's Seat Adjustment Color of Seats with Power Lumber Support Color of Seat with Power Seat with Underseat Storage feed Restraints at All Seating Positions EPA MILEAGE ESTIMATES/CAPACITIES -Speed Automatic (City/Highway) Crankcase (qt.)	6-Way Manual	8-Way Power Manual	8-Way Power	
Seating Capacity SEATING Leather-Trimmed Seats Feated Front Seats Driver's Seat Adjustment Driver's Seat with Power Lumber Support E0/40 Lift-Up Rear Seat with Underseat Storage Fead Restraints at All Seating Positions EPA MILEAGE ESTIMATES/CAPACITIES D-Speed Automatic (City/Highway) Drankcase (gt.) Coolant System (gt.)	6-Way Manual • • 16/21	S-Way Power Manual • •	8-Way Power - 16/21	
2nd-Row Underseat Storage (cu. ft.) Seating Capacity SEATING Leather-Trimmed Seats Heated Front Seats Driver's Seat Adjustment Driver's Seat Adjustment Driver's Seat with Power Lumbar Suggort 60/40 Lift-Up Rear Seat with Underseat Storage Head Restraints at All Seating Positions EPA MILEAGE ESTIMATES/CAPACITIES 5-Speed Automatic (City/Highway) Crankcase (gt.) Coolant System (gt.) Fuel (gal.)	6-Way Manual • • 16/21 5.3	S-Way Power Manual • • 18/21 5.3	8-Way Power - 16/21 5.3	

Regular Unleaded

Regular Unleaded

Regular Unleaded

Required Fuel



For 2005, Honda is complying with the new SAE standard for measuring horsepower and torque, SAE net (Rev 8,04). This new method slightly reduces a vehicle's horsepower rating and torque due to more stringent testing procedures. Many manufacturers are still using the older standard

tion. *Based on 2006 EPA mileage estimates. Use for comparison purposes only. Your mileage may vary. *Based upon internal Honda testing for frontal and side impacts. ⁵The Honda Satellite-Linked Navigation System is available only in the 48 contiguous United States on select RTL models. 4HomeLink® is a registered trademark of Prince Corporation, a wholly owned subsidiary of Johnson Controls.** 7XM® subscription sold separately. XM-ready audio systems are pre-wired to accept the dealer-installed accessory XM Satellite Radio hardware. XM Satellite Radio is available only in the contiguous United States. The XM name is a registered trademark of XM Satellite Radio, Inc. See your Honda dealer for subscription information. *3-Year/36.000-Mile Limited Warranty: Ordinary maintenance or adjustments. parts subject to normal wear and replacement, and certain items are excluded. See your Honda dealer for terms and conditions of this limited warranty. Always use seat belts and appropriate child seats. Children 12 and under are safest when properly restrained in the rear seat. Specifications, features, illustrations and equipment shown in this brochure are based upon the latest available information at the time of printing. Although descriptions are believed to be correct, accuracy cannot be guaranteed. American Honda Motor Co., Inc., reserves the right to make changes at any time, without notice or obligation, in colors, specifications, accessories, materials and models. Some features mentioned herein are not available in all areas. See your Honda dealer for details. Some vehicles may be shown with optional equipment. Available = Optional. All images contained herein are either owned by American Honda Motor Co., Inc., or used under a valid license. It is a violation of federal law to reproduce these images without express written permission from American Honda Motor Co., Inc., or the individual copyright owner of such images. Honda Financial Services is a DBA of American Honda Finance Corporation. Honda, the H-mark symbol, Honda Čare, Honda Satellite-Linked Navigation System, Drive-by-Wire Throttle System, In-Bed Trunk, Variable Torque Management, VSA, VTEC and VTM-4 are trademarks of Honda Motor Co., Ltd. @2005 American Honda Motor Co., Inc.

^{*}Does not apply to fluid and filter changes. See your owner's manual for details.