1984 CHEVY TRUCKS



SUBURBAH



Important: A word about this catalog. We have tried to make this catalog as cororehensive and factual as possible and we hope you find it helpful. However, since the time of printing, some of and specialized equipment from various independent suppliers at extra cost. You dealer has details and, before ordering, you should ask him to bring you up to date. The right is reserved to make

the information you will find here may have been updated. Also, some of the equipment shown or described throughout this catalog is available as factory-installed options, dealer accessories changes at any time, without notice, in prices, colors, materials, equipment, specifications and models. Check with your Chevrolet dealer for complete information.

# **HOW DOES SUBURBAN FIT** SO MANY **PEOPLE AND SO MUCH CARGO** INTO ONE PLACE? COMFORTABLY.

#### SILVERADO.

Here are optional elegance and luxury that take a back seat to no ordinary wagon. You'll find richly upholstered materials, artfully tailored to give visual pleasure as well as physical comfort. Choose either cut-pile velour Custom Cloth upholstery or leathergrain Custom Vinyl.

# CUSTOM DELUXE.

Suburban's standard trim (not shown) is worthy of the term posh. It includes a full-depth, foam-cushioned front seat with a new grained vinyl material that provides a tough, rich appearance. Also included: a cockpittype instrument cluster.



#### SCOTTSDALE.

luxury, shown above, this Suburban trim package in-cludes a color-keyed, insulated seat trim is available.

SCOTTSDALE. headliner. New leather-grain
A second option in unabashed vinyl in two colors. Cut-pile velour Custom Cloth upholstery or leather-grain Custom Vinyl

RECLINING BUCKET SEATS. New for '84 Suburban are avail-

with folding armrests, deep cushioned for comfort.


able front reclining bucket seats,

# LOOK AT ALL SUBURBAN CAN DO. BEFORE IT EVEN STARTS TO MOVE.

IT EVEN STARTS TO MOVE.
With its optional second and third seats, the Suburban accommodates up to nine people. And you still have a whopping 35 cu. ft. of cargo space in back. You can expand that all the way up to 144 cu. ft. by removing the quick-release third seat and folding the second seat flat. And Suburban's tough truck build means it can be equipped to carry payloads of up to 3,908 lbs., including people, cargo and equipment.











Freedom to ride where the roads don't reach. Freedom to switch to 4WD High without stopping. Just put it into 4WD, and cut loose.

#### 2WD TO 4WD WITHOUT STOPPING.

When you shift from 2WD to 4WD High at speeds under 25 MPH, Suburban's automatic-locking front hubs engage, so you don't have to stop and get out to set them. To switch back

to 2WD, simply stop the vehi-cle, shift into 2WD, slowly back up about ten feet, then go on your way. Even with 4WD, the Suburban's entry height is a convenient 21.6 to 23.6 inches.



# AN OPEN CHOICE. TWO WAYS TO LOAD AND UNLOAD SUBURBAN. Choose double rear doors that swing open 37 inches high and





- MAKE YOUR SUPERWAGON EVEN MORE SUPERSPECIAL.\*

  Popular options for your Suburban:

  1. Roof luggage rack with air
  deflector (dealer-installed accessory).

  2. GM-Delco radio options include AM and AM/FM radio, AM/FM stereo, AM/FM stereo with cassette player.

  3. Relow Eveline mirrors

  4. Rally wheels.\*\*
  5. Styled wheels.\*\*
  6. Wheel covers.
  7. Gage-type instrument clusters (standard on Silverado). Electronic speed control with resume feature also allows you to increase or decrease set speed 1 MPH at a time.

cassette player.

3. Below Eyeline mirrors.

\*Some options may require the purchase of other options. See your dealer for details.

\*Tires supplied by various manufacturers.













	C15	C20	<b>K10</b>	K29		C10	CH	K18	KO
Air Conditioning, Front	0		0	0	AM FM Stereo Radio	0	0	0	0
Air Conditioning, Front & Rear	0	•	0	0	AM FM Stereo w Cassette Tope		0	0	0
Bright Metal Wheel Covers	0		0		Ri-Beam Halogen Headlomps		0	0	
Bucket Seats	0	•	0	0	Headlamp Warning Butzer	0	0	0	
Bumpers:					Headliner, Full Length, Interior	0	0	0	
Chromed Front Bumper Geards	0		0	0	Heater, Rear		0	0	•
Delaxe Front and Rear	0	0	.0	0	Intermittent Windshield Wigers		0	0	0
Digarette Lighter	0	0	0	0	Hirters'				
Color Keyed Floor Mats	0	0	•	0	Printed Below Eyeline	0	•	0	0
Comfortill Steering Wheel	0	0		0	Stainless Steel Relow Eyeline	. 0	0	0	
Deluse Front Appearance Package	0	0		0	Stainless Steel Camper	6	0	0	
Electric Clock w Quarte Movement	0	0		0	Moldings				
Class. Geep Tinled	0	0			Body Side-Black		9	0	
Deluse Molding Package - Bright		0	0		Body Side-Bright		0	0	
Door Edge Courds		0	0		Custom Molding Package-Black	0	0	0	
Operating Convenience Package:					Windshield Antenna		0	0	
Fewer Door Locks	•	0	0		Roof Warker Lamps	0		0	
Fewer Mindows		0	0	0	Seat. 3-Passenger Folding Center			0	0
Paint Options:					Seat. 3 Passenger Rear & Center	0		0	0
Special five-fone Paint		0	0	0	Tailgate, Electric Window	0		0	0
Exterior Decor Package		0	0	0	Twigste, Electric Window w Gelogger			0	0
GM-Delco Radios & Accessories					Wheels, Rally .	0		0	
AM Radio	0	0	0	0	Wheels, Styled	0		0	
AM FM Radio	0		0	0	0 - Optional				

# COLORS

Indian Bronze Apple Red Doeskin Tan Desert Sand Frost White Söver Metallic Midnight Black Light Blue Metallic Midnight Blue Colonial Yellow Motallic Metablic

# A WORD ABOUT ASSEMBLY. COMPONENTS AND OPTIONAL EQUIPMENT IN THESE CHEVRO-

LET PRODUCTS. The Chevy Suburbans described in this catalog (Series C10, C20, K10 and K20) are assembled at facilities of GM Truck & Bus Group. These vehicles incorporate thousands of different components produced by various

various suppliers to General Motors. From time to time during the manufacturing process, it may scheduled. All such components be necessary, in order to meet public demand for particular vehicles or equipment, or to meet federally mandated emissions, safety and fuel economy requirements, or for other reasons, to

divisions of General Motors and by produce these products with different components or differently sourced components than initially have been approved for use in these Chevrolet products and will provide the quality performance associated with the Chevrolet name.

> With respect to factory-installed extra-cost optional equipment,

make certain you specify the type of equipment you desire on your vehicle when ordering it from your dealer. Some options may be unavailable when your vehicle is built. Your dealer receives advice regarding current availability of options. You may ask your dealer for this information. GM also requests the dealer to advise you

if an option you ordered is unavailable. We suggest that you verify that your vehicle includes the optional equipment you ordered or, if there are changes, that they are acceptable to you.

These vehicles are also available under the GMC nameplate (GMC Suburban Series C1500, C2500, K1500 and K2500).

# 1984 SUBURBAN SPECIFICATIONS-DIESEL

SERIES		CHES WHEE	DAME	C26 2-W	HEEL ORDIVE	K10 4-WHEE	DAME	120 4-W	KEEN, DRANK	
CIVW RANGE (Ib.)	-	7906	-		600	7000-73	00		600	
AGALABLITY	_	Standard	Optional	Standard	Optional	Standard -	Optional	Standard	Optional	
ENDING-LITTER 100. In 1	The second	4.2t (17%)	-	6.25	=	6.2L (37%)	=	6.2L (376)	=	
FRONT	Non-Toring		Independe	on Coli Springs			Hypoid Driving	Aste-Leaf Springs		
FAGRE SUSPENSION	Capacity (fb.)	3430	TI - TO COM	3880	-	3680	-	3800	-	
RFAR .	Aide Tige		Sen	i-Floring		Seni-Floating				
REAR SUSPENSION	Especity (tb.)	4006	-	1000	-	4000	-	6000	- 44	
BRAKES	Disc Orum	Power	-	Power	_	Pewer	-	Power	-	
STEERING	Non	Frant	-	Power	-	Pawer	-	Power		
RANSMISSION	Manual		-		-	-	- 44	-	-	
	Automotic	4-Spd. Automatic G.D.		3-Spd. Automatic	4-Spd. Automatic O.D.	4-Spd. Automotic G.D.	-	3-Spd. Automatic	4-Spd. Automatic G.D.	
TRANSPER CASE - Automotic Locking Front Hubs	Maries Top Street 1						n 204	New Process 206		
THE SEX. TUBELESS		PE16- 758-15-31,		UTDS-854-16 007) E(R)		P235: 758-15		U235 858-16 0(F) ((R)		

Tire load range - D (8 PR), E (18 PR). - Carper Size Substess Effices Resilable.

# 1984 SUBURBAN SPECIFICATIONS\_GAS

SENES	2VB 2 WHEEL GRAVE			C20 2-W	MEEL GRIVE	E10 (	wretts penet	K20 4 WHEIX, DRIVE		
CVW RANDE (Ib.)		6100-46			1000		100-7000	21	1600	
NAME AND TO		Standard	Optional	Standard	Optional	Standard	Optional	Standard	Optional	
ENGINE-LITTER (se. in.)	· Commission	5.0L (305).#*	5.7L (98)	5.7L (398)	7.4L (660)	5.7L (354)	2	5.7c (098)	=	
PRONT	has long	1990		ort-Cool Springs			Rypoid Orleing Act			
FRONT SUSPENSION	Capacity (Ib.)	3050	-	3800	-	3606		3600		
	Avie Trac		Semi	Floating"			Seni-Fis			
NEAR SUSPENSION	Capacity (tb.)	4000	-	6000	_	4000	400	6000	-	
BAARTS	Disc Dram	Pewer		Prest	-	Power		Pawer	-	
STEAMS	See	Manual	Pawer	Warned	Power	Power	-	Pewer	-	
TRANSMISSION	Manual		- 100	4-5pd.	-	4-Sp4."		4 Sp4.	-	
	Amenatic	4-Spd. Automotic © D.	-	-	4-Spt. Automatic 0.0. 3-Spt. Automatic	-	4-Spd. Automatic 0.0.	-	4-Spd. Automatic 0.0 3-Spd. Automatic	
TRANSPER CASE - Automatic Looking Front Hubs			_	-		\ Ne	Process 206		*100 mm 204	
TIME SIZE, FUNDLESS		P106		UT255-95R-16		P215		(7235-85R-16 0(F) 0(R)		

"Not available in California. The head range-D ist PNL E (100 PNL "That Standing Incided with 7 of, this amplie. «Electronic Spark Control High Compression Engine. «Larger Size Mobiles Tren Availables

# PERFORMANCE AND HEAVY-DUTY EQUIIPMENT OPTIONS

	610	C270	1 K10 I	1,70		1539	1500	- 8.10	1809
Air Cleaner Precleaner	- 8				Fuel Tesk, Stone Shield Plate				
Auditory Betory			- 6		Gapex				
Cold Climate Package			- 6	. 0	Wolf, Temp. and Gif				
Coolers: Engine (b) Transmission (b)	1	1	9	6	Generator, Mi-Amp Mayor Outs Betters	5	9	-	- 0
Deadweight Trailor Witch			. 8	. 8	Heavy-Duty Front & Rear Shocks		- 5		5
Decirance Speed Control with Resume and Assorberate Features					Heave-Date Front Sorines Heave-Date Rediator	4	4	-	- 6
Front Gund Shocks	700			- 8	Locking Rear Asia Differential		- 8		- 8
Front Statistical Bar		1		1000	Power Stearing	6	- 6		
Front Stabilizer; Heavy Buty			1	3.5	Trailer Wining Harness, 7-Wire			3	- 8
Front Tow Hooks	7	- 777			Trailering Special Equipment	1			
Fuel Tank, 31-Gallon (G) 32-Gallon (D)					Weight Distributing Hitch Platform			-	
Fuel fank, 40-Gallon (G) 41-Gallon (D)	1			1	C - Cos 8 - Soft gas & diesel		1	5 - 95	enteri

# THE GM CONTINUOUS PROTECTION PLAN. An option

that offers service protection in addition to that provided by GM's s new-vehicle limited warranty. Available only in the U.S. and Canada for the 1984 model year. Ask your dealer about this option n. EVERY CHEVY SUBURBAN'S NEW-VEHICLE LIMITED WAR-RANTY COVERS PERFORATION FROM CORROSION FOR THREE YEARS. Exhaust system components not included. Ask your Chevrolet dealer for details and

other limitations.

# 1984 CHEVY SUBURBAN ENGINE LINEUP

	twested.	ES WITH LT. MEDIUM INS FOR MODELS OF AND BOLOW FOR ALL	EMISSIONS FOR MODELS OVER 2508-LB. GIVER FOR ALL STATES			
DISPLACEMENT-LITTER (Ox. In.)	5.0L (305) WE'T	5.71 (350) VB	6.21. VS Diesel	5.7L (350) VE	7.4L (454) 98	6.21.VS Dissel
ENGINE BROCKING CODE	CENTE	1,590,00	LH6(C)	(79.4)	LEBOAD	ULACO
SORE & STROKE	3.74 x 3.48	(1135	3.98 + 3.80	4.012.5	4.3×4.0	3.56 ± 3.60
COMPRESSION RATIO	9.2 to 1	82101	21.3 to 1	8,3 to 1	7.9 to 1	21.3 to 1
SAE NET HORSEPOWER () RPM	100 (0 4400	165 @ 3600	130 @ 3600	(ac 160 ii) 3600 (bc 155 ii) 4000	230 @ 3000	135 @ 3606
SAE NET TORQUE (InR.) (I) RPM	235 @ 2000	275 @ 1600	240 @ 2000	(a) 250 () 2900 (b) 240 () 2900	300 @ 21000	248 @ 2900

# 1984 CHEVY WAGONS CATALOG.

Check out the complete lineup of Chevy people- and cargocarriers. They include \$-10 Blazer, full-size Blazer, Sportvan, Caprice Wagon and front-wheel-drive Cavalier and Celebrity Wagons. Ask your Chevy dealer for a copy.

# A WORD ABOUT ENGINES. Some

Chevrolet trucks are equipped with engines produced by other GM divisions, subsidiaries, or affiliated companies worldwide. See your Chevrolet dealer for details.

Let's get it together...buckle up!



SARAJEVO 184

OFFICIAL CARS AND TRUCKS OF THE XIV OLYMPIC WINTER GAMES

"Electronic Spark Centrol. 1Not exaliable in California.

