

dred and ninety eight GER Ford



EVER







aver.




Feature highlights

- 1) New tow hooks assist in towing and in being pulled out of trouble (4x4 only)
- **(2) New 2.5**L I4 engine with increased engine size, horsepower and torque is standard on 4x2 (4x4 with 3.0L V6 shown)
- (3) Front crush zone helps absorb energy in the event of a frontal collision
- (4) New Pulse Vacuum Hublock (4x4)
 allows "shift on the fly" capability at just
 about any speed with smooth, virtually
 silent operation

- (6) New Second Generation depowered standard driver/
 passenger air bags with manual passenger deactivation
 switch (always wear your safety belt and deactivate
 the passenger air bag when using a rear-facing child
 safety seat)
- (7) New power rack-and-pinion steering for precise cornering
- (8) New short/long arm suspension contributes to improved ride and cornering stability










Off-road appeal

There's really nothing mysterious about the enjoyment of four wheeling. Traveling where the paved roads aren't, you feel a special kind of solitude, a satisfying separation from society that has nothing to do with loneliness. Those who find themselves attracted to this kind of freedom find a kindred spirit in Ranger 4x4.

It's a fresh and refreshing look at the world around you. It's an adventure in life.




Pulse Vacuum Hublocks for high-tech 4WD.

The Ranger 4-wheel-drive system is described on page 16.

It provides superb operation in all kinds of weather conditions and on-the-fly shifting at just about any speed.







Ranger is engineered to take on the tough jobs.

Long-wheelbase Regular Cab models provide a

cargo bed that's 54.4" wide and 83.8" long.

Ranger 4x2

The tough compact pickup

When you come right down to it, there's really nothing quite as versatile as a pickup truck for those with a full agenda. Ford Ranger is a pickup with the power, the toughness and the versatility to handle everything from potted petunias to cinder blocks. It's ready to deal with just about any project you can dream up with attitude and style. If you rely on yourself, you can rely on your Ranger to get things done.



Ford Ranger is always ready and able.

Ranger XLT Regular Cab Flareside in Pacific Green Clearcoat Metallic.



Ranger Splash

Sporty Splash is every inch a Ranger. And that means it's the real deal. The "go to" truck.

The vehicle you count on for weekday doings and weekend goings. It's your iron-clad contract as well as your escape clause. The truck you choose because nothing else quite measures up.

Ranger Splash makes the





ight kind of waves.

Dealer-Installed Accessories

Properly equipped, Range can tow trailers weighing up to 6,000 pounds.

The new 4-pin trailer tow harness (standard with XLT and Splash) simplifies the trailer's electrical hook-up.

The stylish sport hood cover accessory helps protect the finish.



Rag .

Molded running boards
make for a distinctive,
retro, sporty look.

from damage with this bedliner, which includes a protective tailgate panel.





Add a light bar dealer accessory and add flair.

(See your dealer for selection and availability.)



Add a Splash of fun to your life.

Ranger Splash Regular Cab in

Autumn Orange Clearcoat Metallic.



Clockwise from left: The optional

AM/FM stereo/single CD radio;

standard 12-volt powerpoint;

standard SuperCab (XLT/Splash

only) rear cup holders.



ever you do in comfort.

Enhanced interior

A comfortable ride should always be part of your trip.

Ranger seats feature multi-position recliners and available manual lumbar support to better suit individual needs. The seats themselves track back farther for increased leg room. And the foam padding has been reconfigured for increased support. (Interior shown with optional equipment.)

ptional sport cloth buckets
edium prairie tan
uperCab XLT



The Palse Vacuum

Hattack 4-wheel-drive

spaces (4x4 models)

allows 'shifting on the fly"

at just about any speed.

Its operation is smooth

and quiet, with virtually

silent engagements and
disengagements – a good

example of how technology works for Ranger.


Smooth, quiet 4WD

Ranger power



RAIN AVAILABILITY BY TRIM MODEL

		Regular Ca	b 4x2		SuperCab	4x2
	XL	XLT	Splash	XL	XLT	Splash
5-Speed Manual	S	S	S	S	S	=
#Speed Automatic	0	0	0	=	=	
15-Speed Manual	0.	0	0	0	0	S
#-Speed Automatic	0	0	0	0	0	0
i5-Speed Manual	=	О	0	=	0	0
5-Speed Automatic		0	0		0	0
	Re	egular Cab	4x4	S	uperCab 4	x4
	XL	XLT	Splash	XL	XLT	Splash
i5-Speed Manual	S	S	S	S	S	S
Speed Automatic	0	0	0	0	О	0
i5-Speed Manual	=	0	0		0	0
5-Speed Automatic	-	0	0	-	0	0



With a 6% increase in horsepower and an 8% increase in torque, Ranger's standard engine now displaces 2.5 liters. The 3.0L V6 gets a healthy 14% boost in torque. And the optional 4.0L V6, Ranger's most muscular powerplant, can be teamed with a 5-speed automatic transmission, a Ford exclusive in compact trucks. Having five forward speeds helps improve the vehicle's performance.

nd performance.

NE SPECIFICATIONS

	Displacement (liters/cubic inches)	Bore x Stroke	Compression Ratio	Horsepower (SAE net)	Torque, lbs./ft. (SAE net)
er SERI 14	2.5/153	3.78 x 3.40	9.37:1	119 @ 5,000 rpm	146 @ 3,000 rpm
SERIV6	3.0/182	3.50 x 3.14	9.14:1	150 @ 5,000 rpm	185 @ 3,750 rpm
r SEFIV6	4.0/245	3.95 x 3.32	9.0:1	160 @ 4,200 rpm	225 @ 2,750 rpm



Stiffer front frame contributes to better ride and handling.

The fully boxed front frame has achieved a 370% increase in torsional rigidity. It also means better fit and finish due to its precise welds.



afety and security.

The available Remote Keyless Entry
system includes an anti-theft system
and two key-fob transmitters.

Second Generation depowered air bags on Ford vehicles are designed to further enhance protection for the driver and passenger (always wear your safety belt). To help protect an infant, a standard switch is provided to deactivate the passenger air bag when a rear-facing child safety seat is used.



ABS brakes

mean controlled stops.

Both the standard rear anti-lock braking system

(ABS) and optional 4-wheel system (XLT, Splash)

help provide steering control while braking under

most conditions, even on wet or slippery surfaces.





STYLESIDE MAXIMUM TRAILER WEIGHTS'

Manual	Axle Ratio	GCWR Max.	Regular Cab 4x2 4x4	Supe 4x2	erCab 4x4
2.51 SEE 14	3.73	4,800	1,580 -	1,380	
3.01 SETIVE	3.45	5,000	1.740 -	1,540	
	3.73	6,000	2,700 2,380	2,500	2,220
4.0L SEFI V6	3.08	5,000	1,660 –	1,460	_
	3.27	6,000	- 2,000	<u> </u>	2,000
THE PROPERTY.	3.55	7,000	3,640 -	3,420	
	3.73	7,000	- 3,340	* · · · · -	3,180

ailer towing weights for Splash model and for Styleside models with the Splash

PAYLOAD PACKAGE SELECTOR* **GVWR** Tires (Min.) Payload Regular Cab Package No. 1,260 lbs 4,320 lbs. P205/75Rx14SL 4x2 SWB #1 Std. P205/75Rx14SL 4,740 lbs. 1,660 lbs 4x2 SWB #2 Opt. P205/75Rx14SL 4x2 LWB #1 Std. 1,260 lbs. 4,360 lbs. P205/75Rx14SL 1,660 lbs. 4,800 lbs. #2 Opt. 4x2 LWB 4,760 lbs. P215/75Rx15SL 4x4 SWB #1 Std. 1,260 lbs. 1,500 lbs. 4,980 lbs. P215/75Rx15SL #2 Opt. 4x4 SWB 1,260 lbs. P215/75Rx15SL 4x4 LWB #1 Std. 4,820 lbs. 1,500 lbs. 5,020 lbs P215/75Rx15SL 4x4 LWB #2 Opt. SuperCab #1 Std. 1,260 lbs. 4,540 lbs. P205/75Rx14SL 4x2 P205/75Rx14SL 4,900 lbs. 1,620 lbs 4x2 #2 Opt. #1 Std. 1,260 lbs 4,940 lbs. P215/75Rx15SL 4x4 5,120 lbs. P215/75Rx15SI

Ranger Styleside model information provided. See your Ford Dealer for Solash model information.
 SWB = short wheelbase (112.0° Regular Cab). LWB = long wheelbase (118.0° Regular Cab). Payload is the maximum allowable weight of people, cargo, and body equipment and is reduced by the weight of optional equipment.

1,500 lbs

MEASUREMENTS (EXTERIOR/INTERIOR)

#2 Opt

Wheelbase	Cab Length	Box Length (at Cargo Floor)	Box Width (maximum)
11.6" Regular Cab (SWB)	107.3"	71.8"	54.4"
17.5" Regular Cab (LWB 4)	(2) 107.3"	83.8"	54.4"
17:6" Régular Cab (LWB 4)	(4) 107.3"	83.8"	54.4"
25.7" SuperCab (4x2)	121.3"	71.8"	54.4"
25.9" SuperCab (4x4)	121.3	71.8"	54.4"
Load Height at Cargo Floor (Empty) 4x2/4x4	Front Tread 4x2/4x4	Rear Tread 4x2/4x4	Axle Clearance 4x2/4x4
28.5"/31.3"	58.6 ^u	57.3"	6.7"/7.4"
28,1"/31.3"	58.6"	57.3"	6.7"/7.4"
28.2"/31.0"	58.6"	57.3"	6.6"/7.4"
Cargo Compartment*		Regular Cab	SuperCab
Pickup box depth		16.5"	16.5"
Cargo volume — cu. ft. (ne	o allowance for wh	neelhouses)	
Short wheelbase		37.3	
Long wheelbase		43.4	37.3
	1		

*Does not include Splash.

4x4

t h Th n a

			-
40			
*			-
			100
		W.	
	SECTION !		
	1		
	100		
-			1
	-		
			-
10/06			
	1		
	3		
	-		
	1		- 1
			4
			-

STYLESIDE MAXIMUM TRAILER WEIGHTS'

Automatic	Axle Ratio	GCWR Max.	Regula 4x2	r Cab 4x4	Supe 4x2	erCab 4x4	
2.5L SEFI 14	4.10	5,500	2,200	=	=	= =	
3.00 SEFEV6	3.45	7,000	3,660	=	-		
	3.73	7,500	4,000	3,840	3,960	3,680	
A TOWN TO THE REAL PROPERTY.	4.10	8,000	<u> </u>	4,340	=	4,180	
4.0L SEFI V6	3.08	6,000	2,600		2,380	-	
	3.27	7,500	=	3,800	=	3,640	
	3.55	9,500	6,000	-	5,900	=	
	3.73	9,500	=	5,800	=	5,640	

"See your dealer for smaller towing weights for Splash model.

RANGER REGUL	AR CAB	SPECIFICATIONS	
		4x2	4x4
GVW Rating (max.)		4,800 lbs.	5,020 lbs.
Front suspension		Short/long arm with coil springs	Short/long arm with torsion bars
Shock absorbers		Gas-pressurized	HD gas-pressurized
Front stabilizer bar		Standard	Standard
Rear stabilizer bar		Optional*	Standard

Power brakes with rear anti-lock Standard Standard Optional** Power brakes with 4-wheel anti-lock Optional** Pulse vacuum hublock 4x4 front hubs automatic locking 4x4 transfer case Select-drive electric shift 16.5-gals. (short wb) 16.5 gals. (short wb) Fuel capacity 20 gals. (long wb) 20 gals. (long wb)

Power rack-and-pinion

Power rack-and-pinion

*Included with Splash. **XLT and Splash.

PANCER SUPERCAR SPECIFICATIONS

	4x2	4x4
GVW Rating (max.)	4,900 lbs.	5,120 lbs.
Front suspension	Short/long arm	Short/long arm
	with coil springs	with torsion bars
Shock absorbers	Gas-pressurized	HD gas-pressurized
Front stabilizer bar	Standard	Standard
Rear stabilizer bar	Optional*	Standard
Power brakes with rear anti-lock	Standard	Standard
Power brakes with 4-wheel anti-loc	k Optional**	Optional**
4x4 front hubs		Pulse vacuum hublock automatic locking
4x4 transfer case		Select-drive electric shift
Fuel capacity	19.5 gallons	19.5 gallons
	Power rack-and-pinion	Power rack-and-pinion

*Included with Splash. **XLT and Splash.



S W B



wheel base 111.6"

L W B

box length 83.8"

ord Ranger.



wheel base 117.6"

SuperCab



wheel base 125.9"

RANGER MAJOR EQUIPMENT SUMMARY	VI	VE	ř.	Splach
GROUP FEATURES	XL 861A	XL 864A 8	367A*	Splash 866A
XLT Group: tape stripe; sliding rear window/privacy glass; deep-dish aluminum wheels		P	P	
Luxury Group: air conditioning; speed control/ tilt steering wheel; tachometer (standard with 4x4); remote keyless entry with anti-theft; power equipment				
group (power windows with driver's side "one touch down," power door locks,				
power mirrors); AM/FM stereo/single CD radio/digital clock			Р	7
Splash Group: sliding rear window with privacy glass; power mitrors; bodyside protection moldings; AM/FM stereo/single CD radio/digital clock	_			P
SEATING				
Vinyl 60/40 split bench seat (Regular Cab)	S			
60/40 cloth split bench seat with floor consolette	O(1)	S	S Ö	<u> </u>
Sport cloth bucket seats with floor console AUDIO SYSTEMS		- 41-1	0	O
Radio credit option deletes standard AM radio(2)	S		44	-
AMFM stereo/digital clock	ŏ	- S	- S	S
AM/FM stereo/cassette/digital clock	O	P		_ D
AM/FM stereo/single CD radio/digital clock 80-watt Premium AM/FM stereo/cassette/single CD radio/RDS and digital clock		O	P O	<u>Р</u> О
6-disc radio-controlled CD changer (dealer installed)(3)	-		Ö	Ö
COMFORT/CONVENIENCE				
Air conditioning	0	О	Р	О
Power Equipment Group: power windows with driver's side "one touch down,"		Ô	D	0
power door locks and power mirrors Speed control and tilt steering wheel		0	<u>Р</u> Р	0
Leather-wrapped steering wheel	-	_	0	0
Sliding rear window with privacy glass		P	P	Р
Power mirrors Pivoting quarter windows with privacy glass (SuperCab)		0	P	S O
Heater, engine block	0	Ō	Ŏ	Ö
License plate bracket	0	0	0	0
SPECIAL PACKAGES				
XLT Appearance Package (Styleside only): two-tone paint; single CD radio;				
15" chrome wheels (4x2); P225/70Rx15 OWL all-season tires (4x2); tachometer (4x2); fog lamps (4x4)		0	0	_
Power Security Package: power windows; power door locks; power mirrors;				
Remote Keyless Entry		0		<u>O</u> ,
Flareside Plus Package: Flareside box; single CD radio; 15" chrome wheels (4x2); P225/70Rx15 OWL all-season tires (4x2); tachometer (4x2); fog lamps (4x4)		0	0	
4x4 Off-Road Package: painted front and rear bumpers; painted grille; fog lamps				
P235/70R16SL OWL all-terrain tires; 16" polished aluminum wheels**; off-road				
shock absorbers; "4x4 Off-Road" decal; P235 BSW branded temporary spare tire; 15" argent steel spare wheel	-	0	0	
APPEARANCE/PROTECTION				
Fog lamps (with V6 engine only)		0	0	-
Bodyside protection moldings		0	0	Р
Deluxe two-tone paint Flareside box	ō	0	0	S
PERFORMANCE/SECURITY				
4-wheel anti-lock brakes		0	0	0
Remote Keyless Entry with anti-theft	7	0	Р	0
Tachometer (standard on 4x4)	-	0	P	S
Limited-slip axle (for V6 engine) Payload package #2	0	0	0	0
TIRES AND WHEELS		and the state of t		
P205/75R14SL BSW all-season – 4x2	S	S	S	
P225/70R14SL OWL all-season – 4x2	0	Ρ.	P	
P225/70R15SL OWL all-season – 4x2		0	0	- S
P235/60R15SL BSW all-season – 4x2 P215/75R15SL OWL all-terrain – 4x4	S	S	S	
P235/75R15SL OWL all-terrain – 4x4	Ŏ	Р	P	S
P265/75R15SL OWL all-terrain - 4x4	-	0	0	
Argent styled steel wheels with bright hub caps (14" 4x2 / 15" 4x4) 5-spoke full face steel wheels – 4x2 (14")	S O	S	S	- -
Full face steel wheels – 4x2 (14)	ő	S	S	
Deep-dish polished aluminum wheels** – 4x2 (14")		P	P	+
Deep-dish aluminum wheels – 4x4 (15")		P	P	S S
Full face chrome wheels — 4x2 (15") *Features designated as "P" may not be deleted from the Preferred Equipment Package (1) Standard with SuperCab. (2) Available with			NAME OF THE OWNER OWNER OF THE OWNER OWNE	Name and Address of the Owner, where

^{*} Treatures designated as "P" may not be deleted from the Preferred Equipment Package. (1) Standard with SuperCab. (2) Available with SuperCab. (3) SuperCab. (3



Features and Preferred equipment packages.

MAJOR RANGER STANDARD FEATURES

Exterior

- Aero halogen headlamps
- Gnlle: painted (XL); chrome (XLT); color-keyed (Splash)
- Front bumper/rear step bumper: painted (XL); chrome (XLT); color-keyed (Splash); painted with 4x4 off-road package
- LH RH black manual foldaway mirrors (RH convex); power, color-keyed mirrors on Splash
- Interval speed-sensitive windshield wipers
- Solar tinted glass
- Theft-resistant tailgate
- 4-pin trailer tow wiring harness (prep only with XL)
- Tow hooks: two front, one rear (4x4)
- Wheel lip moldings with integrated mud flaps (4x4) models except Splash and flareside box option)
- Mud flaps (4x2/4x4 Splash and Flareside box option)

Interior

- Second Generation depowered driver and passenger air bags to supplement the safety belts (with passenger air bag deactivation switch)
- Height-adjustable 3-point shoulder belts for outboard seating positions
- Fuel, temperature, oil pressure and voltmeter gauges; trip odometer
- Cargo box and map lights (XLT and Splash)
- Cargo area cover (XLT and Splash SuperCabs)
- Floor consolette with cup holder(s)
- A cigarette lighter and 12-volt power
- Tachometer (standard with 4x4 and Splash)
- Behind seat storage tray (XLT and Splash) Regular Cab)
- Back panel storage tray with cup holders XLT and Splash SuperCab)
- Floor covering: black vinyl with insulation (XL); color-keyed carpet (XLT, Splash)
- lump seats, rear (SuperCab)

Ranger XL



861A

- Rear step bumper
 Dual foldaway mirrors right-hand convex
 - Solar tinted glass

- Driver- and passenger-side air bag
 A cigarette lighter and 12-volt powerpoint
 Interval speed-sensitive windshield wipers

Ranger XLT

864A

- All the contents of package 861A, plus:Deep-dish aluminum wheels
- Sliding rear window/privacy glass

- AM/FM stereo/cassette/digital clock P225/70Rx14SL OWL all-season tires (4x2) P235/75Rx15SL OWL all-terrain tires (4x4)

867A (package items may not be deleted

- All the contents of package 864A, plus:
 AMFM stereo/single CD radio/digital clock (replaces cassette radio in 864A).

- Remote Keyless Entry with anti-theft

Ranger Splash



- Sliding rear window with privacy glass



Options, whee



fig lamps are not only functional,

great as well. They're

the 4x4 off-road package.

Ranger speed control has a feature that lets you increase your speed in increments of one mile per hour.





The 80-watt Premium AM/FM stereo/eassette/single CD radio is one of four Ranger sound systems.

Power windows include a "one touch down" feature for the driver.





tyles and colors.

XTERIOR PAINT AND TRIM COLORS					
XL, XLT	Interior Trim Colors				
Exterior Paint Colors	Denim Blue*	Willow Green*	Medium Graphite	Medium Prairie Tan	
Light Prairie Tan Clearcoat Metallic		AND THE PROPERTY AND ADDRESS.	reken and orange a mineral		
Bright Red Clearcoat					
Toreador Red Clearcoat Metallic					
Boysenberry Blue Clearcoat Metallic					
Light Denim Blue Clearcoat Metallic					
Bright Atlantic Blue Clearcoat Metallic					
Deep Emerald Green Clearcoat Metallic					
Pacific Green Clearcoat Metallic					
Medium Platinum Clearcoat Metallic					
Black Clearcoat					
Oxford White Clearcoat					
		411 6 6			

MARKET CO. B. AND A	1 1 7 11	the second secon	Sanatana and table In December	ART CLASSIC
CARL CROSS NOR	See your dealer for delux	e ave-tone color compl	inations available for Kange	r XET SIVIESIGE
	and dedict for delay	e the tone color como	middle dramate in mange	The ballice
Street, ormer property of		place for Panger VI and	XIT models with the Flare	cida hay antion

Splash	Interior T	rim Colors
Exterior Paint Colors	Medium Graphite	Medium Prairie Tan
Autumn Orange Clearcoat Metallic		
Toreador Red Clearcoat Metallic		
Boysenberry Blue Clearcoat Metallic		
Black Clearcoat		

FOADSIDE ASSISTANCE PROGRAM

Every new Ford includes the assurance of a 24-hour emergency Roadside Assistance Program provided during the 3-year/36,000-mile bumper-to-bumper warranty. Ask your Ford Dealer for complete details on this program and for a copy of the limited warranty.

PRODUCT CHANGES

Following publication of the catalog, certain changes in standard equipment or options, or product delays, may have occurred which would not be included in it. Ford reserves the right to change product specifications at any time without incurring obligations.







