


re's a saying among designers:
It looks right, it probably is." From
angle the all-new Grand Am's bold,
ressive stance looks right. But what
kes it so? Could be the way the
ndard fog lamps are integrated up
nt to throw out their wide angle

wheels seem to push the corners of the car hance road perforce. Or it could be the the rear spoiler chanair over the rear deck.

d be all of the above.









ke the wheel and get a grip on the road. the all-new Grand Am, it'll feel like a direct nnection. The cockpit's gauges are larger d its ergonomic controls placed closer to the iver than those of any car in its class. This elps keep the driver linked to the experience, do Grand Am's standard performance atures like anti-lock brakes (ABS), automatic transmission th Enhanced Traction System and its all-new four-wheel dependent suspension. Air conditioning, illuminated entry, tomatic programmable power door locks, controlled-cycle ndshield wipers and a Tilt-Wheel adjustable steering lumn combine to make Grand Am's standard content level e most generous in its class.







Il about Grand Am:

PONTIAC CARES



audis every 1999 Grand Am with the following services:	SE Coupe and Sedan			
	SE	SE1	SE2	
e 3-year 36,000-mile, no deductible, bumper-to-bumper	s	S	s	
Roadside Assistance that provides in an emergency:				
nee lockout assistance	S	S	S	
ree dead-battery assistance	S	S	S	
ree out-of-fuel assistance	S	S	S	
ee flat-tire change	S	S	S	
se towing for warranty repairs	s	S	S	
y Transportation	S	S	S	
		11 - T	AND SHOULD BE AND THE REAL PROPERTY.	

, fixed mast	S	S	S
s, soft fascia type with integral rub strips	S	S	S
running lamps (with automatic light control)	S	S	S
laft-Ray tinted	S	S	S
Composite wraparound with reflector optics	S	S	S
og lamps	S	S	S
Sport, LH remote, RH manual	S	220	122
part, LH and RH power remote		S	S
s, bodyside, wide body color	S	S	S
mering lamps	S	S	S
rear deck lid	Α	Α	Α
eel-belied radial): P215/60R15 blackwall touring (QCD)	s	s	-
225-50R16 blackwall, touring (QQK)*	-	_	S
ompact spare	s	s	S
iff low liftover design and trim protector	S	S	S
Wheel Covers:			
SE-15" Custom bolt-on wheel covers (PG1)	S	-	-
SE-15" 5-spoke (PF7)	8-	S	85
SE-16" Multi-spoke cast aluminum (PY0)	194	_	S
eld wipers: "Wet-arm"	S	S	S
lantralled-cycle	S	s	s

is should not be used. They may cause damage. See Owner's Manual.







INTERIOR FEATURES

	SE Coupe and SE SE1		Sedan SE2
Acoustical insulation, extensive	S	S	s
Air Bags, Next Generation: Driver and front passenger*	S	S	s
Air conditioning	S	S	s
Ashtray and lighter element	Α	Α	Α
Console, front floor with storage, coin holder and armrest	S	S	S
Cruise control	Α	S	S
Deck lid release (electric)	s	S	S
Defogger, electric rear window	S	S	S
Door locks: Power, automatic with unlock/relock	S	S	s
Child resistant rear (Sedans only)	S	S	s
Fabric: Cartagena cloth interior	S	S	-
Redondo/Patina cloth (with Sport Interior Group)	_	-	S
Leather seating areas (available with Sport Interior Group)	_	-	А
Instrumentation: Analog speedometer, tachometer, fuel, coolant temperature and trip odometer	s	s	s
Keyless entry system, remote (requires power windows)	_	Α	S
Lights: Automatic light control	S	s	s
Headlamp-on warning	S	S	S
Interior lamp group, includes trunk lighting	S	S	S
Illuminated entry with "theater" dimming	S	S	s
Mats, carpeted front and rear floor	S	S	S
Mirrors: Day/night rearview	S	S	S
Visor vanity, passenger	S	S	S
Power windows with driver's "express-down" feature	_	S	S
Radios: Delco ETR AM/FM stereo with seek up/down and clock (UM7)	s	-	-
Delco ETR AM/FM stereo with seek up/down and auto-reverse cassette (UN6)	А	s	_
Delco ETR AM/FM stereo with seek up/down, compact disc player, graphic equalizer and digital clock (UP3)	А	А	s
Delco ETR AM/FM stereo with compact disc player, auto-reverse cassette, 7-band graphic equalizer and clock (includes 6-speaker sound system with high-mounted tweeters) (UN1)	А	А	А
High-performance 6-speaker sound system with high-mounted tweeters (available with UP3 radio and included with UN1 sound system) (UQ3)	А	A	S
Safety belts:	S	S	S
Adjustable shoulder safety belt guide loops (Sedans only)	s	S	S
Safety belts, 3-point	S	S	S
Rear-seat lap and shoulder, all outboard positions	s	s	S
Rear-seat child comfort guides, all outboard positions	S	S	8
Seats, front: 45/45 bucket seats, reclining	S	S	S
Easy entry front passenger (Coupes only)	S	S	S
Driver's, 4-way manual with power height adjustment		S	5

r Fsatures (continued)	SE Co	oupe and SE1	Sedar SE2
Driver's power, 6-way	-	-	A
Group (AS5) (order by trim code) includes Restance Pains cloth or leather seating areas, along with Restance Pains with a seating with a seating areas, along with Restance Pains with a seating area, along with Restance Pains with	onet –);-	s
Three-passenger with integrated headrests	S	s	S
Sallt-folding		S	s
g wheels:			
Sport, four-spoke	S	S	-
Sport, four-spoke, leather-wrapped with radio controls	_	-	S
Tit-Wheel adjustable steering column	S	S	S
E. Front center armrest	S	s	S
Frant door map pockets	S	S	S
Glove compartment	S	S	s
of, power glass		A	A
s wear safety belts, even in vehicles equipped with air bags.			
	40	***************************************	
MECHANICAL			
Delco Freedom with rundown protection	S	S	S
Power disc/drum	S	s	s
Amil-lock braking system (ABS), 4-wheel	S	S	s
harsmission shift interlock safety feature	s	s	S
Tell assachusetts/New York/Connecticut/	А	Α	А
block heater	Α	Α	Α
STransmissions: 2.4 liter Twin-Cam 16-valve 4-cylinder	S	s	А
1.4 liter 3400 SFI V6 with electronically controlled	_	А	s
ped Traction System (ETS)	S	S	S
di system, stainless steel	S	S	s
e anti-corosion protection featuring two-sided	s	s	S
wheel drive	S	s	s
ack their-deterrent system	S	S	S
g, power rack-and-pinion	S	S	s
nsion, 4-wheel independent	S	s	s
andard. A = Available= Not available.			
ENGINES			
	3.4 liter 3400 SFI V6		
S -			
	A		
	30		

150 @ 5,600 rpm

S

ed automatic with Enhanced on System (ETS) 155 ft-lbs @ 4,400 rpm

170 @ 5,200 rpm

S

195 ft-lbs @ 4,000 rpm

	SPECIFICATIONS	
Engine/drive	Front engine, front-wheel drive	
Curb weight	3,066 lbs. (Est.)	
Fuel tank capacity	15.2 gallons	

DIMENSIONS

		Coupe	Sedan
Interior	Head room, f/r	38.3/37.2"	38.3/37.6"
	Leg room (front)	43.1"	42.1"
	Shoulder room, f/r	53.7/55.0"	53.6/52.8"
	Hip room (front)	52.4"	52.6"
	Trunk capacity	14.3 cu. ft.	14.3 cu. ft
Exterior	Wheelbase	106.7"	106.7"
	Overall length	186.3"	186.3"
	Width	70.4"	70.4"
	Overall height	55.1"	55.1"
	Tread, f/r	59.0/59.1"	59.0/59.1"

OPTION GROUPS

	e available options may require additional equipment. Tour dealer for details.	Grand Am SE		SE
•		SE	SE1	SE2
C60	Air conditioning, custom	S	S	\$
N33	Tilt-Wheel adjustable steering column	S	S	S
CD4	Controlled-cycle windshield wipers	S	S	S
C49	Defogger, electric rear window	S	S	S
MX0	Transmission, 4-speed automatic	S	S	S
AU3	Door locks, power, automatic	S	s	S
UM7	Radio, ETR AM/FM stereo		11000	
UN6	Radio, ETR AM/FM stereo with auto-reverse cassette		-	
UP3	Radio, ETR AM/FM stereo with compact disc player and 6-speaker sound system			
K34	Cruise control			
A31	Power windows with driver's "express-down" feature			
DG7	Power mirrors, Sport, LH and RH (black)			=
АНЗ	Driver's seat, 4-way manual/power height adjustment		-	
AM9	Split-folding rear seat			
UK3	Steering wheel radio controls			
UQ3	High-performance speaker system			=
AU0	Remote keyless entry			
	- Included in Ontion Group, S - Standard			

^{■ =} Included in Option Group. S = Standard.

d Am Occupant Protection Crash Avoidance Features

p contribute to driving safety, of the following features is led in the Grand Am line:

pant Protection

ual lap/shoulder safety belts outboard positions.

er and front passenger Next ration Air Bags.

nual lap safety belts, center

ig positions.

prometic power door locks.

d comfort guides, rear outboard der belts.

ety belt cinch capability for

wer window lockout (Sedans).

Ekaway inside rearview mirror.

Id security door locks (Sedans).

te on Child Safety

per are generally safer if they ride per seat using the appropriate safety seats and restraints, which are general Motors recommends child safety seats be properly red in a vehicle's rear seat. See wehicle's Owner's Manual and safety seat's instructions for a information. Pontiac supports lational SAFE KIDS Campaign, a grassroots program

dedicated to promoting

child passenger safety.

sh Avoidance

ti-lock braking system,

hanced Traction System.

all a transmission shift interlock.

- ► Automatic daytime running lamps.
- ► Automatic light control.
- ► Available steering wheel radio controls.
- ▶ Door warning reflectors.
- ► Energy-absorbing front and rear bumper system.
- ► Fog lamps.
- ► Halogen headlamps.
- ► Tinted glass windshield.
- ► Windshield defroster, washer and multi-speed wipers.
- ► Outside rearview mirrors.
- ► Center high-mounted stop lamp.
- ► Tires with built-in tread wear indicators

Security

- ▶ PASSLock theft-deterrent system.
- ▶ Visible vehicle identification number.
- ► Laser-etched VIN plate.
- ► Marked body parts.
- ► Maintenance-free battery with rundown protection.
- ► Available remote keyless entry system.
- ► Theft-deterrent key locking system.
- ▶ Remote inside hood release.
- ► Electric deck lid release.
- ► Illuminated entry with "theater" dimming.

And now, a word about...

This Catalog:

We've tried to make this catalog as comprehensive and factual as possible. We reserve the right, however, to make changes at any time, without notice, in prices, colors, materials, equipment, specifications, models and availability. Since some information

may have been updated since the time of printing, please check with your Pontiac dealer for complete details.

Engines:

Grand Am models are equipped with engines produced by different operating units of GM, its subsidiaries or suppliers to GM worldwide.

Updated Service Information:

Pontiac regularly sends its dealers useful service bulletins about Pontiac products. Pontiac monitors product performance in this field. We then prepare bulletins for servicing our products better. Now you can get the bulletins too. Ask your dealer. To obtain ordering information, call toll-free 1-800-551-4123.

The Assembly of Grand Am:

Grand Am is assembled by different operating units of General Motors, its subsidiaries or suppliers to GM worldwide. Grand Am incorporates thousands of components produced by different operating units of GM, its subsidiaries or suppliers to GM worldwide. We sometimes find it necessary to produce Grand Ams with different or differently sourced components than originally scheduled. All such components have been approved for use in Grand Ams and will provide the quality of performance associated with the Pontiac name, Since some options may be unavailable when your vehicle is assembled, we suggest you verify that your vehicle includes the equipment you ordered, or if there are changes, that they are acceptable to you.

Warranty Protection:

Grand Am's 3-year/36,000-mile
(whichever comes first), no-deductible
bumper-to-bumper limited warranty
covers repairs, including labor and
parts, to correct any defects in
material or workmanship occurring
during the warranty period. The complete vehicle is covered, except for
adjustments and normal maintenance.

Corrosion Protection:

Grand Am is designed and built to resist corrosion. All body and sheet metal components are warranted against rust-through corrosion for 6 years or 100,000 miles, whichever comes first. Application of additional rust-inhibiting materials is not required under the corrosion coverage and none is recommended. See your Pontiac dealer for terms of these limited warranties.

PONTIAC, THE PONTIAC EMBLEM, GENERAL MOTORS, THE GM EMBLEM, ETR, FREEDOM, PASSLock, SOFT-RAY and GRAND AM are registered trademarks, PONTIAC CARES is a service mark and DRIVING EXCITEMENT is a trademark of the General Motors Corporation.



ALWAYS USE SAFETY BELTS AND PROPER CHILD RESTRAINTS, EVEN WITH NEXT GENERATION AIR BAGS. SEE THE OWNER'S MANUAL FOR MORE SAFETY INFORMATION. @1997 GENERAL MOTORS CORPORATION. ALL RIGHTS RESERVED. LITHO IN U.S.A.



EXTERIOR COLORS

Arctic White

Silvermist Metallic

Medium Blue Metallic

Medium Green-Blue Metallic

41 Black

60 Topaz Gold Metallic



81 Bright Red



89 Medium Purple Metallic

These panels represent the premium DuPont exterior colors available on Grand Ams for 1999.

