1986 Dodge Charger



About this catalog. Since the time of printing, some of the information you'll find in this catalog may have been updated. Ask your dealer for details. Some of the equipment shown or described throughout this catalog is available at extra cost. TURBO DODGE Shelby Charger, shown in Black/Radiant Silver.

Shelby pulls another fast

one. The Shelby Charger of 1986. A sports car that sets the road ablaze with the energetic power of a race-proven 2.2-liter turbocharged engine. America's first front-drive sports coupe... with a boost.


Shelby Charger tells a story of racing pulses, the continual quest for a challenging road, and a respect for efficiency.

Charger 2.2. With liftback, sporty front-end styling, slick graphics and distinctive wheel covers, it catches your eye as it catches your breath. A driver's car.

<u>Charger.</u> The embodiment of performance and affordability. The ultimate definition of fun-to-drive.

Shelby Charger, Charger 2.2 and Charger. For people who haven't forgotten that driving can be for kicks.

All Dodge Chargers are quality built and backed by a five-year/50,000-mile protection plan. See back cover for details.



1986 Shelly Turbo

Power play.

Inside and outside the Shelby Charger you feel and sense the genius of Carroll Shelby. The adventure begins as you get behind the wheel and ignite the amazing 2.2-liter turbocharged multipoint Chrysler/Bosch EFI engine with Garrett AiResearch T3 turbocharger. The muffled rumble of

the free-breathing performance exhaust system lets you know the excitement has begun.

Depress the throttle and experience a remarkable burst of power. Shelby bolts from 0 to 50 in a brisk 5.34 seconds.* At full throttle it cranks out an exhilarating 146 net horsepower at 5,200 rpm with a compression ratio of 8.1:1.

Shelby Charger conquers even the most serpentine road with racestiffened shock and spring suspension and gas-charged front struts and rear shocks. Firm-feel 14:1 fast-ratio power-assisted rack-and-pinion steering adds to your control.

Power-assisted ventilated front discs and larger rear drum brakes bring Shelby to a crisp, safe halt. Standard 15-inch cast aluminum wheels with Eagle GT radial tires add to adept handling, excellent traction.

If you need further proof of Shelby's credentials, check out the results of many of America's top professional races. You'll find the name Shelby

Charger up at the top of the list.

Shelby's distinctive body style contributes to overall efficiency. An aerodynamic front air dam, side sill spoilers and a functional rear spoiler allow Shelby Turbo to slice through the wind with a drag coefficient of only .37.


Inside Shelby Charger you'll find comfortable cloth with vinyl trim high-back bucket seats embroidered with the Carroll Shelby logo. Sophisticated ergonomic design created seats that accommodate you precisely. Instrumentation that is simple to read, easy to reach is always before you. The

Rallye instrument cluster keeps you informed on important engine functions.


*Based on official 1985 NHRA figures (1986 figures are expected to be equal or better).




OUALITY-BUILT & BACKED BY AMERICA'S FIRST 5/50 PROTECTION PLAN. See back cover for details.









Charger and Charger 2.2. Both are still laps ahead of competition. These gutsy performers challenge the popular notion of what economical sport cars should be. Where others are small, Charger is roomy, with space

for up to five passengers. Where others are conservative and decidedly unstylish, Charger is sporty. And all Chargers have Clear Coat finish on every color for long-lasting beauty and resistance to chips and scratches.

Charger 2.2 takes sleek a stepfurther. Its high-performance, raceproven 2.2-liter engine has Carroll Shelby's imprint on the modified camshaft to provide a compression ratio of 9.6:1. Engine electronics are calibrated to produce 110 net horse-power at 5,600 rpm.

What's more, Charger and Charger 2.2 are surprisingly efficient. With

standard 2.2-liter high-performance engine and 5-speed manual transaxle, Charger 2.2 delivers generous fun-to-drive mileage ratings of 22 EPA estimated city mpg, 30 estimated highway.

Charger 2.2, shown in Radiant Silver with black stripes. Charger, shown in Garnet Red Pearl Coat.

VALUE-PACKED TRANSMISSION DISCOUNT PACKAGES

Available on base Charger with substantial savings. See page 14 for details.



A performance sensation.

Chargers have created a road sensation ever since their introduction.

Today, value-conscious drivers like you are still drawn by Charger's performance efficiency. Sporty car devotees get their kicks with Charger's sport styling and Charger 2.2's high-performance engine.

The base Charger is equipped with a 1.6-liter four-cylinder engine with standard four-speed manual overdrive

transaxle. This combination makes for an exceptional mileage rating of 31 EPA estimated city mpg, 39 estimated highway.

The optional 2.2-liter four-cylinder engine with five-speed manual overdrive transaxle gives excellent response to your every move.

Charger 2.2 has the performance look with a front air dam. Fender extensions. Side sill spoilers.

Bold graphics. Fourteen-inch Rallye road wheels and road-gripping steel-belted radial tires complete the sports car look and feel.

Charger and Charger 2.2 are loaded with standard features that contribute to ease of handling and cater to your comfort.

Power-assisted brakes, rack-andpinion steering and road-hugging Iso-Strut independent front suspension ensure excellent handling.

Inside, your comfort and convenience take precedence. Contoured cloth with vinyl trim bucket seats with individually adjustable recliners are

designed for your exact comfort. A
Rallye instrument cluster contains
tachometer, oil pressure gauge
and warning light, trip odometer
and more. The electronically tuned
AM radio (optional on Charger) with
digital readout is complete with
integral digital clock.

Charger's low-back Embassy cloth with vinyl trim reclining bucket seat interior, shown in Charcoal/Silver.

Charger, shown below in Charcoal Pearl Coat.


VALUE-PACKED SUN/SOUND/SHADE DISCOUNT PACKAGE Available on Shelby Charger and Charger 2.2 –

with substantial savings.

See page 14 for details.







Charger options.

A. AIR CONDITIONING*

Features a four-speed blower, four adjustable air outlets, upper level ventilation with maximum air conditioning for recirculating cool interior air.

B. TONNEAU COVER

This rollback cover conceals your valuable cargo and provides a neat appearance.

C. SUN/SOUND/SHADE DISCOUNT PACKAGE

(Not available on base Charger.) Included in the package are: Sun roof with vinyl storage bag and cargo tie-downs. Rear window louver. And electronically tuned AM stereo[†]/FM stereo radio with integral digital clock (may be upgraded).[‡]

D. SUN ROOF

Sun and breezes are yours with a few twists and one easy pull. A protective vinyl storage pouch and cargo area tie-downs are included.

E. REAR WINDOW DEFROSTER

This electric option keeps your rear window clear of snow, ice, and fog. Whatever the weather, you'll have a good view of what's behind you.



STANDARD AND OPTIONAL EQUIPMENT

EQUIPMENT							
Shelby Charg							
Charger 2.2							
Char	ger						
Air Conditioning ¹	E	E	E				
Air Dam and Front Fender Extensions	NA	S	S				
Alternator-65-ampere	S	NA	NA				
Alternator-78-ampere	P	S	S				
Armrest–Center	P	E	S				
Battery-335-ampere: maintenance-free	S	S	S				
Brakes—Front disc, rear drum: power-assisted	S						
Brakes-Ventilated front		S	NA				
disc; larger rear drum Bumper—Front: with inte-	NA	NA	S				
gral black bumper rub strip; Shelby: color-	6		-				
keyed	S	S	S				
Carpet—Cargo compart- ment dress-up; carpet on quarter trim panels and wheelhousings	Е	E	S				
Carpet—Cargo compart- ment floor and lower deck panel: with sound							
insulation	S	S	S				
Cigar Lighter	S	S	S				
Clock-Electronic digital:		3	-				
integral with all radios	Р	S	S				
Console—Front storage and shift lever housing	Р	S	S				
Cooling-Engine1: higher capacity	Е	NA	NA				
Corrosion Protection— Lower bodyside urethane protective coating; extensive use of galvanized steel	S	S	S				
Defroster–Rear window: electric	E	Е	E				
Engines—See Engine Chart							
Exhaust System—Perfor- mance type: all stainless steel on Shelby	NA	S	S				
Front-Wheel Drive	S	S	S				
Glass-Tinted: all windows	S	S	S				
Headlights—Dual halogen quad (except Shelby)							
Headliner—Cloth-covered	S	S	S				
Heater and Defroster-	3	3	3				
With upper level ventilation	S	S	S				
Hood Release-Inside	S	S	S				
Instrumentation—Rallye cluster: engine coolant	3	3	3				
temperature gauge; fuel economy upshift light (with manual transaxle on base Charger only); fuel level gauge; oil pressure gauge and warning light; speedometer (85 mph, 140 km/h); tachometer; trip odometer; voltmeter	S	S	S				
Instrument Panel-Padded	S	S	S				
Insulation Pad-Hood	S	S	S				
Light—Ash receiver	P	S	S				
Light—Fuel economy		9	-				
upshift (with manual transaxle)	S	NA	NA				
	200	THE REAL PROPERTY.	20000000				

CONTRACTOR AND	helby		rger			Char	ger
Charger 2.2 Charger		2.2			Charger 2		
Lights-Map/reading: swivel, visor mounted	P	P	S	Suspension—Front: Iso-Struts and coil	ger		
Lock-Glove box	S	S	S	springs	S	S	S
Mirror-Exterior, left remote	S	NA	NA	Suspension—Rear: trailing arm, semi-independent			
Mirror-Interior, day/night	S	S	S	with shock absorbers and coil springs	S	S	S
Mirror-Interior, right side visor vanity	S	S	NA	Suspension—Sport: with rear antisway bar;			
Mirror—Interior, right side visor vanity: with map/ reading light	P	P	S	heavy-duty shocks and struts; increased spring rates front and rear	P	S	NA
Mirrors–Exterior, left and right remote	Е	S	S	Suspension—Sport special: includes all the compo-			
Molding-Bodyside, soft: black with silver stripe	S	NA	NA	nents of sport suspension plus gas- charged front struts and			
Multifunction Steering Col- umn Lever—Switches for directional signals,				Tape Stripes and Graphics	NA	NA	S
headlight dimmer, inter- mittent windshield				-Charger 2.2 Tape Stripes and Graphics -Shelby Charger	NA	S	NA
wiper/washer, lane- change feature	S	S	S	Tire-Spare: conventional	NA E	NA E	S NA
Pedal—Heel-and-toe type accelerator	NA	NA	S	Tire-Spare: P165/75D13 limited service	S	S	NA
Radio-AM: electronically	-	6		Tire-Spare: T115/70D14	NIA	A.I.A.	-
Radio-AM stereo ² /FM	E	S	NA	compact high-pressure Tires—P165/80R13 steel-	NA	NA	S
stereo: electronic tun- ing; four-speaker sound	E	Е	S	belted radial black sidewall (set of four)	S	NA	NA
Radio-AM stereo ² /FM				Tires-P165/80R13 steel-			
stereo, premium: elec- tronic tuning; seek-and-				belted radial white sidewall (set of four)	Е	NA	NA
scan; Dynamic Noise Reduction (DNR) ³ ; cassette player with automatic reverse; four- speaker sound	Е	Е	E	Tires—P195/60R14 steel- belted radial black side- wall with raised black letters (set of four)	NA	S	NA
Radio—AM stereo ² /FM stereo, 36-watt Ultimate Sound System: elec-		L	L	Tires—P195/60R14 steel- belted radial black side- wall with raised white letters (set of four)	Е	Е	NA
tronic tuning; memory scan; up-and-down scan; Dynamic Noise Re- duction (DNR) ³ ; cassette player with automatic reverse and metal tape				Tires—P205/50VR15 steel-belted radial unidirectional with raised black letters (set of four)	NA	NA	S
capability; five-band graphic equalizer; joy-				Tonneau Cover—Cargo area	E	Е	E
stick balance/fader control; four-speaker				Transaxles—See Engine Chart			
sound; ambience sound control	Е	Е	E	Two-Tone Paint	Е	NA	S
Seat-Rear: fold-down	S	S	S	Wheel Covers—Deluxe: 13-inch	S	NA	NA
Seat Belts—Deluxe Seats—See Interior Trim	S	S	S	Wheels—Rallye: 14-inch (set of four)	NA	S	NA
Speed Control—Automatic	Е	Е	NA	Wheels—Road: cast alumi- num 14-inch (set of four)	Е	Е	NA
Spoiler–Rear deck	S	S	S	Wheels-Road: cast alumi-	L	_	INA
Spoilers—Side sills (rear quarter panel extension included on Shelby)	NA	S	S	num 15-inch (set of four) Windshield Wipers/	NA	NA	S
Steering-Manual: rack- and-pinion	S	S	NA	Washers—Deluxe, with intermittent wipers: two-speed electric	S	S	S
Steering—Power-assisted:	_	F		S-Standard. E-Extra cost.			
rack-and-pinion Steering Wheel—Sport: four-spoke	E S	E S	S	P—Package. NA—Not available. There are special engine cooling require installed air conditioning. Failure to me ments may invalidate warranty. Not available.	et thes	e requi	ro-
Sun Roof—Glass: remov- able; with vinyl storage bag and cargo area				engine. See your dealer for details. ² Limited AM stereo reception may be exareas because some AM stereo broads patible with this radio's reception capa.	astina	is not o	some com-

tie-downs

	nelby	CONTRACTOR OF THE PARTY OF THE	ger		
Charger 2.2					
Charge Front	ger				
Suspension—Front: Iso-Struts and coil springs	S	S	S		
Suspension—Rear: trailing arm, semi-independent with shock absorbers and coil springs	S	S	S		
Suspension—Sport: with rear antisway bar; heavy-duty shocks and struts; increased spring rates front and rear	P	S	NA		
Suspension—Sport special: includes all the compo- nents of sport suspension plus gas- charged front struts and rear shocks	NA	NA	S		
Tape Stripes and Graphics —Charger 2.2	NA	S	NA		
Tape Stripes and Graphics —Shelby Charger	NA	NA	S		
Tire-Spare: conventional	E	E	NA		
Tire-Spare: P165/75D13 limited service	S	S	NA		
Tire—Spare: T115/70D14 compact high-pressure	NA	NA	S		
Tires—P165/80R13 steel- belted radial black sidewall (set of four)	S	NA	NA		
Tires—P165/80R13 steel- belted radial white sidewall (set of four)	Е	NA	NA		
Tires—P195/60R14 steel- belted radial black side- wall with raised black letters (set of four)	NA	S	NA		
Tires—P195/60R14 steel- belted radial black side- wall with raised white letters (set of four)	E	E	NA		
Tires—P205/50VR15 steel-belted radial uni- directional with raised black letters (set of four)	NA	NA	S		
Tonneau Cover—Cargo area	E	Е	E		
Transaxles—See Engine Chart					
Two-Tone Paint	Е	NA	S		
Wheel Covers—Deluxe:	S	NA	NA		
Wheels—Rallye: 14-inch (set of four)	NA	S	NA		
Wheels—Road: cast alumi- num 14-inch (set of four)	Е	Е	NA		
Wheels—Road: cast alumi- num 15-inch (set of four)	NA	NA	S		
Windshield Wipers/ Washers—Deluxe, with intermittent wipers: two-speed electric	S	S	S		

National Semiconductor Corporation.


3DNR (Dunamic Noise Reduction) is a trademark of

Gold Dust

Garnet Red Parl Coat*

EXTE	RIOR CO	LORS	
TWO-T	ONE COLOR	RS	also)
(Availat	ole on base (marger or	lly)
Garnet Rec	d Pearl Coat/Blad	CK	
			AND SHIP!
Radiant Si	lver / Charcoal Pe	earl Coat	
SHELBY	CHARGER 1	WO-TON	IES
Santa Fe B	Blue / Radiant Silve	er	
Radiant Sil	ver / Santa Fe 3lu	ie	
Black / Rad	liant Silver		
Garnet Rec	Pearl Coat/Radi	iant Silver	
MONOT	ONE COLD	RS*	
Black			
Ice Blue †			
Ch.			
Charcoal P	eari Coat		





*Not available on Shelby Charger. [†]Not available on Charger 2.2.

*Extra cost. NOTE: Due to occasional printing irregularities, the colors shown may vary slightly from actual hues. See your Dodge

dealer for accurate color chips. Clear Coat finish is standard on every 1986 passenger car built by Chrysler Corporation.

DODGE CHARGER PACKAGES AND ACCESSORY GROUPS

Certain models, packages and options are subject to specific restrictions, requirements or late availability. Consult your dealer for current ordering information.

TWO-TONE PAINT PACKAGE

(Available on base Charger only) Two color combinations

LIGHT PACKAGE

 Ash receiver light (standard on Charger) 2.2 and Shelby Charger)* • Glove box light* Headlights-on warning buzzer* • Ignition switch light with time delay* • Luggage compartment light* • Map/reading light, visor-mounted; swivel feature (standard on Shelby Charger)*

*Available in package only.

MANUAL TRANSMISSION DISCOUNT PACKAGE (Available base Charger only)

• Base 2.2-liter engine • Close-ratio fivespeed manual overdrive transaxle

 Electronically tuned AM stereo*/FM stereo radio with integral digital clock (may be upgraded) • Freestanding front center armrest[†] • Front storage console with shift lever housing + • Remote control dual exterior aero style mirrors, black • Thirteen-inch Rallye road wheels (set of four; may be upgraded)†

*Limited AM stereo reception may be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capabilities. [†]Available in package only.

PROTECTION PACKAGE

- Front and rear carpeted floor mats*
- Undercoating* *Available in package only.

SUN/SOUND/SHADE **DISCOUNT PACKAGE**

(Not available on base Charger)

 Electronically tuned AM stereo*/FM stereo radio with integral digital clock (may be upgraded)† • Rear window louver: black + • Sun roof, with vinyl storage bag and cargo area tie-downs



seatbacks, and increased lateral support. Available in Charcoal/Silver, Red, Tan.

*Limited AM stereo reception may be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capabilities. †Standard on Shelby Charger. AM stereo/FM stereo radio with cassette player is included in this package for Shelby Charger. *Available in package only.

AUTOMATIC TRANSMISSION DISCOUNT PACKAGE

(Available on base model Charger only)

 Automatic three-speed transaxle Electronically tuned AM stereo*/FM stereo radio with integral digital clock (may be upgraded) • Freestanding front center armrest[†] • Front storage console with shift lever housing * • Base 2.2-liter engine • Power-assisted steering (18:1 ratio) • Remote control dual exterior aero style mirrors: black • Thirteen-inch Rallye road wheels (set of four; may be upgraded)†

*Limited AM stereo reception may be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capabilities. [†]Available in package only.

STANDARD SAFETY FEATURES

 Anti-theft trunk lock • Backup lights Brake fluid pressure loss warning light (also serves as indicator when parking brake is applied) . Combination lap/shoulder belts for the driver and right front passenger; lap belts for all other passengers • Double ball-joint rearview mirror mount . Dual braking system with separate brake fluid reservoirs in the master cylinder • Dual throttle return springs • Electric windshield washers and wipers • Electronic ignition • Energyabsorbing front seatbacks . Energyabsorbing steering wheel . Energyabsorbing sun visors • Fade-resistant front disc brakes • Front seat head restraints • Glare reduction measures for windshield wipers, instrument panel and steering wheel . Hazard warning flasher system • Headlight and wiper circuit breakers with automatic reset • Ignition and steering column lock • Impact activated fuel supply shutdown relay . Inside and outside rearview mirrors • Interlocking door latches . Key left in ignition warning . Nonoverride door locks (except driver's door) • Recessed inside door release handles . Reinforced windshield header and roof . Resilient window crank knobs . Rotary glove box latch • Safety-Rim wheels • Seat belt reminder system • Seatback latches on folding front seats • Side door beams Side marker lights and reflectors

 Supplemental high-mounted center stoplight • Turn signals with lane-change feature

CONSIDER LEASING

Many of today's new car prospects are wisely considering leasing as an alternative to buying. Leasing a new Dodge Charger usually involves a small security deposit and a first month's lease payment. Monthly payments are usually less than financing a new car purchase. Ask your dealer for details.



in Charcoal/Silver, Red, Tan.

Standard on Charger 2.2 and Charger. Cloth with vinyl trim low-back bucket seats with adjustable head restraints and reclining seatbacks. Available in Charcoal/Silver, Blue, Red, Tan.

	Charger	Charger 2.2	Shelby Charger	
Length	174.8"	174.8"	174.7"	
Width	66.1"	66.1"	66.1"	
Height	50.7"	50.7"	50.2"	
Wheelbase	96.5"	96.5"	96.5"	
Turning Diameter	36.4' left 38.2' right	36.4' left 38.2' right	38.9' left 40.9' righ	
Curb Weight	2,215 lbs	2,366 lbs	2,382 lbs	
Cargo Capacity —with rear seatback up¹ —with rear seatback down	10.7" 32.4"	10.7" 32.4"	10.7" 34.3"	
Passenger Capacity	5	5	5	
Fuel Capacity	13 gal	13 gal	13 gal	

CHARGER ENGINES AND TRANSAXLES¹

Туре	Displace- ment	Bore & Stroke	Compres- sion	Horse- power	Torque	Transaxle
	ment	Stroke	Ratio	SAE Net @ RPM		Availability
4-cylinder OHC: standard on Charger; NA on others	1.6-liter ² (97.1 CID)	3.17" x 3.07"	8.8:1	64 hp @ 4,800	87 lb-ft @ 2,800	4-speed manual ⁸ (2.69 OTGR): Std base Charger; NA others
4-cylinder OHC high perfor- mance: standard on Charger 2.2; NA on others	2.2- liter ^{3.4} (135 CID)	3.44" x 3.62"	9.6:1	110 hp @ 5,600	129 lb-ft @ 3,600	Close-ratio 5-speed manual (2.78 OTGR): Std Charger 2.2; NA others
4-cylinder OHC turbo multipoint EFI: standard on Shelby Charger; NA on others	2.2-liter (135 CID) ^{3,5,6}	3.44" x 3.62"	8.1:1	146 hp @ 5,200	168 lb-ft @ 3,600	Close-ratio 5-speed manual (2.57 OTGR): Std Shelby Charger; NA others
4-cylinder OHC: optional on Charger and Charger 2.2 with automatic trans- axle only; NA	2.2- liter ^{4.7} (135 CID)	3.44" x 3.62"	9.0:1	96 hp @ 5,200	119 lb-ft @ 3,200	Close-ratio 5-speed manual (2.20 OTGR): Opt base Charger; NA others
Shelby Charger						3-speed automatic (3.02 OTGR)9: Opt Charger, Charger 2.2; NA Shelby Charger

OTGR-Overall top gear ratio. NA-Not available.

¹California emissions controls and testing required on all vehicles in California; not available otherwise.

²Built by Peugeot; not offered for high altitude.

³Premium unleaded fuel is recommended.

4Base 2.2-liter engine substituted for high-performance 2.2 when optional automatic transaxle is ordered. 5Includes 78-amp alternator, equal-length drive shafts, engine dress-up, heavy-duty radiator, and stainless steel exhaust

system with bright exhaust tip.

⁶Turbocharged engine not recommended for trailer towing.

760-amp alternator used on base 2.2-liter engine.

8Includes shift indicator light.

92.78 overall top gear ratio standard on base Charger; 3.02 overall top gear ratio optional. Recommended for high altitude

CHRYSLER * Mopar CORPORATION

Form No. 81-205-6017

GENUINE PARTS MOPAR parts are engineered by Chrysler Corpora-

tion for use in your new Dodge Charger. When replacement is necessary, be sure to specify MOPAR parts. Used by professional mechanics all over the world.

All product illustrations and specifications are based on authorized information. Although descriptions are believed correct at publication approval, accuracy cannot be guaranteed. Chrysler Corporation reserves the right to make changes from time to time, without notice or obligation, in prices, specifications, colors and materials, and to change or discontinue models. See your dealer for the latest information.

F. FRONT STORAGE CONSOLE

This versatile console houses Charger's shift lever and provides ample storage for cassette tapes, maps and sunglasses. Holders for cups are also included. (Console standard on Charger 2.2 and Shelby Charger; available on base Charger with Automatic Transmission Discount Package or Manual Transmission Discount Package only.) G. ULTIMATE SOUND SYSTEM
This powerful 36-watt performance
system includes an AM stereo †/FM
stereo radio. Electronic digital tuning.
Memory scan, up-and-down scan.
Dynamic Noise Reduction (DNR).
Cassette player with automatic
reverse and metal tape capability.
Five-band graphic equalizer. Joystick
balance/fader control. Six speakers.
Ambience sound control. And integral
digital clock.

H. FOURTEEN-INCH CAST
ALUMINUM ROAD WHEELS
These sporty aluminum wheels are the

ideal finishing touch to Charger's sleek exterior. (Not available on Shelby Charger.)

- *There are special engine cooling requirements for fieldinstalled air conditioning. Failure to follow these requirements may invalidate warranty. See your dealer for details.
- *Limited AM stereo reception may be experienced in some areas because some AM stereo broadcasting is not compatible with this radio's reception capabilities.
- *Standard on Shelby Charger. AM stereo/FM stereo radio with cassette player is included in package for Shelby Charger.
- *DNR (Dynamic Noise Reduction) is a trademark of National Semiconductor Corporation.







For more than sixty years Dodge cars and trucks have been an integral part of the automotive industry. During this time Dodge has maintained a tradition of design and engineering achievements that have been nothing short of historic. Along with this rich heritage, Dodge has revolutionized its products over the last three years in virtually every aspect of design, engineering, performance, manufacturing, servicing, and warranty protection.

Enormous resources, human and financial, have been channeled into breakthrough accomplishments. This commitment has often required shattering old ideas, establishing new standards, and daring to be different. Our aim has been one of constantly striving to be the best.

Dodge's total dedication to quality products and the confidence to stand behind them with an unprecedented five-year/50,000-mile limited warranty are the purest examples of our vision fulfilled. But our commitment to be the best can only be as successful as its final effect on you, the consumer. You must be completely satisfied with our products, our attitude, our services.

This is our ultimate goal.

5/50 PROTECTION PLAN

Warranty protection is a matter of confidence. And Chrysler Corporation is so sure of the care and precision that go into each Dodge Charger that they offer the Five-Year/50,000-Mile Protection Plan. It speaks for itself. Upon expiration of the normal 12-month/12,000-mile new vehicle limited warranty, limited warranty coverage is extended on power train components, including engine, transaxle, axle, and turbocharger—plus outer panel rust-through protection—to five years/50,000 miles, whichever comes first. A deductible may be required. Fleet, lease and export vehicles excluded. See your dealer for details.

OPTIONAL 5/50 SERVICE CONTRACT COVERAGE

Chrysler Service Contracts provide you with additional peace of mind protection for your new vehicle. Coverage starts on the specified components after your vehicle's basic warranty expires and continues for five years or 50,000 miles (whichever occurs first) from the original warranty start date. A deductible applies. Allowances for car rental and towing are also included. Ask your dealer for details





BUCKLE UP FOR SAFETY