
# 7 I American Motors 1971














If you were to compete against G.M., Ford and Chrysler, what would you do?

See the cars that go them one better.

# 1971 GREMLIN



We started a small car revolution.

The revolution began in April, 1970, with Gremlin. The first American car to break through the subcompact barrier. Months ahead of GM's Vega and Ford's Pinto.

And for a lot of reasons.

For one, Gremlin is a lot of fun to drive.

Fun? Try Gremlin's standard engine: 6 cylinders, 135 horses.

Now try Vega and Pinto: 4 cylinders each, and only 90 and 75 horses respectively.

And Gremlin will take you up to 500 miles on a 21-gallon tank of regular.

Which is also fun, if you get your kicks saving.

If you want to call maneuverability fun, Gremlin's a ball. It'll go a full circle three feet less than VW.

Plus Gremlin gives you the extra added attraction of a 4-passenger model with an optional rear window that lifts up to make loading beach blankets and things easier. (Fold down the rear seat for even more room.) And a special knockout model—the Gremlin X. With wide tires, special wheels and stripe treatment, and a custom bucket-seat interior.





Now add Gremlin's long list of optional features, like a roof rack, or rear window air deflector, plus ease of maintenance and the low initial cost.

Result is a car that may have been around a little longer than Vega and Pinto, but is really a whole lot younger.

Being the fourth car maker actually helped us with Gremlin. Because we couldn't wait and imitate.

But then, that's what revolution is all about.

Left page: Gremlin 4-passenger Sedan features top-hinged rear liftgate, roof racks and rear window air deflector.

Top right: Gremlin 2-passenger Coupe.

Lower right: Gremlin X, with special exterior trim and Custom interior.











Top: Gremlin custom interior option proves a small car can be sporty, with scientifically designed high-backed bucket seats, rich pleated upholstery, full carpeting and custom steering wheel. Plus a choice of column or floor-mounted shift lever.

Middle: The unique rear window option on the 4-passenger Gremlin lifts up for easy access to the rear storage compartment. And the rear seat folds down to create more storage space.

Bottom left: Gremlin runs circles inside VW. Total turning circle is only 32 ft. 8. in. One of the smallest in the world.

# 1971 GREMLIN SPECIFICATIONS AND OPTIONS

# **Specifications**

- Wheelbase 96.0" Length 161.2"
- Width 70.6"
- Front tread 57.5"
- Rear tread 57.0' Trunk space 6.0 cu. ft.

# Exterior & Interior

- All-welded single unit construction (Advanced Unit Construction)
- Deep-Dip rust proofing Front seat foam cushions
- Molded ceiling
- Front arm rests
- Interior lights

## Mechanical

- Front suspension, twin-ball-joint design with coil springs
- Rear suspension, semi-elliptical leaf springs
- All-Season engine coolant Clear-Power 24 battery
- Aluminized exhaust system
- Brake diameter 9.0"
- Fuel tank capacity 21 gal

# Heating & Air Conditioning

- Weather-Eye heating & ventilating system
- High-level ventilation system with opt, air cond.

# Safe-Command Standard Features

- Two front shoulder belts
- Two rear shoulder-belt anchors
- Two front head restraints
- 4-Way hazard warning signals
- Lane-changer turn signals Automatic back-up lights
- Side-of-car safety marker lights
  High-intensity headlights with "Guard-Glo"
  Inside rear-view mirror with twin ball-joint pivots
- Left side rear-view mirror
- Windshield washers (manual) Non-glare windshield wipers
- Windshield defrosters (heater)
- Single-unit body construction
- Energy-absorbing steering column Deep-dish steering wheel
- High-strength windshield glass
- Tempered side & rear glass
- Molded ceiling headliner
- Padded sun visors
- Padded instrument panel
- Safety-shaped armrests
- Non-glare finish on inside parts
- Double Safety brake system
- Brake system warning light Self-adjusting brake linings
- Mechanical stop-light switch

- Corrosion-resistant brake lines
- Safety-rim wheels
- Tire tread-wear indicators
- Anti-theft ignition, steering & transmission lock with warning buzzer
- High-strength door locks

- Safety-shaped door handles
  Two-key locking system
  (Gremlin less glove box lock, one key)
  Safety-shaped control knobs
- Safety-styled instrument panel Dual-action hood latch
- Front seat-back lock

# Standard Tires

6.00 x 13 Black (white-line optional)

# **Options**

# Seats & Upholstery

- ☐ Bucket seats-
- Performance (see "Engine" & "Transmission Ratio" Charts)

- ☐ Twin-Grip differential
- Power Assists
- Power steering (recommended with air conditioning)
- ☐ Power brakes
- Radio & Tape Equipment

# AM push-button radio

## Convenience Items

- Air conditioning (includes H.D. engine cooling & 55-amp. alternator)

- □ A/C package (includes air cond., tinted glass, power steering & insulation group)
   □ Tinted glass, all windows (recommended with air conditioning), or windshield only
- Roof rack Roof air deflector—liftgate
- Convenience group (1)
- ☐ Electric windshield wipers & electric washers
  ☐ Visibility group (includes convenience group, electric windshield wipers & washers)
- Light group (2)
- Rear liftgate (not for 2-pass. Gremlin)
- Interior appointment package (3)
  Space-Saver spare tire, 14" (included with optional styled wheels)
- Protection Items
- Bumper guards—front only Bumper guards—front & rear
- Insulation group (includes undercoating & hood insulation)

- ☐ Anti-scuff side molding
  ☐ Clear vinyl floor mats, front
  ☐ Locking gas cap (also dealer accessory)

# Appearance Items

- Custom steering wheel
- Wood grain sports steering wheel with rim-blow
- Wheel covers, 4
- Custom wheel covers, 4 (with 14" tires)
- Turbo-Cast or wire wheel covers, 4 (with 14" tires) 14" x 6" Spoke-style wheels, 4 (includes Space
- Saver spare tire)
- 14" x 6" Slot-style wheels, 4 (includes Space-Saver spare tire) for Gremlin X only
- Rally stripes

- Decor group (wheel covers, wheel opening & drip moldings) (4)
- Custom interior package (4-passenger Gremlin) (5)
  "Gremlin X" model package (6)
- Heavy-Duty & Trailer Equipment
- Handling package (heavy-duty springs & shocks, plus front sway bar)

☐ Heavy-duty engine cooling system (included w	ith
air conditioning)	
70-amp. battery (standard 50 amp.)	

Cold-start package—70 amp. battery & 55 amp. alternator (for cars less A/C)

Engine block heater

Air-Pollution Control System □ NITROX-TCS system (req'd. by State of California)

# **Optional Tires**

- ☐ 6.45 x 14 Black (white-line optional) (7)
   ☐ B78 x 14 Black (white-twin-line optional)
- D70 x 14 Black (white-letters optional)
- 1. Remote-control left outside mirror, visor vanity mirror and 12" day/night inside mirror.
- mirror and 12" day/night inside mirror.

  2. Two courtesy lights, parking brake warning light, headlights-on warning buzzer, low-fuel warning light, plus front-door switches.

  3. Package tray (also included with air conditioning), glove box door/lock/light and cigarette lighter.

- lighter.

  4. Less wheel covers from Gremlin X.

  5. Pleated-vinyl bench or bucket seats, custom door panels, carpeting and custom steering wheel.

  6. Spear side stripes, body-paint grille (8 colors) with stripes, rear panel stripes with engine "litter emblem, slot-style wheels, D70 x 14 Polyglas™ black tires (white-letters optional), Space-Saver spare tire, custom interior trim package with bucket seats, interior appointment package, engine-turned instrument cluster trim and special X decals.
- 7. Standard with air conditioning.



Engines	Carb. Type	H.P. (a) R.P.M.	Torque R.P.M.	Comp. Ratio & Fuel	Bore & Stroke	Transmissions	Axle Ratios Std. (Opt.)
						3-Speed Manual on Column (Std.)	2.73 (3.08 & 3.31)
232 CID Six	1-Barrel	135 @ 4000	210 @ 1600	8.0:1/Reg.	3.75" x 3.50"	3-Speed Manual on Floor (Std.)	2.73 (3.08 & 3.31)
(Standard)							Shift-Command Automatic on Column
250 010 0:-	1 0	150 @ 2000	240 @ 1000	0.0.1 (0	2.754 - 2.004	Shift-Command Automatic on Column	2.73 (3.08 & 3.31)
258 CID Six	1-Barrel	150 @ 3800	240 @ 1800	8.0:1/Reg.	3.75" x 3.90"	3-Speed Manual on Floor	2.73 (3.08 & 3.31)

# 1971 SPORTABOUT







It could do more for the American housewife than all the hair coloring, lipgloss and false eyelashes put together. What this country needs is a really useful compact that will make the American woman feel more like a woman and less like a teamster.

Voilà, the Hornet Sportabout.

A compact that's useful, stylish and easy to handle.

It turns in the same circle as the VW beetle. Which means you can fit it in a small space with no strain. And Gremlin's economy of operation. (it's engineered so you can do most simple maintenance operations yourself... our owner's manual shows you how), plus the low initial cost, makes it as easy to own as it is to handle.

It has a 58.3 cubic foot loading space out back (plus another 3.8 cu. ft. under the floor). Which is a lot of groceries, picnic baskets and new hats.

We'd like to compare Hornet Sportabout to its Detroit competition.

But there isn't any. Which means the Hornet Sportabout could well be the beginning of another small car revolution. But we'd rather think of it as our little contribution to Women's Liberation.

Our Hornet is dedicated to the proposition that little doesn't have to mean cheap. And that little things can mean a lot.

# 1971 HORNET AND SC 360





That's why Hornet's standard engine is 62 cubic inches bigger, and 35 horses stronger, than Maverick's.

And why the Hornet 2-door sedan holds five people to the 2-door Maverick's four. Why a glove box is standard, while Maverick doesn't even offer one.

Why Hornet's parking brake is the easyto-use "step-on" variety, rather than Maverick's "pull-handle" version.

Why Hornet's hood is counterbalanced to hold itself up, while Maverick needs a rod to stay propped up.

Why Hornet's option list is longer.

And on, and on.

With Hornet SC/360, little can also mean big. 360 cubic inches of V-8 big. With 2 or optional 4-barrel carburetion. Plus Ram Air induction and dual pipes. With 3, or optional 4-on-the-floor Hurst shifter. Custom road wheels and wide, tread tires. Stripes. Custom steering wheel and optional tach.

Hornet SC/360.

Super compact.

In short, the Hornet is dedicated to giving you more car for your money.

But you expect that from American Motors.



We build a better compact. (Wouldn't you expect that from American Motors).


Top left: Hornet Sportabout. America's only compact station wagon.


Center left: Sportabout's rear "door" lifts up for easy access to the rear storage area.

Top right: Hornet SST 4-Door Sedan.

Center right: The High performance Hornet SC/360 2-Door Sedan.

Right: Specially designed "Hurst Shifter" for 4-speed, all synchro manual transmission.





Above: The infinitely-variable reclining seats with ventilated-vinyl upholstery are optional (standard on SC/360), and are also offered with Custom Serape fabric.

Left: The safety-styled instrument panel includes a full complement of gauges and controls, and an optional clock or tachometer, plus a rim-blow steering wheel.

# 1971 HORNET SPECIFICATIONS AND OPTIONS

# **Specifications**

- Wheelbase 108.0"
- Length 179.3'
- Width 70.6"
- Front tread for sixes (and V8's) 57.5" (57.2")
- Rear tread for sixes (and V-8's) 57.0" (56.6") Trunk space 11.2 cu. ft.
- Cargo space for Sportabout (underfloor storage) 58.3 cu. ft. (3.8 cu. ft.)

## Exterior & Interior

- All-welded single unit construction (Advanced Unit Construction)
- Deep-Dip rust proofing Front-seat foam cushions
- Molded ceiling
- Front arm rests
- Interior lights
- Glove box lock (except Base Hornet)

## Mechanical

- Front suspension, twin-ball-joint design with coil springs
- Front suspension sway bar (optional on 6)
- Rear suspension, semi-elliptical leaf springs
- All-Season engine coolant Clear-Power 24 battery
- Aluminized exhaust system (duals with optional Go package) Brake diameter, sixes (V-8) 9.0" (10.0")
- Fuel tank capacity 16 gal.

# **Heating & Air Conditioning**

- Weather-Eye heating & ventilation system
- High-level ventilation system for SST, SC/360 & Sportabout (incl. on Base with opt. air cond.)

# Safe-Command Standard Features

- Seat belts
- Two front shoulder belts
- Two rear shoulder-belt anchors
- Two front head restraints
- 4-Way hazard warning signals
- Lane-changer turn signals

- Automatic back-up lights Side-of-car safety marker lights High-intensity headlights with "Guard-Glo"
- Inside rear-view mirror with twin ball-joint pivots
- Left side rear-view mirror Windshield washers (manual)
- Non-glare windshield wipers
- Windshield defrosters (heater)
- Single-unit body construction Energy-absorbing steering column
- Deep-dish steering wheel
- High-strength windshield glass Tempered side & rear glass Molded celling headliner

- Padded sun visors
- Padded instrument panel
- Safety-shaped armrests
- Non-glare finish on inside parts
- Double-Safety brake system
- Brake system warning light Self-adjusting brake linings
- Mechanical stop-light switch
- Corrosion-resistant brake lines
- Safety-rim wheels
- Tire tread-wear indicators
- Anti-theft ignition, steering & transmission lock with warning buzzer
- High-strength door locks

- Safety-shaped door handles
- Two-key locking system
- Safety-shaped control knobs Safety-styled instrument panel
- Front seat-back lock
- Dual-action hood latch

# Standard Tires

- 6.45 x 14 Black (white-line optional) on Sedan-6's
- 6.95 x 14 Black on Sedan V-8's & Sportabout
- D70 x 14 Black (white letters optional) on SC/360

# **Options**

# Paint, Vinyl Roof & Wood-Grain

- Two-tone paint for SST Sedans
- Vinyl covered roof, black, white, green & blue for SST Sedans
- □ Simulated wood grain side & rear panels included in Sportabout D/L package

# Seats & Upholstery

- Bench non-reclining seat—fabric (standard on SST) Bench non-reclining seat—vinyl (standard on base Hornet & Sportabout)
- ☐ Individual reclining seats—fabric (NA Base)
- Individual reclining seats—custom fabrics (NA Base)
  Individual reclining seats—vinyl (standard on

# Performance (see "Engine" & "Transmission/Axle Ratio" Charts) Hornet SC/360 "Go" package (1) Tachometer (as separate option on SC/360)

- Dual exhaust system in SC/360 Go package
- Twin-Grip differential (recommended with performance equip., req'd. option with 3.91 axle)

- □ Power steering (recommended with air conditioning)
   □ Power brakes
- Power disc brakes, front (V-8) (except base Hornet)

# Radio & Tape Equipment

AM push-button radio

# Convenience Items

- Convenience Items

  Air conditioning (includes H.D. engine cooling & 55 amp. alternator)

  A/C package (includes air cond., tinted glass, power steering & insulation group)

  Tinted glass, all windows (recommended with air conditioning) or windshield only

- Roof rack (on Sportabout only)
- Electric clock (separate option for base, group option for others)

- Convenience group (2)
  Electric windshield wipers & electric washers (required for V-8's, standard on SC/360)
  Visibility group (includes convenience group, electric windshield wipers & washers)
- Light group (3) Flip-open rear side window (2 door) (standard with SST & SC/360)
- Space-Saver spare tire (standard on Sportabout & SC/360)

# Protection Items

- ☐ Bumper guards—front only ☐ Bumper guards—front & rear
- Undercoating for SC/360 (hood insulation standard
- on SC/360)
- ☐ Insulation group, includes undercoating & hood insulation (except SC/360) Anti-scuff side molding (not on Sportabout D/L)

☐ Trailer towing package No. 1 (6) ☐ Heavy-duty engine cooling system (included with air conditioning) ☐ 70 Amp. battery (standard 50 amp. on 6 & 304 V-8.
60 amp. on 360 V-8)  ☐ Cold-start package—70 amp. battery & 55 amp. alternator (for cars less A/C) ☐ Engine block heater
Air-Pollution Control System  ☐ NITROX-TCS system (req'd. by State of California)
Optional Tires    6.95 x 14 Black (Standard on V-8's and Sportabout) (7)   B78 x 14 Black (white-twin-line optional) on Sedan-6's   C78 x 14 Black (white-twin-line optional)   D78 x 14 Black (white-twin-line optional)
D70 x 14 Black (white letters optional) standard on SC/360

☐ Clear vinyl floor mats, front & rear

Custom steering wheel for Base models

Wheel covers, 4 (except SC/360)
Custom wheel covers, 4 (except SC/360)

Sports decor group (Sportabout only) (4)
"Sportabout D/L" model package (5)

Heavy-Duty & Trailer Equipment

Wood grain sports steering wheel with rim blow feature (except Base models)

Turbo-Cast of wire wheel covers, 4 (except SC/360) 14" x 6" Spoke-style wheels, 4 (includes Space-Saver spare tire)

Pin stripes (not on Sportabout with wood grain & SC/360)

Handling package—6 cyl. (heavy-duty springs & shocks, plus front sway bar)
Handling package—V-8 (heavy-duty springs &

Decor group (wheel covers, pin stripes & white line tires) (except SC/360)

Appearance Items

360 CID 4-B. V-8, dual exhaust system, ram-air carburetion, tachometer, handling package and D70 x 14 Polyglas<sup>TM</sup> white-lettered tires.

2. Remote-control left outside mirror, visor vanity mirror, 12" day/night inside mirror, clock (SST and SC/360 less tach.), plus for Base models, cigarette lighter, rear ash trays and glove-box

lock.

3. Trunk light (except Sportabout), two courtesy lights, glove-box light, parking brake warning light, headlights-on warning buzzer, low-fuel warning light, plus front-door switches on Hornet Base.

4. Turbo-Cast wheel covers, white-line tires, body pin stripe, individual reclining seats with custom "Serape" fabric (also on door panels).

"Serape" fabric (also on door panels).

5. Wood-grain sides and rear, roof rack, custom wheel covers, individual reclining seats with custom "Serape" fabric (also on door panels) or only trim, wood-grain sports steering wheel with rim-blow horn, wood-grain instrument cluster trim and special D/L decals.

6. Package No. 1 for trailers up to 2,000 pounds: car-to-trailer wiring harness kit, heavy-duty engine cooling and automatic transmission oil cooler for 6's (standard on all 6's in California, and on all V-8's).

on all V-8's).

7. Standard with air conditioning.

	2.3	H.P.	Torque	Comp.	Bore		Hornet			MAIG MALIUS	Axie Ratios Std. (Upt.)		
Engines	Carb. Type	R.P.M.	R.P.M.	Ratio & Fuel	& Stroke	Basic	SST & Sport- about	SC/360	Transmissions	Hornet	Sportabout		
232 CID Six	1.000	125 (2, 4000	212 (2 1500	4010-	2754 - 2504	s			3-Speed Manual on Column (Standard)	3.08 (3.31)	3.08 (3.31)		
232 CIU SIX	1-Barrel	135 @ 4000	210 @ 1600	8.0:1 Reg.	3.75° x 3.50°	2	S		Shift-Command Automatic on Column	2.37 (2.73 & 3.08)*	2.73 (3.08 & 3.31)		
									3-Speed Manual on Floor	3.08 (3.31)	3.08 (3.31)		
258 CID Six	1-Barrel	150 @ 3800	240 @ 1800	8.0:1 Reg.	3.75° x 3.90°	0	0		Shift-Command Automatic on Column	2.73 (3.08 & 3.31)	2.73 (3.08 & 3.31)		
304 CIO V-8 *	2-Barrel	210 @ 4400	300 @ 2600	8.4:1 Reg.	3.75° x 3.44°		0		Shift-Command Automatic on Column	2.87 (3.15)	2.87 (3.15)		
240 OUD 44 O		215 62 4422			4.004 - 3.444			s	3-Speed Manual on Floor (Standard)	3.15 (3.54)			
360 CID V-8	2-Barrel	245 @ 4400	365 @ 2600	8.5:1 Reg.	4.08° x 3.44°			,	Shift-Command Automatic on Column	2.87 (3.15)			
				Title.					3-Speed Manual on Floor (Standard)	3.15 (3.54)			
360 CID V-8	4-Barrel	285 @ 4800	390 @ 3200	8.5;1 Reg.	4,08" x 3.44"			0	Shift-Command Automatic on Column	3.15 (3.54)			
									4-Speed Manual on Floor	3.54 (3.15 & 3.91)			

# 1971 JAVELIN





Styling so hairy we even risked turning some people off.

It was a very calculated risk, however, because anything that looks this good just has to have a better chance of turning people on than off.

Primarily, this number's designed to turn heads. What with the sculptured fenders knifing through the plunging hood line. And the twin canopy roof with optional vinyl inserts. And the air "spoiler" lip on the roof.

You won't find anything else like that in Detroit. (Or Europe, or Japan, or etc.) Javelin's engineering is every bit as "hairy" as its styling. We made improvement after improvement, applying a large number of lessons we learned in

our Trans-Am road racing competition. Like lengthening the wheelbase. Widening the rear track. Tightening the suspension. Heavier duty clutch and Hurst shifters for optional 4-speed transmissions. High-rev cams, and bigger breathing intake and exhaust manifolds for all V-8's. Heftier engine blocks, and steel guard rails in the doors.

About the only place we didn't apply Trans-Am principles was the interior. Shown on the next page.



There's certainly nothing "Trans-Am" about Javelin's interior. Because this one's pure luxury. The curved cockpit instrument panel is sporty, all right, and you can order a floor or console-mounted shifter, but the principal theme is comfort with safety. And that includes the high-backed bucket seats, in vinyl or optional leather or corduroy. It also includes the center console option (standard on Javelin AMX) with the center armrest, if you choose.





# 1971 AMX

The toughest of all the Javelins.

If you want to intimidate someone, this is the car to do it in.

The 1971 Javelin AMX. Every bit as mean as it looks.

A spoiler lip on the roof. A spoiler on the rear deck. And an optional one under the front bumper. All functional.


The standard engine is a very tough 360 cubic inch V-8. Mated to a fully synchronized 3-speed floor shift.

And for real intimidating, it has a special "Go" package that includes a T-stripe, curling around the front end and blasting up the middle of the hood. It includes things like a 401 or 360 4-barrel V-8 with cowl induction, dual exhaust, front disc brakes, Twin-Grip differential, E60x15 fiberglass-belted wide-tread tires, 15"x7" mag-style wheels, and more. (See complete Javelin option list on page 15.)


The 1971 Javelin AMX. If you're going to take on the best that GM, Ford and Chrysler can dish out, you've got to be tough.

1971 Javelin/AMX with Twin Canopy roof, special T-striping and front and rear air spoilers.









Top: The AMX instrument panel is more like a pilot's cockpit than a driver's dashboard. The specially curved "engine-turned" trim panel houses deeply recessed ammeter and oil pressure gauges, 140-mph speedometer, and a tachometer-clock.

Middle left: In addition to an optional spoiler beneath the front bumper, Javelin AMX features a rear-deck spoiler and a raisedprofile hood as standard.

Middle right: Optional Shift-Command automatic transmission features a console-mounted, stirrup-grip control. Or, choose 4-on-the-floor with Hurst shifter.

# 1971 JAVELIN SPECIFICATIONS AND OPTIONS

# **Specifications**

- Wheelbase 110.0"
- Length 191.6" Width 75.2"
- Front tread for sixes (and V-8's) 59.3" (59.7")
- Rear tread 60.0'
- Trunk space 10.2 cu. ft.

# Exterior & Interior

- All-welded single unit construction (Advanced Unit Construction)
- Deep-Dip rust proofing
- Front seat foam cushions Molded ceiling
- Front arm rests
- Interior lights
- Glove box lock Dual horn

## Mechanical

- Front suspension, twin ball joint design with coil springs
- Front suspension sway bar (optional on 6) Rear suspension, semi-elliptical leaf springs All-Season engine coolant Clear-Power 24 battery

- Aluminized exhaust system (duals standard with 401 V-8) Brake diameter, sixes (V-8) 9.0" (10.0") Fuel tank capacity 16 gal.

# **Heating & Air Conditioning**

- Weather-Eye heating & ventilating system
- High-level ventilation system with opt. air cond.

## Safe-Command Standard Features

- Seat belts
- Two front shoulder belts
- Two rear shoulder-belt anchors
- Two front head restraints
- 4-Way hazard warning signals Lane-changer turn signals

- Automatic back-up lights Side-of-car safety marker lights High-intensity headlights with "Guard-Glo"
- Inside rear-view mirror with twin ball-joint pivots
- Left side rear-view mirror (plus right side for AMX)
  Windshield washers (manual)
- Non-glare windshield wipers Windshield defrosters (heater) Single-unit body construction
- Energy-absorbing steering column
- Deep-dish steering wheel Guard-Rail doors
- High-strength ChemcorTM windshield glass
- Tempered side & rear glass Molded ceiling headliner
- Padded sun visors
- Padded instrument panel
- Safety-shaped armrests Non-glare finish on inside parts Double-Safety brake system
- Brake system warning light
- Self-adjusting brake linings Mechanical stop-light switch
- Corrosion-resistant brake lines
- Safety-rim wheels
- Salety-film wheels Tire tread-wear indicators Anti-theft ignition, steering & transmission lock with warning buzzer High-strength door locks
- Safety-shaped door handles
- Two-key locking system Safety-shaped control knobs
- Safety-styled instrument panel

- Front seat-back lock
- Dual-action hood latch

## Standard Tires

- C78 x 14 Black (white-twin-line optional) on Sixes
- D78 x 14 Black (white-twin-line optional) on V-8's E70 x 14 Black with white letters on AMX
- **Options**

# Paint, Vinyl Roof & Wood-Grain

☐ Vinyl covered roof, black, white, green & blue

- Nylon Cordoroy—SST & AMX Genuine Leather (front)—SST & AMX

# Performance (see "Engine" & "Transmission/Axle Ratio" Charts)

- AMX 360 or 401 "Go" package (1)
- ☐ Dual exhaust system for 360-4 barrel (standard
- □ V-8 cloc
- ☐ Twir perf
- ☐ From only

# Power

- Pow Pow Mar

# Radio

- AM,
- Rea
- 8-Tr & 2

# Conver

- Arm
- Air o
- ☐ Tint
- con
- Adj
- ☐ Elec
- ☐ Ligh
- visi elec Light ☐ Visi

- Spac

# Protection Items

- Bumper guards-front & rear
- Insulation group, includes undercoating & hood insulation (standard on AMX)
- Anti-scuff side molding (not with optional rally stripe) Clear vinyl floor mats, front and rear

401) Rally-Pac (oil pressure gauge, ammeter, tach, ck, 140 MPH speedometer) n-Grip differential (recommended with formance equip., reg'd, option with 3.91 axle) ck-ratio manual steering recommended only for cial performance/racing) nt lower spoiler (rear spoiler standard/AMX /)
Assists ver steering (recommended with air conditioning)
ver brakes
ver disc brakes, front (V-8 only)
nual disc brakes, front (V-8 only)
& Tape Equipment push-button radio /FM multi-plex stereo push-button radio & 2 rear
akers
ar speaker with radio
rack stereo tape player with manual AM radio rear speakers
nience Items sole only (standard on AMX) mest for console only mest & center cushion (except AMX) conditioning (includes H.D. engine cooling & amp. alternator) ted glass, all windows (recommended with air ditioning) or windshield only nk lid rack (except AMX)
ust-O-Tilt steering wheel
ctric clock (standard on AMX) ht group (2)
ctric windshield wipers & electric washers
ibility group (includes convenience group, ctric windshield wipers & washers) ht group (3) adlights-off delay system
otric rear window defogger (4) ace-Saver spare tire (included with optional styled sels) (standard on AMX)

Custom wheel covers, 4 (except AMX)
☐ Turbo-Cast or wire wheel covers, 4 (except AMX)
14" x 6" Spoke-style wheels, 4 (includes Space-
Saver spare tire). Slot-style wheels std. on AMX
☐ 15" x 7" Slot-style wheels, 4 (includes Space-Saver
spare tire)
Rally stripes (except AMX)
Hood T-stripe (AMX with optional Go package only)
Heavy-Duty & Trailer Equipment
☐ Handling package—6 cyl. (heavy-duty springs &
shocks, plus front sway bar)
Handling package—V-8 (heavy-duty springs &
shocks)
☐ Trailer towing package No. 1 (5)
Heavy-duty engine cooling system (included with
air conditioning)
70 Amp. battery (standard 50 amp. on 6 & 304 V-8, 60 amp. on 360 & 401 V-8)
Cold-start package-70 amp. battery & 55 amp.
alternator (for cars less A/C)
☐ Engine block heater
Air-Pollution Control System
☐ NITROX-TCS system (req'd. by State of California)
Optional Tires
☐ D78 x 14 Black (white-twin-line optional)
standard on V-8's
☐ E78 x 14 Black (white-twin-line optional)
E70 x 14 Black with white letters (standard on
AMX)
☐ E60 x 15 Black with white letters
1. 401 or 360 CID 4-B. V-8, dual exhaust system,
cowl-air carburetion, hood T-stripe, black rear
panel 15" y 7" slot-style wheels F60 x 15 Poly-
glasTM white-lettered tires, Space-Saver spare tire,
handling package, Twin-Grip differential, power
disc brakes, Rally-Pac instruments and heavy-
duty engine cooling.
2. Remote-control left outside mirror, visor vanity
mirror and clock (clock standard on AMX).
3. Trunk light, two courtesy lights, map light,
glove-box light, parking brake warning light, head-
lights-on warning buzzer and low-fuel warning light.
4. Includes 55-amp, alternator and rear-window
tinted glass.

5. Package No. 1 for trailers up to 2,000 pounds: car-to-trailer wiring harness kit, heavy-duty engine cooling and automatic transmission oil cooler for 6's (standard on all 6's in California, and on

Wheel covers, 4 (n/a AMX, standard SST)

Custom wheel covers, 4 (except AMX)

Appearance Items

tinted glass.

	Carb.	H.P.	Torque	Comp.	Bore	Jav	relin		Axle Ratios													
Engines	Туре	R.P.M.	R.P.M.	Ratio of Fuel	Stroke	Basic & SST	AMX	Transmissions	Std. (Opt.)													
100000000000000000000000000000000000000	10.00	TOWNER SOON	Vone ver		2774 2704			3-Speed Manual on Floor (Standard)	3.08 (3.31 & 3.58)													
232 CID Six	1-Barrel	135 @ 4000	210 @ 1600	8.0:1 Reg.	3.75° x 3.50°	S		Shift-Command Automatic on Column	3.08 (3.31)													
258 CID Six	1-Barrel	150 @ 3800	240 @ 1800	8.0:1 Reg.	3.75° x 3.90°	0		Shift-Command Automatic on Column	3.08 (3.31)													
								3-Speed Manual on Floor (Standard)	3.15 (3.54)													
304 CID V-8	2-Barrel	210 @ 4400	300 @ 2600	8.4:1 Reg.	3.75° x 3.44°	0		Shift-Command Automatic on Column	2.87 (3.15)													
								Shift-Command Automatic on Console	2.87 (3.15)													
					F 1			Shift-Command Automatic on Column	2.87 (3.15)													
360 CID V-8	2-Barrel	245 @ 4400	365 @ 2600	8.5:1 Reg.	4.08" x 3.44"	0	s	Shift-Command Automatic on Console	2.87 (3.15)													
										3-Speed Manual on Floor (Std. AMX)	3.15 (3.54)											
								Shift-Command Automatic on Column	2.87 (3.15)*													
				SUT O	-	100	100	Shift-Command Automatic on Console	2.87 (3.15)*													
360 CID V-8	4-Barrel	285 @ 4800	390 @ 3200	8.5:1 Reg.	4.08° x 3.44°	. 0	4* 0	0	0	x 3.44* O G	0	. 0	. 0	0	44* 0 0	44* 0 0	. 0	. 0	. 0 0	0	3-Speed Manual on Floor (Std. AMX)	3.15 (3.54)
																		4-Speed Manual on Floor	3,54 (3.15 & 3.91)			
			11000000					Shift-Command Automatic on Console	2.87 (3.15 & 3.54)*													
401 CID V-8	4-Barrel	330 @ 5000	430 @ 3400	9.5:1 Pre.	4.17" x 3.68"	0	0	4-Speed Manual on Floor	3.54 (3.15 & 3.91)													

\*For Javelin AMX with Combination of Auto. Trans. & "Go" Package 360-4-B., 3:15 Std., 2.87 Opt.; 401-4-B., 3.15 Std. (2.87 & 3.54 Opt.)

0-Optional

# 1971 MATADOR



We proved that a family car can be glamorous.



Nowhere is it written that family cars must be dull, drab nothings. Yet most of them invariably turn out that way.

The 1971 Matador is the new American Motors car designed to put an end to all that. To make the other intermediates look stingy.

To begin with, Matador has more room for you and your family than any other car in its class.

It has a longer wheelbase than Ford Torino, Chevrolet Chevelle and Plymouth Satellite. That means a smoother ride for you.

And unlike the others, there isn't a stripped-down Matador in the line.





There are three Matadors for '71: the 2-door hardtop, 4-door sedan and the 4-door station wagon. All top of the line.

All three are endowed with rich carpets, soft vinyls and expensive fabrics. All have the finishing touches that make them truly deluxe.

Special metal trim, inside and out. Special paints and color combinations. Things that may be minor in function, but not minor in cost.

We thought the extra glamour would be appreciated. Besides, it's high time the family was indulged a little.

Top left: Matador SST 2-Door Hardtop.

Bottom left: Matador's capacious trunk holds over 18 cubic feet of loading space. Enough for the whole family.

Top right: Matador 4-door sedan has the largest interior in its class.

Middle right: Matador station wagon shown with standard Two Way Tailgate in operation.







Top: Matador offers optional individual reclining seats upholstered in miracle fabrics or ventilated vinyls for all models, plus Custom Serape fabric (shown) for the hardtop.

Center left: Rear view of Matador with special chrome treatment, integrated triple-lens tail lights, and optional rubber-padded bumper guards.

Center right: Matador V-profile grille with high intensity "guard-glow" headlights, and wraparound bumper.

# 1971 MATADOR SPECIFICATIONS AND OPTIONS

# **Specifications**

- Wheelbase 118.0"
- Sedan & Hardtop length 206.0"
- Wagon length 205.0"
- Width 77.2
- Front tread 60.0"
- Rear tread 60.0" Trunk space 18.2 cu. ft.
- Cargo space for Wagons (underfloor storage) 91.1 cu, ft. (8.0 cu, ft.)

## Exterior & Interior

- All-welded single unit construction (Advanced Unit Construction)
- Deep-Dip rust proofing
- Front-seat foam cushions
- Molded ceiling
- Front arm rests
- Interior lights
- Glove box lock Dual horn

## Mechanical

- Front suspension, twin ball-joint design
- with coil springs Front suspension sway bar
- Rear suspension, 4-link-trailing-arm design with coil springs

- design with con springs All-Season engine coolant Clear-Power 24 battery Aluminized exhaust system (duals standard with 401 V-8) Brake diameter, 10.0"

- Fuel tank capacity 19.5 gal.
- Fuel tank capacity for 2-seat Wagons 19.5 gal. 17 gal. for 3-seat Wagons

# **Heating & Air Conditioning**

- Weather-Eye heating & ventilating system High-level ventilation system with opt. air cond.

# Safe-Command Standard Features

- Seat belts
- Two front shoulder belts
- Two rear shoulder-belt anchors
- Two front head restraints
- 4-Way hazard warning signals
- Lane-changer turn signals Automatic back-up lights
- Side-of-car safety marker lights
  High-intensity headlights with "Guard-Glo"
- Inside rear-view mirror with twin ball-joint pivots
- Left side rear-view mirror
- Windshield washers (manual)
- Non-glare windshield wipers Windshield defrosters (heater)
- Single-unit body construction
- Energy-absorbing steering column
- Deep-dish steering wheel High-strength windshield glass
- Tempered side & rear glass
- Molded ceiling headliner
- Padded sun visors Padded instrument panel
- Safety-shaped armrests
- Non-glare finish on inside parts
- Double-Safety brake system Brake system warning light
- Self-adjusting brake linings
- Mechanical stop-light switch
- Corrosion-resistant brake lines
- Safety-rim wheels
- Tire tread-wear indicators
- Anti-theft ignition, steering & transmission lock with warning buzzer

- High-strength door locks Safety-shaped door handles
- Two-key locking system
- Safety-shaped control knobs Safety-styled instrument panel
- Front seat-back lock Dual-action hood latch

## Standard Tires

- E78 x 14 Black (white-twin-line optional) on Sedans & Hardtops
- G78 x 14 Black (white-twin-line optional) on Wagons
- E60 x 15 Black with white letters on Hardtop with optional Machine package

# **Options**

# Paint, Vinyl Roof & Wood-Grain

- Two-tone paint
- Vinyl covered roof, black, white, green & blue (Sedan & Hardtop)
- Simulated wood grain side panels for Wagon

## Seats & Upholstery

- Bench non-reclining seat—vinyl (vinyl standard on Wagon)
- Individual reclining seats-fabric Individual reclining seats—custom fabrics
- (Hardtop only) Individual reclining seats-vinyl (vinyl standard
- Bucket seats-vinyl (Hardtop only)

# Performance (see "Engine" & "Transmission/Axle Ratio" Charts) 360 or 401 "Machine Go" package for Hardtop (1)

- exhaust system for 360-4 barrel (standard
- Twin-Grip differential (recommended with performance equip., req'd. option with 3.91 axle)
- Power Assists
- Power steering (recommended with air conditioning)
- Power brakes
- Power disc brakes, front (V-8 only)
- Power-lift tailgate window (included with 3-seat Wagon option)
- Radio & Tape Equipment
- AM push-button radio
- AM/FM push-button radio
- Rear speaker, with radio (not for Wagon)
- 8-Track stereo tape player & 2 rear speakers (Sedan & Hardtop)

# Convenience Items

- Armrest & center cushion (included with optional bucket seats for Hardtop)
- Air conditioning (includes H.D. engine cooling & 55 amp. alternator)
- A/C package (includes air cond., tinted glass, power steering & insulation group)

☐ Tinted glass, all windows (recomme conditioning) or windshield only ☐ Wagon roof rack ☐ Wagon roof air deflector—tailgate ☐ Third seat Wagon (includes powerwindow & two seat belts) ☐ Cruise-Command automatic speed	lift tailgate
(V-8 automatic)  Adjust-O-Tilt steering wheel (not with column shift)	
Electric clock     Convenience group (2)     Electric windshield wipers & electric windshield wipers & washe electric windshield wipers & washe	nce group,
☐ Light group (3) ☐ Headlights-off delay system ☐ Electric rear window defogger (exceed)	ept Wagons) (4)
Protection Items  Bumper guards—front only (Wagor Bumper guards—front and rear (ex Insulation group (includes undercoinsulation)  Clear vinyl floor mats, front & rear	cept Wagon)
Appearance Items  Wood grain sports steering wheel we wheel covers, 4  Custom wheel covers, 4  Turbo-Cast or wire wheel covers, 4  14" x 6" Spoke-style wheels, 4 (V-8)	
Heavy-Duty & Trailer Equipment  Handling package—V-8 (heavy-duty	y springs, shock

- & rear sway bar) Adjustable air-shock rear suspension
- Trailer towing package No. 1 (5)
  Trailer towing package No. 2 (V-8) (6)
- Heavy-duty engine cooling system (included with air conditioning)
- 70 Amp. battery (standard 50 amp. on 6 & 340 V-8, 60 amp. on 360 & 401 V-8)
  Cold-start package—70 amp. battery & 55 amp. alternator (for cars less A/C) ☐ Engine block heater

# Air-Pollution Control System

- □ NITROX-TCS system (req'd. by State of California)
- **Optional Tires** 
  - F78 x 14 Black (white-twin-line optional) on Sedans & Hardtops
- ☐ H78 x 14 Black (white-twin-line optional) on Wagon
- 1. 401 or 360 CID 4-B. V-8, dual exhaust system 15" x 7" slot-style wheels, E60 x 15 Polyglas<sup>TM</sup> white-lettered tires, Space-Saver spare tire, handling package and power disc brakes. 2. Remote-control left outside mirror, visor vanity mirror and clock
  3. Trunk or carrol light, two courtoon lights a legical control left of the courtoon lights.
- 3. Trunk or cargo light, two courtesy lights, glove-box light, front ashtray light, parking brake warn-ing light, headlights-on warning buzzer, low-fuel warning light, plus rear-door switches. 4. Includes 55-amp. alternator and rear-window tisted class.
- tinted glass.

  5. Package No. 1 trailers up to 2.000 pounds: car-to-trailer wiring harness kit, heavy-duty engine cooling and automatic transmission oil cooler for 6's (standard on all 6's in California, nation-wide on 258 CID 6's and all V-8's).

  6. Package No. 2 for trailers from 2.000 to 5.000 pounds: Same as Package No. 1, plus automatic transmission "auxiliary" oil cooler and handling package.

package.

Engines	Carb. Type	H.P. @ R.P.M.	Torque @ R.P.M.	Comp. Ratio & Fuel	Bore & Stroke	Transmissions	Axle Ratios Std. (Opt.)
					0.754 0.504	3-Speed Manual on Column (Standard)	3.15 (3.54)
232 CID Six (Standard)	1-Barrel	135 @ 4000	210 @ 1600	8.0:1 Reg.	3.75" x 3.50"	Shift-Command Automatic on Column	3.15 (3.54)
258 CID Six	1-Barrel	150 @ 3800	240 @ 1800	8.0:1 Reg.	3.75" x 3.90"	Shift-Command Automatic on Column	3.15 (3.54)
		222 22722			2754 244	Shift-Command Automatic on Column	2.87 (3.15)
304 CID V-8	2-Barrel	210 @ 4400	300 @ 2600	8.4:1 Reg.	3.75" x 3.44"	Shift-Command Automatic on Console	2.87 (3.15)
			5.0 0 000	202-202		Shift-Command Automatic on Column	2.87 (3.15)
360 CID V-8	2-Barrel	245 @ 4400	365 @ 2600	8.5:1 Reg.	4.08" x 3.44"	Shift-Command Automatic on Console	2.87 (3.15)
						Shift-Command Automatic on Column	2.87 (3.15)
360 CID V-8	4-Barrel	285 @ 4800	390 @ 3200	8.5:1 Reg.	4.08" x 3.44"	Shift-Command Automatic on Console	2.87 (3.15)
						4-Speed Manual on Floor (Go Pkg. only)	3.54 (3.15 & 3.91)
40-12 tal - 5	17.402				4.4 7.5 4	Shift-Command Automatic on Column	2.87 (3.15)
401 CID V-8	4-Barrel	330 @ 5000	430 @ 3400	9.5:1 Pre.	4.17" x 3.68"	Shift-Command Automatic on Console	2.87 (3.15 & 3.54)
						4-Speed Manual on Floor (Go Pkg. only)	3.54 (3.15 & 3.91)

# 1971 AMBASSADOR



The only car line in America with automatic transmission and air conditioning standard.

There are a lot of cars calling themselves "luxurious" that have a higher price tag than Ambassador. (Like Ford Galaxie, Chevrolet Impala and Plymouth Fury.) Yet none of them has Ambassador's list of standard equipment. In truth, they all charge you more for the features that make them more like Ambassador. That make them really luxurious.

Ambassador is a real luxury car. Without adding on. Because, in addition to air conditioning and automatic transmission, each Ambassador is powered by a great engine. The DPL uses a new 258 cu. in. six. While other models come with a 304 V-8, standard.







And you can order all the way up to a giant 401 cu. in. V-8 for Ambassador SST and Brougham.

Then there's the 4-coiled spring suspension system, for that lush boulevard ride. And the selection of upholstery fabrics and color combinations. And the Brougham's individual reclining seats. And more.

Ambassador. A veritable bounty of luxury features. All standard.

And we intend to keep it that way.

Just so we can all know what "luxurious" really means.

Top Left: Ambassador Brougham 2-Door Hardtop.

Bottom left: SST's massive grille and dual headlights.

Top right: Ambassador SST 4-Door Sedan.

Middle right: Ambassador Brougham 4-Door station wagon with color-keyed wood grain trim.

Right: Ambassador and Matador wagons teature a two-way tailgate. Drops down for cargo, swings out for people.









Above: Ambassador Brougham hardtop's high-back bucket seats with told-down arm-rest and center console, or cushion. Optional.

Left: Ambassador's instrument cluster with a full complement of gauges and controls is framed in rich burled walnut.

# 1971 AMBASSADOR SPECIFICATIONS AND OPTIONS

# **Specifications**

- Sedan & Hardtop length 210.8"
- Wagon length 209.8

Width 77.2

- Front tread 60.0'
- Rear tread 60.0' Trunk space 18.2 cu. ft.
- Cargo space for Wagons (underfloor storage) 91.1 cu. ft. (8.0 cu. ft.)

# Exterior & Interior

- All-welded single unit construction (Advanced Unit Construction)
- Deep-Dip rust proofing
- Front-seat foam cushions
- Molded ceiling
- Front arm rests
- Interior lights
- Glove box lock Dual horn

## Mechanical

- Front suspension, twin-ball-joint design with
- coil springs Front suspension sway bar
- Rear suspension, 4-link-trailing-arm design with coll springs
- All-Season engine coolant
- Clear-Power 24 battery
- Aluminized exhaust system (duals standard with 401 V-8)
- Brake diameter, 10.0" Fuel tank capacity 19.5 gal
- Fuel tank capacity wagons 17 gal.

# Heating & Air Conditioning

- All-Season air conditioning
- Weather-Eye heating & ventilating system
- High-level ventilation system

# Sale-Command Standard Features

- Seat belts
- Two front shoulder belts
- Two rear shoulder-belt anchors
- Two front head restraints
- 4-Way hazard warning signals Lane-changer turn signals
- Automatic back-up lights

- Side-of-car safety marker lights
  High-intensity headlights with "Guard-Glo"
  Inside rear-view mirror with twin ball-joint pivots
- Left side rear-view mirror
- Windshield washers (manual) Non-glare windshield wipers
- Windshield defrosters (heater)
- Single-unit body construction
- Energy-absorbing steering column
- Deep-dish steering wheel High-strength windshield glass
- Tempered side & rear glass
- Molded ceiling headliner Padded sun visors
- Padded instrument panel
- Safety-shaped armrests
- Non-glare finish on inside parts Double Safety brake system
- Brake system warning light
- Self-adjusting brake linings
- Mechanical stop-light switch Corrosion-resistant brake lines
- Safety-rim wheels
- Tire tread-wear indicators
- Anti-theft ignition, steering & transmission lock with warning buzzer
- High-strength door locks
- Safety-shaped door handles
- Two-key locking system

- Safety-shaped control knobs
- Safety-styled instrument panel
- Front seat-back lock Dual-action hood latch

## Standard Tires

- E78 x 14 Black (white-twin-line optional) on 258 & 304 Sedans & Hardtops
- F78 x 14 Black (white-twin-line optional) on 360 & 401 Sedans & Hardtops
- x 14 Black (white-twin-line optional)

# **Options**

# Paint, Vinyl Roof & Wood-Grain

- ☐ Two-tone paint (not for Brougham Wagon)
- Vinyl covered roof, black, white, green & blue (SST & Brougham Sedans & Hardtops)

# Seats & Upholstery

- Bench non-reclining seat—vinyl (vinyl standard on Wagons) (except Brougham)
- ☐ Individual reclining seats—fabric (standard on Brougham)
- ☐ Individual reclining seats—custom fabrics (Brougham Sedan & Hardtop)
- Individual reclining seats— on Wagons) (except DPL) vinyl (vinyl standard
- ☐ Bucket seats—fabric (Brougham Hardtop only)
   ☐ Bucket seats—vinyl (Brougham Hardtop only)

# Performance (See "Engine" & "Transmission/Axle Ratio" Charts) ☐ Dual exhaust system for 360-4 barrel (standard

- □ Twin-Grip differential (recommended with performance equip., req'd. option with 3.91 axle)

## **Power Assists**

- ☐ Power steering (recommended with air conditioning)
  ☐ Power brakes
- Power disc brakes, front (V-8 only)
- Power-lift tailgate window (included with 3-seat Wagon option)
- Power-lift side windows (SST & Brougham)

# Radio & Tape Equipment

- AM push-button radio
- □ Rear speaker, with radio (Sedans & Hardtops)
  □ 8-Track stereo tape player & 2 rear speakers
  (Sedans & Hardtops) (Sedans & Hardtops)

# Convenience Items

- Armrest & center cushion (included with optional bucket seats)
- Ducket seats)

  Tinted glass, all windows (recommended with air conditioning) or windshield only

  Wagon roof air deflector—tailgate (optional on SST, standard on Brougham)

  Third seat for Wagons (includes power-lift tailgate window & two seat belts)
- ☐ Cruise-Command automatic speed control system
- (V-8 automatic)

  Adjust-O-Tilt steering wheel (not with manual
- column shift) ☐ Electric clock (standard on Brougham)
- Convenience group (1) (except Brougham)
- Electric windshield wipers & electric washers
- Visibility group (includes convenience group, electric windshield wipers & washers)
- ☐ Light group (2) ☐ Headlights-off delay system ☐ Electric rear window defogger (3) (except Wagons)

# **Protection Items**

- ☐ Bumper guards—rear only (except Wagons)
   ☐ Undercoating for Brougham (hood insulation standard Brougham only)

☐ Insulation group for DPL & SST (includes undercoating & hood insulation)
Anti-scuff side molding (not on Wagons with two-tone or wood grain, n/a DPL)

Clear vinyl floor mats, front & rear

Appearance Items Wood grain sports steering wheel with rim blow Wheel covers, 4 (standard on SST & Brougham)
Custom wheel covers, 4

Turbo-Cast or wire wheel covers, 4 14" x 6" Spoke-style wheels, 4 (V-8 only)

Heavy-Duty & Trailer Equipment

Handling package—V-8 (heavy-duty springs, shocks & rear sway bar)

Adjustable air-shock rear suspension

Adjustable air-shock rear suspension
| Trailer-towing package No. 1 (4)
| Trailer-towing package No. 2 (V-8) (5)
| Heavy-duty engine cooling system for cars less A/C (included with standard air conditioning)
| 70 Amp. battery (standard 50 amp. on 6 & 304 V-8, 60 amp. on 360 & 401 V-8)
| Engine block heater

**Air-Pollution Control System** 

☐ NITROX-TCS system (req'd. by State of California)

# **Optional Tires**

- ☐ F78 x 14 Black (white-twin-line optional) on 258 & 304 Sedans & Hardtops (standard on 360 & 401)
- ☐ G78 x 14 Black (white-twin-line optional) on Sedans & Hardtops
- 1. Remote-control left outside mirror, visor vanity
- 2. Trunk or cargo light, two courtesy lights, glove-box light, front ashtray light, parking brake warning light, headlights-on warning buzzer, low-fuel warning light, plus rear-door switches (except DPL).
- Includes 55-amp, alternator and rear-window
- 4. Package No. 1 for trailers up to 2,000 pounds: car-to-trailer wiring harness kit and heavy-duty engine cooling (automatic transmission oil cooler standard on all 6's and V-8's).
- 5. Package No. 2 for trailers from 2,000 to 5,000 pounds: Same as Package No. 1, plus automatic transmission "auxiliary" oil cooler and handling

	Carb.	H.P.	Torque	Comp. Ratio & Fuel	Bore & Stroke	Ambassador			Axle Ratios	
Engines	Туре	(a)	R.P.M.			DPL	SST & Brougham		Std. (Opt.)	
258 CID Six	1-Barrel	150 @ 3800	240 @ 1800	8.0:1 Reg.	3.75" x 3.90"	S	-	Shift-Command Automatic on Column (Std.)	3.15 (3.54)	
304 CID V-8	2-Barrel	210 @ 4400	300 @ 2600	8.4:1 Reg.	3.75° x 3.44°	0	s	Shift-Command Automatic on Column (Std.)	2.87 (3.15)	
304 CID 4-8	2-Darrer	210 @ 4400	300 @ 2000	6.4.1 Reg. 3.73 13.44 U S		0 3	Shift-Command Automatic on Console	2.87 (3.15)		
360 CID V-8	2-Barrel	245 @ 4400	365 @ 2600	8.5:1 Reg.	4.08" x 3.44"	0	0	Shift-Command Automatic on Column	2.87 (3.15)	
300 CID 4-8	Z-Dallel	243 @ 4400	303 @ 2000	0.3.1 Reg.	4.00 X 3.44		0 0	· ·	Shift-Command Automatic on Console	2.87 (3.15)
360 CID V-8	4-Barrel	285 @ 4800	390 @ 3200	8.5:1 Reg.	4.08" x 3.44"	0	. 0	Shift-Command Automatic on Column	2.87 (3.15)	
300 CID V-8	4-Darrei	283 @ 4800	390 @ 3200	0.3;1 Reg.	4.06° X 3.44°	U	U	Shift-Command Automatic on Console	2.87 (3.15)	
401 CID V-8	4-Barrel	330 @ 5000	430 @ 3400	9.5:1 Pre.	4.17" x 3.68"		0	Shift-Command Automatic on Column	2.87 (3.15)	
401 CID 4-8	4-Darrei	4-Dallet 330 @ 3000	730 W 3400	3.3.1 FIE.	4.17 X 3.00		Ů	Shift-Command Automatic on Console	2.87 (3.15 & 3.54)	
								S-Standard 0-Ontional		

